
# PRODUCT CATALOGUE VERSION ENGLISH 1.0







#### **CONTACT US**

HEADQUARTERS Polynova Nissen AB Box 42016	TELEPHONE SWITCHBOARD +4684	449 29 60		CUSTOMER SUPPORT  TELEPHONE +46 8 449 29 85  E-MAIL support@polynova.se
SE-126 12 Stockholm	OPENING HOURS (CET)	A.M.	P.M.	
	Mon-Thurs	8.10-11.45	12.30-16.45	PURCHASING
VISITING ADDRESS	Friday	8.10-11.45	12.30-15.00	TELEPHONE +4684492987
Västberga Allé 5				E-MAIL ink@polynova.se
SE-126 30 Hägersten	FACSIMILE			
	+46 8 744 21 83			ADMINISTRATION
WEBSITE				TELEPHONE +4684492988
www.polynovanissen.eu				E-MAIL adm@polynova.se

#### **Your expert in plastics solutions since 1975**

Polynova Nissen stands for excellent service and high-quality products. Thanks to our 35 years of experience in the field we are now highly knowledgeable about how to find the best solutions for you and your clients - no matter where in the world your process begins.

Every year we handle thousands of global freight flows on behalf of our distributors and resellers. Thanks to our well-developed network of production partners in Europe and Asia we can guarantee the right solution at the right price. Sourcing, transportation, container breaking, stocking, quality control and environmental control can safely be left in our hands.

As a company with over 35 years' experience in the plastics market, one of Europe's largest stocked ranges of plastics, opportunities for manufacturing customised products and innovative solutions to sales and problem-solving, Polynova Nissen has the ambition of being the only partner you will need to meet your plastics and packaging needs.

We apply stringent environmental standards to all the processes within our organisation, and are ISO-certified in accordance with 9001 and 14001. Read more about our environmental policy at www.polynovanissen.eu.

#### Your marketing and sales resource

Polynova Nissen's business concept is not limited to delivery of products. As a customer you will benefit from our marketing service and our sales support.

The services we offer include helping you:

- Accompany your sales executives on client visits and find the best solution for your clients;
- Provide administrative support regarding major quotations;
- · Distribute marketing and pricing information;
- Provide sales-support materials as well as product-related and environmental information;
- Train your employees and/or clients at the Polynova Academy.
   Do not hesitate to contact us for more information about how we can help you grow your business.



Welcome to Polynova Nissen!





#### **About Plastics**

Nearly all the products in Polynova Nissen's range are made of polyethylene (PE) – a plastic made up of carbon and hydrogen that has excellent applications and environmental benefits. Products made of polyethylene are strong, flexible and dense, but are also very light and are economic in terms of the quantity of the plastic required.

- Polyethylene is chemically stable, odourless and flavourless, making it ideal for food storage.
- Polyethylene is naturally transparent but is easy to dye and print.

In the manufacture of polyethylene the structure of the material is adaptable, thus one can influence the characteristics of the resultant plastic. Our range of products can be divided into three categories:

- High-density (HDPE): A hard, slippery and matt plastic.
   It rustles and can endure high temperatures. It is also dense, but not as transparent as the other kinds;
- Low-density (LDPE): A clear, soft and shapeable plastic that is tougher than HDPE;
- Linear low-density (LLDPE): Similar to LDPE, but it can be advantageous for certain applications, e.g. stretch film.

Apart from the density of the plastic, the raw material can be of varying origins: virgin (new raw material), recycled material or a mix of the two (coex).

Products made of virgin material are of a high quality and are completely odourless. This material is suitable when the product needs to be of a high standard, e.g. in clinical environments such as the field of medicine, where the plastic has to be odourless.

Recycled raw material is often a cheaper option and a better environmental choice. Products made from recycled material have a slightly burnt smell, but they are not harmful to health or the environment.

Please contact us for more information about the various materials we use and their environmental and quality characteristics.

Tarpuline (With Eyelets)

Scaffolding Net

PolyLENO – Scaffolding Protection PolyLENO Scaffolding Flameprotected

# CONTENT

Plastic Bags	7	Industrial Products	17
PolyNATURE		Shaft protective net	
Fruit Bags		Plastic Hose	
Freezer Bags		Desiccant	
Sopi - Commuter Train/Bus Bags		Industrial Sacks	
Ziplock Bags			
Plain Bags In Dispenser Box		Protective Gear	19
Delivery Note Envelopes		Disposable Aprons	
Hygiene Bags		Disposable Gloves	
Pet Waste Bags		Shoe Covers	
		Bath Protection Mat	
Refuse Sacks	10	Vehicle Protection	21
PolyNATURE		Seat Protection	
Polyreg Recycled Refuse Sacks		Protective Floor Mat	
Polyprima Virgin Refuse Sacks		Steering Wheel Cover	
P3 – Three Layer Extra Strong Refuse Sacks		Car Cover	
Polycoex – Two Layer Refuse Sacks		Tire Bags	
Carrier Bags	12	Food Industry	2:
Vest Carrier Bags		Piping Bags	
Vest Style Carrier Bags On Roll		HDPE-Sheets	
Loop Handle Carrier Bags		Charcuterie-Box Liners	
Blocked Carrier Bags		Charcuterie-Dox Liners	
Construction Products	14		
Regenerated Foil			

# PLASTIC BAGS

Polynova Nissen offers a wide range of bags of various qualities, and they are kept in stock for fast delivery. If you need a special print, size or quality that is not to be found in our standard range it will be no problem for us to create a unique product for your specific needs.

**POLYNATURE** 

Fruit Bags

Freezer Bags

Sopi - Commuter Train/Bus Bags

Ziplock Bags

Plain Bags In Dispenser Box

Delivery Note Envelopes

Hygiene Bags

Pet Waste Bags







# PolyNATURE **N**

MATERIAL	DIMENSIONS (MM)	THICKNESS (MM)	CLOSURE TYPES	BOTTOM WELDS	
Biodegradable starch	375-600x370-750	0.014-0.020	Flush top, Tie-handels	Star-sealed	



#### **Bin Liners**

MATERIAL	DIMENSIONS (MM)	THICKNESS (MM)	CLOSURE TYPES	BOTTOM WELDS
HDPE	480-700x580-800	0,005-0,012	Tie-handles, Flush	Flat, Star-sealed
LDPE	450-870x530-850	0,012-0,035	Flush top	Flat
LLDPE	410-600x500-700	0,015-0,04	Flush top	Flat



# Fruit Bags 🕅

MATERIAL	DIMENSIONS (MM)	THICKNESS (MM)	CLOSURE TYPES	BOTTOM WELDS
HDPE	210/130×400-500	0,01	Tie-handles	Side gusset
LDPE	230-380x390-450	0,015	Flush top	Flat, Side gusset



# Freezer Bags 🟋

MATERIAL	DIMENSIONS (MM)	THICKNESS (MM)	CLOSURE TYPES	BOTTOM WELDS
HDPE	150-270x300-500	0,015	Flush top	Flat, Side gusset



# Sopi – Commuter Train/Bus Bags

MATERIAL	DIMENSIONS (MM)	THICKNESS (MM)	CLOSURE TYPES	BOTTOM WELDS
HDPE	215/150x350	0,02	Flat	Side gusset
HDPE	170x250	0,02	Flat	Side gusset





## Ziplock Bags

MATERIAL	DIMENSIONS (MM)	THICKNESS (MM)	CLOSURE TYPES	OTHER	
LDPE	40-300x60-450	0,05	Zip-lock	Transparent	
LDPE	40-230x60-300	0,05-0,09	Zip-lock	Space for notes	



# Plain Bags In Dispenser Box

MATERIAL	DIMENSIONS (MM)	THICKNESS (MM)	CLOSURE TYPES	BOTTOM WELDS
LDPE	125-650x200-700	0,022-0,09	Flush top	Flat



# **Delivery Note Envelopes**

MATERIAL	DIMENSIONS (MM)	THICKNESS (MM)	CLOSURE TYPES	OTHER
LDPE	230-380x390-450	0,015	Flushtop	n/a



# Hygiene Bags

MATERIAL	DIMENSIONS (MM)	THICKNESS (MM)	COLOUR	OTHER
LDPE	170/150x400	0,025	Grey	Printed



# Pet Waste Bags

MATERIAL	DIMENSIONS (MM)	THICKNESS (MM)	CLOSURE TYPES	BOTTOM WELDS
HDPE	220×390	0,02	Tie-handles	Side gusset







# PolyNATURE **N**

MATERIAL	DIMENSIONS (MM)	THICKNESS (MM)	CLOSURE TYPES	BOTTOM WELDS
Biodegradable starch	600-870x900-1400	0,02-0,025	Flush top, Tie-handles	Side gusset



# PolyREG Recycled Refuse Sacks \*N

MATERIAL	DIMENSIONS (MM)	THICKNESS (MM)	CLOSURE TYPES	BOTTOM WELDS
Recycled LDPE	440-870x800-1400	0,04-0,125	Flush top, Tie-handles	Flat, Side gusset



## PolyPRIMA Virgin Refuse Sacks

MATER	RIAL	DIMENSIONS (MM)	THICKNESS (MM)	CLOSURE TYPES	BOTTOM WELDS
Virgin	LDPE	440-1000x800-1400	0,025-0,15	Flush top, Tie-handles	Flat, Side gusset, Star sealed
Virgin	LLDPE	440-870x800-1400	0,04-0,09	Flush top, Tie-handles	Flat, Side gusset, Star sealed




# P3 – Three Layer Extra Strong Refuse Sacks

MATERIAL	DIMENSIONS (MM)	THICKNESS (MM)	CLOSURE TYPES	BOTTOM WELDS
LLDPE	750-1100×1150-1450	0,05-0,09	Flush top	Flat



## PolyCOEX - Two Layer Refuse Sacks

MATERIAL	DIMENSIONS (MM)	THICKNESS (MM)	CLOSURE TYPES	BOTTOM WELDS
LLDPE	750-1050x1150-1450	0,05-0,07	Flushtop	Side gusset







## **Vest Carrier Bags**

MATERIAL	DIMENSIONS (MM)	THICKNESS (MM)	HANDLE TYPES	BOTTOM WELDS
LLDPE	300-500x400-700	0,03-0,05	Vest bag, Punched-out	Side gusset
HDPE	300-500x400-700	0,015-0,03	Vest bag, Punched-out	Side gusset
LDPE	300-500x400-700	0,03-0,05	Vest bag, Punched-out	Side gusset



4	Vest Style Carrier	Bags On Roll		
MATERIAL	DIMENSIONS (MM)	THICKNESS (MM)	HANDLE TYPES	BOTTOM WELDS
LDPE	420x550	0,033	Vest bag	Side gusset
HDPE	420×550	0,015	Vest bag	Side gusset
LLDPE	420x550	0,033	Vest bag	Side gusset



# Loop Handle Carrier Bags

MATERIAL	DIMENSIONS (MM)	THICKNESS (MM)	HANDLE TYPES	BOTTOM WELDS
HDPE	Varoius	Various	Loop handle	Square bottom



## **Blocked Carrier Bags**

MATERIAL	DIMENSIONS (MM)	THICKNESS (MM)	HANDLE TYPES	BOTTOM WELDS
LLDPE	750-1100x1150-1450	0,05-0,09	Flush top	Flat

# CONSTRUCTION PRODUCTS

Polynova Nissen offers a wide range of construction products, which are kept in stock for fast delivery. We are not, however, limited to a standard range. The majority of our products are customised, meaning that we can offer special dimensions, prints and materials.

Regenerated Foil
Foil
Tarpuline (With Eyelets)
PolyLENO – Scaffolding Protection
PolyLENO Scaffolding Flameprotected
Scaffolding Net





# Regenerated Foil \*N

MATERIAL	DIMENSIONS (M)	THICKNESS (MM)	COLOUR
LDPE	2-4x50	0,07-0,15	Grey/transparent



#### Foil

MATERIAL	DIMENSIONS (M)	THICKNESS (MM)	COLOUR
LDPE	1,3-6×50-200	0,035-0,2	Black, transparent



# Tarpuline (With Eyelets)

MATERIAL	DIMENSIONS (M)	WEIGHT (G/M²)	COLOUR
PE	1,7-7,2×2-12	70	Green, transparent
PE	3-6x5-10	180	Blue, corner patch
PE	10-18x14-25	160	Transparent



# PolyLENO – Scaffolding Protection

MATERIAL	DIMENSIONS (M)	WEIGHT (G/M²)	COLOUR
Special	3,3 & 3,8× 30	160	White webbing
Special	3,3 & 3,8x 30	260	Blue webbing
Special	3,3 & 3,8x 30	320	Red webbing







# PolyLENO Scaffolding Flameprotected

MATERIAL	DIMENSIONS (M)	WEIGHT (G/M²)	COLOUR
Special	3x45	250	Beige



# Scaffolding Net

MATERIAL	DIMENSIONS (M)	WEIGHT (G/M²)	COLOUR
HDPE	3,3×100	65	Blue



Polynova Nissen offers a wide range of industrial-packaging products. We help you ensure your products are kept safe and are protected. We are flexible in the event of special requests regarding size or product characteristics, and will be happy to make adaptations according to your needs.

Shaft protective net Plastic Hose Desiccant Industrial Sacks







# Shaft protective net

MATERIAL	DIMENSIONS (MM)	TYPES	COLOUR
LDPE	6-320	Various	Various



#### Tube On Roll

MATERIAL	DIMENSIONS (MM)	THICKNESS (MM)	COLOUR
LDPE	75-600 (width)	0,1-0,2	Transparent, grey



#### Desiccant


MATERIAL	DIMENSIONS	THICKNESS (MM)	OTHER
Clay	Various	n/a	w/ or w/o indicator



# Industrial Sacks 🕅



MATERIAL	DIMENSIONS (MM)	THICKNESS (MM)	CLOSURE TYPES
LDPE	500-865x800-1400	0,1-0,15	Flushtop



# PROTECTIVE GEAR

Many workplaces apply stringent protective standards. Either humans need protecting against a hazardous environment or vice versa, i.e. the surroundings need protecting against humans, for example in clinical, contamination-sensitive environments. In both cases the protective gear we produce meets stringent standards with regard to safety, flexibility and economy.

Disposable Aprons
Disposable Gloves
Shoe Covers
Bath Protection Mat





# Disposable Aprons

MATERIAL	DIMENSIONS (MM)/ SIZE	THICKNESS (MM)	OTHER
LDPE	700-900x1400-1600	0,02-0,04	On roll
LDPE	700-900x1400-1600	0,02-0,04	Individually packed



## Disposable Gloves

MATERIAL	DIMENSIONS (MM)/ SIZE	THICKNESS (MM)	OTHER
LDPE	One size	0.02-0.05	Dispenser box, embossed
LDPE	One size	0.02-0.05	Consumer package



#### **Shoe Covers**

MATERIAL	DIMENSIONS (MM)/ SIZE	THICKNESS (MM)	OTHER
LDPE	Size Medium	0.02-0.05	Blue, Grey
LDPE	Size Large	0.02-0.05	Blue, Grey
LDPE	Size Small	0.02-0.05	Blue, Grey



#### **Bath Protection Mat**

MATERIAL	DIMENSIONS (MM)/ SIZE	THICKNESS (MM)	OTHER
LDPE	2900x860 mm	0,03	n/a







#### **Seat Protection**

MATERIAL	DIMENSIONS (MM)	THICKNESS (MM)	OTHER
LDPE	Standard, Extra wide	0.017	100, 300 or 400/pack, on roll



#### **Protective Floor Mat**

MATERIAL	DIMENSIONS (MM)	WEIGHT (G/M²)"	OTHER
ABC-Paper	400×500	70	400-pack



# Steering Wheel Cover

MATERIAL	DIMENSIONS (MM)	THICKNESS (MM)	OTHER
LDPE	760×760	0,025	White



#### Car Cover

MATERIAL	DIMENSIONS (MM)	THICKNESS (MM)	OTHER
MD	3800×6400	0,03	Used for paintwork



# Tire Bags

MATERIAL	DIMENSIONS (MM)	THICKNESS (MM)	OTHER
MD	1000×1000	0,035	Retail package
MD	170-670×900-1100	0.03-0.06	Bulk package
LDPE	170-670×900-1100	0.03-0.06	Bulk package

# FOOD INDUSTRY

Polynova Nissen offers various items that are safe to use in contact with food products. Our offerings include sheets for protecting goods during packing and transportation, as well as piping bags in different materials. We are always willing to customised any product so that it fits your specific needs.

Piping Bags HDPE-Sheets Charcuterie-Box Liners





# Piping Bags 🖫

MATERIAL	DIMENSIONS (MM)	THICKNESS (MM)	OTHER
LDPE	255-560	0,072-0,095	n/a
HDPE	255-560	0,072-0,095	n/a
Silicone	350-550	0,072-0,095	n/a



# HDPE-Sheets 묏 🗽

MATERIAL	DIMENSIONS (MM)	THICKNESS (MM)	OTHER
HDPE	220-500x330-1000	0,015	Dispenser box



# Charcuterie-Box Liners 🕅 🐚

MATERIAL	DIMENSIONS (MM)	THICKNESS (MM)	OTHER
HDPE	Various	0,02-0,04	Angle sealed, on roll
HDPE	Various	0,02-0,04	Angle sealed, Individually packed
HDPE	Various	0,02-0,04	Blocked





