There is aerosol spray paint that keeps color alive.

We are one of the leading firms in Korea which are specialized in the manufacture and export of aerosol spray paint including paint, coating, car care, wielding supplies, etc., having a market share of 25~30% in our country and over 80% in the eastern part of the Russia. The reason why our products are used throughout the world is that persons who are experienced and familiar with these industries best handle our products, and we think our products will be welcomed in your country on account of their superior qualities and attractive prices. Chinese products tried to attack Korean market for 5 years from the early 1990s, but they completely withdrew in the end due to Korean high quality. There are still no Chinese products in our market. As a market leader, our company has played a key role in protecting our market and improving the reputation of Korean suppliers in this field.

Company summaries

- Focus on aerosol paint spray industry for 40 years.
- Supply OEM to top3 paint makers in KOREA
- Received Export Award 1,000,000\$ by KITA in 2005.
- Designated as a Promising Export Firm by the small & Medium Business Administration.
- Designated as a Management Innovation Firm by the small & Medium Business Administration.



Aerosol Spray Paint

Our product is made from thermoplastic acrylic resin and Korean advanced techniques. It can provide

Films with excellent weather resistance. The product has the Features of good leveling, high coverage, fast dry, rich color and high luster, better flexibility, impact enduring, strong adhesiveness, and match well with many types of paint primers. It can be widely used in surface finishing and mending of metal, wood, glass, leather, ceramics and plastics. The films should avoid contacting with gasoline or other solvents.

Regarding to Aerosol Spray Paint, we have all kinds of colors. Such as red, yellow, green, pink,

purple, blue, white, black, etc. we also have different

spray paint. For example, fluorescent spray paint, luminous spray paint, enamel spray paint, metallic spray paint, stainless spray paint, heat resistant spray paint, antirust spray paint, etc.

Other products : zinc galvanizing spray, urethane vanish spray, paint&gasket remover, water proof spray, silicone spray, poly urethane foam, rust preventive spray(wd40), undercoating, sticker & tar cleaner, wheel cleaner, leather wax, multi-cleaner(elector contact cleaner), crack detection materials, anti-spatter, etc.



LUCKY INDUSTRY CO., LTD.

617, Daesan-LI, Wolhang-Myun, Seongju-Gun, Kyongbuk, Korea Tel : 82-54-933-7287 / Fax : 82-54-933-7289 E-mail : lucky@luckyaerosol.com / Homepage : www.luckyaerosol.com http://lovefr2917.en.ec21.com/

LUCKY PRODUCT LINE

[INDUSTRY SUPPLIES]

	PRODUCT NAME : AEROSOL PAINT SPRAY(LK-700)
K-TOPS	 Usage: For painting iron, wood, graffiti, Packing type : Aerosol can Capacity Wt : 400ml Color : All color(Below color chart) Set to touch : 15~20 minutes Dry through : 1 hours Base finish : gloss or flat Base chemical compound : Alkyd or Acryl Characteristic : Superior appearance and color retention Lucky paint spray is a fast drying lacquer spray that creates a smooth, professional finish Ideal for small touch-up jobs, painting irregular shapes or covering hard-to-reach areas high visibility safety colors Tough, high gloss finish
	PRODUCT NAME : AEROSOL ENAMEL PAINT SPRAY(LK-718)
	 •Usage: For painting iron, wood, •Packing type : Aerosol can •Capacity Wt : 420ml •Color : All color •Dry to touch : 12 minutes •Dry to handle : 1 hours •Base finish : gloss or flat •Base chemical compound : Alkyd or Acryl •Characteristic : -high visibility safety colors Ideal for small touch-up jobs, painting irregular shapes or covering hard-to-reach areas - Tough, high gloss finish -For both indoor and outdoor use -superior appearance and color retention
	PRODUCT NAME : AEROSOL FLUORESCENT PAINT SPRAY(LK-717)
	 Usage: Wood, Metal, Wicker, Wrought Iron, Glass, Plaster, Ceramic, Paper, Paper Mache. Packing type : Aerosol can Capacity Wt : 180ml Color:(Red, Pink, Green, Blue, Yellow, Orange) Dry to touch : 25 minutes Dry to handle : 1 hours Base finish : gloss or flat Base chemical compound : Alkyd or Acryl Characteristic : -high visibility safety colors -Lucky paint spray is a fast drying lacquer spray that creates a smooth, professional finish -Superior appearance and color retention -Ideal for small touch-up jobs, painting irregular shapes or covering hard-to-reach areas -For both indoor and outdoor use -Tough, high gloss finish

	PRODUCT NAME : AEROSOL LUMINOUS PAINT SPRAY(LK-716) Long lasting glow in the dark
	 Usage: electronics, furniture, machinery, bikes, wood objects, etc. Packing type : Aerosol can Capacity Wt : 180ml Color : sky-blue Dry to touch : 25 minutes Dry to handle : 1 hours Base finish : flat Base chemical compound : Acryl Characteristic : Glow in the dark for 4~8 hours at a time No radioactive substance included Two coats For both indoor and outdoor use high visibility safety colors Lucky paint spray is a fast drying lacquer spray that creates a smooth, professional finish Superior appearance and color retention
	PRODUCT NAME : AEROSOL RUST-PREVENTATIVE PAINT SPRAY(LK-715)
Bestseller)	 Usage : Steel, aluminum, properly primed metal, and wood, structural Steel, storage, tanks, handrails, piping, racks, ladders, fencing, machinery, metal door and applications above Boot topping. Packing type : Aerosol can Capacity Wt : 420ml Color : Red-Brown Dry to touch : 25 minutes Dry to handle : 1 hours Base finish : flat Base chemical compound : Alkyd or Acryl Characteristic : Complete coverage with one coat Lucky rust aerosol is a fast drying lacquer spray that creates a smooth, professional finish Superior appearance and color retention Ideal for small touch-up jobs, painting irregular shapes or covering hard-to-reach areas For both indoor and outdoor use Tough, high flat finish resists chipping and peeling Modified acryl enamel formulation
	PRODUCT NAME : STAINLESS STEEL COATING SPRAY(LK-701)
RECORDED OF THE PARTY OF THE PA	 Usage: exhaust and steam pipe, mufflers, radiators, production equipment, furnace, chemical processing equipment, engines etc. Packing type : Aerosol can Capacity Wt : 420ml Color : Silver Base finish : flat Base chemical compound :Enamel Characteristic : -Like ordinary paints, foams continuous film of Staginess Steel easily by way of brushing, roller or spraying, and shows perfect protection effects. Foams strong staginess film on the surface of all materials against corrosion, rust, damage, abrasion, blazing fire, contamination etc .for long time. -It brings excellent energy effects -has not conductivity -It does not damage appearance, so that it can be used for decoration -It can be used for electric and electronic parts -Is completed in the beautiful semi-polish state with color

	PRODUCT NAME : ZINC PRIMER SPRAY(LK-702)
	called "ZINC primer Spray"
	Salica Zirto galvanizing spray
TERRETORIES TERRE	 •Usage: ·Vessel: Bottom, ventilation duct, heat exchanger, water tank, drain pump, marine facilities of vessels Bridge: Rust proofing of pier, wire rope, foot, bolt, nut and welded part ·Vehicles: Muffler, body, underbody, fuel tank inlet, welded area of heavy equipment, parking facilities ·Generation and electric system: Transmission tower, broadcasting facility, antenna, steel tower, street light ·Construction: Pipes installed underground, elbow, steel structure, fence ·Others: Pipeline of refinery plant Piping and opening tank of freezer and air-conditioned manufacturer Rust proofing of machinery and equipment of chemical plant Outdoor steel structures Agricultural equipment and snowplow Welded portion of guardrails in expressway Rust proofing of water discharge channel system of irrigation channel
(Bestseller)	Packing type : Aerosol can
	 Packing type : Aerosol can Capacity Wt : 420ml Color : Gray Base finish : flat Base chemical compound :Acryl Characteristic : Excellent antirust effects LK-702 is a product using high-purity zinc grey particles
	based on zinc galvanizing, and provides permanent antirust effects by electrochemical action between zinc grey and metal. -Excellent adhesiveness enduring any shock and bend. -Excellent heat resistance and chemical-resistance, It endures over one year at 250 ℃ and is highly resistant to acid and alkali.
	PRODUCT NAME : Silver Zinc Spray(LK-703)
	 •Usage: -Ant rusting of steel materials and structures(Bridge, steel-barred window, iron railing, automobiles, railway car, container, freezer car, agricultural machine, transportation machine, civil engineering machine, tanks, vessel pipe) - Maintenance and substitution of zinc galvanizing and metal icon -Welding primer for steel materials - Substitution of zinc galvanizing, and maintenance coating of damaged coating Packing type : Aerosol can •Capacity Wt : 420ml •Color : Gray •Base finish : Gloss •Base chemical compound :Acryl •Characteristic : -Excellent ant rusting LK-703 is a coating agent developed by using high quality particle zinc powder. -It protects metal surface by way of electric ant rusting similar to that of zinc galvanizing. -Endurable for more than 1 year. -It brings excellent energy effects. -has not conductivity. -It does not damage appearance, so that it can be used for decoration. -It can be used for electric and electronic parts. -Is completed in the beautiful semi-polish state with color unique to staginess Steel.

	PRODUCT NAME : URETHANE VANISH SPRAY(LK-704)
1 m m	 Usage : High gloss clear painting wood Packing type : Aerosol can
	•Capacity Wt : 420ml
	•Color : Clear
111 相继为 1111-	•Base finish : Gloss
* ENEL BEL 1	•Base chemical compound : Enamel
· 영화 환원은 상도 · 영화 전 · 대부 · 대부 · 대부 · · · · · · · · · · · ·	•Characteristic :
And the	-LK-704 is gloss more excellent than the existing clear lacquer.
	-Excellent for thick painting.
	-Adhesive and durability are excellent
	PRODUCT NAME : PAINT REMOVER SPRAY(LK-705)
and the second se	•Usage : LK-705 is mainly used to remove oil-based paint, especially for Alkyd
	coating, nitro coating, acryl coating and some epoxy coating.
E HINGER	Packing type: Aerosol can Connective W(t + 420m)
PAINT	•Capacity Wt : 420ml •Color : Clear
LN.703	•Characteristic :
BUC Part Carcin Rooster Terry	-LK-705 contains highly effective formula, which can remove paints quickly and
100 PM CTHE AT 101	thoroughly and also act good effects on variety of paint films that are hard to
er P	remove.
	-It will not cause corrosion to the metal substrates after stripping.
	-The surface is easy to be cleaned, and repainting is free.
	PRODUCT NAME : STICKER & TAR REMOVER SPRAY(LK-808)
and the second se	•Usage : Remove tar, sticker and asphalt on paintwork car
	Packing type : Aerosol can Capacity W(t : 420m)
	•Capacity Wt : 420ml •Color : Clear
스틱캐	•Characteristic :
	-This product is of solvent type.
	-It has an advanced dissolving agent for removing tar, sticker and asphalt while
461 & COURTALE ONE 2017	causing no harm to paintwork.
Nett. 420nk	
	PRODUCT NAME : WATER-PROOF SPRAY(LK-707)
	PRODUCT NAME . WATER-PROOF SPRAT(LR-707)
	•Usage: Trench coat, ski wear, seat cover, wall paper, gym shoes etc.
	•Packing type : Aerosol can
KIN PERFORMANCE CHEMICAL VIENT BARRIER AND	•Capacity Wt : 420ml
Water Proof	•Color : Clear
944 AR91	•Characteristic :
	-This product is made with imported advanced waterproof material and low boiling
	point solvent.
	-It can effectively make shoes, bag, and other leather products. -waterproof, dustproof and shiny.
AND BO ANA	
	PRODUCT NAME : POLY URETHANE FOAM CLEANER SPRAY (LK-709)
AEW 8	•Usage:
্মণ প্রধা প্রদান প্রাপ্ত প্রাপ্ত হয়।	-This product is specially devolved to clean quickly foam gun.
	 This product also removes instantly all fresh poly-urethane spots. Packing type : Aerosol can
ST.	•Capacity Wt : 550ml
	•Color : Clear
Ple	•Characteristic :
// 🐬	This Product remove all excess foam cleaning also the screw thread and gun
Vier. dom	barrel

	PRODUCT NAME : MOLD RELEASE AGENT(Oil) (LK-710)
and the second se	called "silicone spray"
	•Usage : It applies very well in mold releasing of large-size hard plastics
Later wanted to the	like engine cartons
8. 22 向J LK-71	Packing type : Aerosol can
이 형 제	•Capacity Wt : 420ml •Color : Clear
1차 일반용 SPRAY TYPE	•Characteristic :
1994年9月1日日 1994年9月1日日本3月 日本3月1日日本1994年1月1日 日本3月1日日本1994年1日	This product is made of imported diethyl silicon oil with excellent
	Lubricate property and can increase the fitness of product
	It can also increase the quantity of mold releasing
	PRODUCT NAME : MOLD RELEASE AGENT(Dry) (LK-711)
	called "silicone spray"
1 m m	. Hence Melducle size all severe existing becaute a destroy lating and
	 Usage : Mold releasing ,silk-screen printing, bronzing, electroplating, and paint spraying of plastic housing and transparent object of high-
	quality home appliance
幕が 割 (K-7)	Packing type : Aerosol can
이 형 제	•Capacity Wt : 420ml
271 71 11 11	•Color : Clear
SPRAY TYPE	•Characteristic :
LERY INDUSTRY CO.IT	-This product is not oily and maintains a high stability in mold releasing
	-Secondary processing such as silk-screen printing, bronzing, electroplating,
	and paint spraying is allowed after mold releasing PRODUCT NAME : METAL COATING SPRAY(LK-713)
	PRODUCT NAME . METAL COATING SPRAT(LR-715)
	•Usage: metal coating
	•Packing type : Aerosol can
	•Capacity Wt : 420ml
50 1	•Color : Clear
Sante State	•Characteristic:
人屋出言코팅	-Stainless Steel Protector removes dust, rust and fingerprints and prevents from
王圖工工工LK-71	scratching by its wax coating. -It keeps original color of stainless steel.
_	PRODUCT NAME : OIL FILM RUST-PREVENTER SPRAY(LK-714)
	100% Similar WD-40" "Superior to LK-805"
	•Usage:
	-Equipment, tools, engine and military supplies for long-term keeping indoors and
	outdoors
	-Vessels, chemical plants and airplanes under hard conditions like moisture, salinity, acid and alkali
	- Automobiles, snowplow, military equipment, hoist, agricultural machinery and
	railway cars easily exposed to corrosion
(1972) (1972)	- Outdoor electric system, irrigation facility, military transportation vehicles and
K-714	their electric systems.
Dry · Wax file Anti-corrosion	Packing type : Aerosol can
Agent	•Capacity Wt : 420ml
① 森汀波参考	•Color : Clear •Characteristic :
*	-Rust proofing: Thick light oil type film protects equipment against moisture, acid,
SCT. COM	alkali and salinity or their evaporation, maintaining strong antirust effects for one
	year outdoors and 6 months indoors, and is used for vessels, airplanes and
	chemical plants.
	-Lubrication: Excellent permeability making it penetrates into fine cracks to show
	antirust and lubrication effects.
	-Water displacement: High water repellency and water displacement creating excellent insulation effects.
	-Stability: As it does not silicon except choric solvents, it is not harmful to plastics,
	rubber, paint, textile, wire and plated area.

[CAR CARE]		
	PRODUCT NAME :LEAK CHECKER SPRAY(LK-801)	
	 •Usage: -Households and restaurants using LPG/LNG Factories and companies using high-pressure gases Gas filling stations -Air conditioners gas leakage check -Air leakage check for smoke pipe and thermal shrinkage pipe •Packing type : Aerosol can •Capacity Wt : 400ml •Color : Clear •Characteristic : •Odorless, nontoxic, non pollute and environment-friendly spray -Noncorrosive to metal and hose. Long-term storage enabled. -Fine leakage surely detected 	
	PRODUCT NAME : LEATHER WAX(LK-802)	
	 Usage: Suitable for leather sofa, leather shoes and leather bags Packing type : Aerosol can Capacity Wt : 420ml Color : Clear Characteristic : Made with advanced emulsification technique and natural-luster formula, this product can effectively remove dirt and dust, repair and polish simultaneously. After applying, the protective ingredients can foam a protective layer, which gives it waterproof, Anti-fouling, more protection and duration. Frequent use can make the leather soft, comfortable and full of natural shine PRODUCT NAME : BRAKE & PARTS CLEANER(LK-803) 	
	 •Usage : Brake system all metal component parts on motors. •Packing type : Aerosol can •Capacity Wt : 840ml •Color : Clear •Characteristic: This product is using a mild organic solvent formula with lemon flavor with minimal pungent smell. Which can clean oil crusts and dust and dry quickly without leaving marks on brake parts? 	
	PRODUCT NAME : ANTI-FOG CLEANER(LK-804)	
	 Usage: For the inner side of windshield and bathroom mirror, etc. Packing type : Aerosol can Capacity Wt : 420ml Color : Clear Characteristic: This product is able to clean out all dirt on the surface of glass and simultaneously foam a thin-layer of membrane. 	
17	PRODUCT NAME : ANTI-RUST LUBRICANT(LK-805)	
· LUKY · LK-770 KK-770 Ministry and a Ministry and	 "100% Similar WD40" Usage: It can be used in metal material, finished or semi-finished products, parts and components, equipments for ocean transportation, surfaces of precision machinery, stock equipment, etc. Packing type : Aerosol can Capacity Wt : 360ml Color : Clear Characteristic : As long-acting oily anti-rust agent, this product has a special viscosity which makes it possible to cover a large surface, deeper into surfaces of various metals, replace the surface water leaving long-lasting anti-rust protective films which can provide long-term lubrication and anti-rust protection for metal materials, components and machinery so as to help quick start the stock machines. 	

20 T	PRODUCT NAME : GREASE SPRAY(LK-806)
	 Usage: It can be used as lubricant for rotating parts of mechanical equipments, and ball and roller bearing of bicycles, barrows, Animal-drawn cat. It can also prevent leakage of cup packing of pumps and metal pipe joints under low pressure, and protect planer saw surface from rusting. Packing type : Aerosol can Capacity Wt : 420ml Color : Clear Characteristic: This spray with greases of high purity and lubrication has strong water resistance. It will never drop and be easily provided a supplement.
	PRODUCT NAME : UNDER COATING(LK-807,815)
ALL DESCRIPTION OF THE DESCRIPTO	 •Usage : for vehicle chassis •Packing type : Aerosol can •Capacity Wt : 550ml(LK-807),1L(LK-815) •Color : Clear •Characteristic: •This product is a kind of high-tech adhesive coating for vehicle chassis. -It can effectively prevent beating of sand and gravel on the road as well as the slight dragging friction of the chassis. -It can stop acid, alkali, and salt from eroding the iron plate and avoid the looseness of bolts in the chassis. -It is able to enhance the transquillity of driving by reduce the transmission of driving noise. -It can also prevent the heat conduction of the chassis iron plate to ensure the inside space warm in winter and cool in summer.
	PRODUCT NAME : STICKER & TAR REMOVER SPRAY(LK-808)
	 •Usage: Remove tar, sticker and asphalt on paintwork car. •Packing type : Aerosol can •Capacity Wt : 420ml •Color : Clear •Characteristic : •This product is of solvent type. -It has an advanced dissolving agent for removing tar, sticker and asphalt while causing no harm to paintwork.
	PRODUCT NAME : ENGINE CONDITIONER(LK-809)
EXCEPTION EXCEPTION BILLER ORDER BILLER ORDE	 •Usage: removing dirty and carbons of Injector and carburetor as well as cleaning mental surface, heavy machinery, gardening machinery, engines of ships, equipments and the cement floor of the garage etc. •Packing type : Aerosol can •Capacity Wt : 420ml •Characteristic: Recover the efficiency of engine, preventing the knocking and vibration.
	PRODUCT NAME : NEW SPEED ONE(LK-810)
	 Usage: Cleaning smudged dirt and grease spot on kitchenware, bathroom tile, various kinds of OA equipment, office machine, astile, home, home appliances case, tire, engine room, glass, glass printing facility, chemical facility, etc. Package : Aerosol 600ml Characteristics: Speed one is versatile cleanser and deodorizer that has excellent performance, quality and stability. It easily removes various kinds of smudged dirt by strong-wash-ability. It does not contain strong toxic chlorine or petroleum solvent or bleaching agent.

	PRODUCT NAME :LIQUID WAX (LK-811)
CARLAN	 Usage: Cleaning car body, window, TV, telephone, piano, show case, desk, etc. Package: Aerosol 600ml Characteristic: Used for car body, leather and window, removing old dirty and providing coating.
	PRODUCT NAME : WHEEL CLEANER(LK-812)
	 Usage: Removing oil dirt like tar and pitch on the wheel(all kinds of wheel including aluminum wheel, magnesium wheel, light alloy wheel, steel and chrome coated wheel) and metal portion of car. Package : Aerosol 650ml Characteristic : Instant dissolution of the brake dust and dirt n the wheel or wheel cap. marking the wheel polished after cleaning. Protecting the metal portion of auto wheel from corrosion.
	PRODUCT NAME : GLASS CLEANER(LK-813)
Clean GLASS For DATABAN T	 Usage: Cleaning show window, show case, mirror, car window, refrigerator, washer, telephone, piano, vanity, bookshelf, table, sink aluminum, stainless steel, steel cabinet and various plastic surfaces. Package : Aerosol 600ml Characteristic: Easy and clean removal of the dusts and oil dirt on the solid surfaces of glass, various appliances and consumer electronic products as well as additional functions of Anti-corrosion, Sterilization, disinfection and malodor removal.
	PRODUCT NAME : DEODORANT FOR CAR(LK-814)
	 Usage: Air conditioner, heater, mats and trunk for vehicle as well as trash can sink-hole, toilet, and refrigerator for home use. Package : Aerosol 420ml/can Characteristic: Excellent effect for removal of bed smells from car air conditioner, etc. It contains a powerful sterilizer so it has excellent effect for removal of a mold, bacterium, etc. It is harmless for human body because it is made from natural vegetable material.
	PRODUCT NAME : GREEN CLEAN(LK-816)
	 Usage: Removing the bad smell inside of the car, a musty odor of air-conditioner, etc. Package : Aerosol 420ml/can Characteristics: Ozone safe propellant -Can be sprayed at 360C -Will not caused a headache because of alcohol-free

PRODUCT NAME : CARBURETOR CLEANER(LK-817)

Real et al. 2017 et al. 2017 Real et al. 2017	 Usage :Carburetor, chokes, fuel nozzle and other components with oil crust on motors on motors. Packing type : Aerosol can Capacity Wt : 550ml Color : Clear Characteristic : This product uses advanced formula, containing highly active ingredient, which have strong compatibility with oil resin emulsion, Varnish and carbonization, etc. Applying this product on the Inside surface of carburetor, throttle valve and sides of chokes etc. Can remove deposit effectively. 3 different option to choose(convention, strong and heavy-duty, which can be use according to different needs)

[WEILDING SUPPLIES]

	PRODUCT NAME : CRACK DETECTION CLEANER(LK-901)
MICRO-CHECA MICRO-CHECA 通答 역(法治療) ① ③ 正年 ・ 正年 日本 日本 日本 日本 日本 日本 日本 日本 日本 日本	 Usage : It is used to clear oily reside and dirty on target materials with cleaner before detection of cracks to shrinkage, forged parts, cracks due to forging, welded Sections, cavity, defective joints, metal fatigue cracks due to grinding, backing, and Cracks due to cutting tools. Packing type : Aerosol can Capacity Wt : 420ml Color : Clear
	PRODUCT NAME : CRACK DETECTION PENETRANT(LK-902)
() (法法法 제(RO-CHECK 참투 약(法法法法) (法法法法) (注意) (法法法法) (注意) (法法法法) (注意) (法法法法法) (注意) (法法法法法法) (法法法法法) (法法法法法法) (法法法法法) (法法法法法) (法法法法法) (法法法法法) (法法法法) (法法法法) (法法法法) (法法法法) (法法法法) (法法法法) (法法法法) ((法法法) (**********	 Usage : It is red penetrant used to detect cracks to shrinkage, forged parts, cracks due to forging, welded Sections, cavity, defective joints, metal fatigue cracks due to grinding, backing, and Cracks due to cutting tools. Packing type : Aerosol can Capacity Wt : 420ml Color : red Characteristic : Highly visible red dye Can be detected under natural or electric light. Non corrosive, easy to use. Easily removed by solvent or water washing. Can be sprayed at any direction
	PRODUCT NAME : CRACK DETECTION DEVELOPMENT(LK-903)
	 Usage : It is used to develop the flaw areas to shrinkage, forged parts, cracks due to forging, welded Sections, cavity, defective joints, metal fatigue cracks due to grinding, backing, and Cracks due to cutting tools, making the position and shape of flaw marked sharply on the white powder phase. Packing type : Aerosol can Capacity Wt : 420ml Color : white

	PRODUCT NAME : ANTI-SPATTER AGENT(LK-904)
11	•Usage: It is used as release agent on all surfaces. It makes welding easier by eliminating spatter cleaning problem.
	Packing type : Aerosol can
SPATTER	•Capacity Wt : 420ml
防止제 LK-%	•Color : Clear
연강모제품	Characteristic :
	-Is based on superior quality silicone oils which are used as welding aid and suitable
States 1	for all kinds of welding jobs.
1. Star 2	-The spray forms thinly a film on the metal surface and prevents metal spatters from
TTAN N THE NIZH ST	sticking.

[OTHERS]	

	PRODUCT NAME : DIMENSION AND FIGURE MARKER(LK-905)		
	 Usage: It can be used to mark dimension and figure on the surfaces of metal, glass and plastics. Packing type : Aerosol can Capacity Wt : 420ml Color : blue Characteristic : Blue, no glossy and no eye fatigue Quick drying and highly workable: dried within 1 minute. No vaporized loss and no deterioration Nontoxic and anticorrosive With its excellent water resistance, heat resistance and oil resistance, Wide application area: 8 ~ 12 m²/Can 		
	PRODUCT NAME : DIMENSION AND FIGURE CLEANER(LK-906)		
	•Usage: It can be used to remove above "Dimension and figure marker" on the surfaces of metal, glass and plastics.		
於・도형표从即加	Packing type : Aerosol can		
LK-5 Statistics statistics Revenues statistics R	•Capacity Wt : 420ml •Color : Clear		
	PRODUCT NAME : MULTI-CLEANER(LK-907)		
	Usage: It can be used in semiconductors, video tape recorders, micro motors, watches, electron tubes, photoelectric tubes, TV tuners, Magnetic heads, copy machines, parts for liquid oxygen, etc.		
MULTI-	Packing type : Aerosol can		
	Capacity Wt : 420ml Color : Clear		
NE NE	Characteristic : Multi Cleaner is a chemically stable compound which may be safely applied to		
R	plastic and metals. Its unique properties make it ideal for the cleaning of precision apparatus and electronic parts, and also for use as a reaction solvent and extracting agent.		

	PRODUCT NAME :URETHANE COATING(LK-908)		
SPRAY SPRAY URETHANE	Usage: Protective coating for moisture-proofing and insulation of washing machine, communication equipment, OA equipment and vending machine. Packing type : Aerosol can Capacity Wt : 420ml Color : white Characteristic: Ideal for sealing electrical and electronic equipment, protest against rust, moisture, corrosion, dirt, and alkali.		
	 PRODUCT NAME :PENET OIL(LK-909) Called Fast Permeating, Degrading and Cleaning Agent as well Usage : -Maintenance of equipment: aircrafts, military weapons, automobiles, elevators, hoists, air tools and electric equipment. -Disassembly of fixated bolts and nuts. -Relaxation of pressurized area of machinery for industry, vessel, agriculture and transportation, and home appliances. -Cleaning grease, oil dirt, and rust and corroded impurities off equipment and machinery. Packing type : Aerosol can Capacity Wt : 420ml Color : Clear Characteristic : -Used various and extensively as dissolution and rust exclusion for machine and bolts and nuts that are adhered by heat and rust with high speed permeation dissolution, washer. -It is used comprehensively to car, space-air, chemistry plant, power plant, steelworks, etc. -Dehumidification power is excellent so that protects electric leakage of electric appliance or short circuit, protects metal from corrosion and rust and extends life of product. 		
	 PRODUCT NAME :SPRAY INSTANT BOND(LK-775/777) Usage: instantly bonds materials, made of mdf, fiberboard, wood, rubbeer, plastic and similar materials, LK-777 used for permanent bond. Packing type : Aerosol can Capacity Wt : 420ml Characteristic: Is a very fast adhesive with two components. activator prevents the adhesive to be absorbed by the surface and increase the adhesive power. Allows the adhesive to be cured very quickly. 		

Technical Data Sheet

Name of Goods: Lucky Aerosol Spray Paint (400ml)

Inspection Items	Inspection ways	Standards
External inspection	Macrography	Do not have defects that decline the quality.
Existence of beads	Macrography	A bead should be in it.
Colors	Macrography	Comparison with STD
Viscosity of crude liquid	Fordcup (No)	12.30~13.30 (sec), (20 ℃)
Weight of crude liquid	Weighing	185±2(g)
Crimping	Tester	Diameter 27.2±0.1(mm) Location 5.2±0.2(mm)
Spray recharging	Weighing	DME 90±4 LPG 30±2
Gross weight	Weighing	416±8(g)
Net weight	Weighing	305±6(g)
Inner pressure	Pressure gauge	8kg/c㎡ at 35 ℃
Leakage test	Hot water storage tank	Do not happen Leakage
Spray test	Macrography	Workability should be good
Set to touch	Macrography	15~20 minutes(20 ℃)
Dry through	Macrography	1 hours (20℃)
Brilliance	60 degree's polish machine	Over 85
Softening degree	Tester of softening degree	Over 7.5
Film thickness(µ)	Thickness gauge	15~25
Application area(m²/ℓ)	Macrography	3(under film thickness 25µ)