

STOLZ Application List (Front)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
AUDI	A3	2003	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2003	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2003	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2003	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	A4 (B7/B8) A4 quattro	2005	2016	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2005	2016	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2005	2016	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2005	2016	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	A5 (8T3/8TA/8F7/B8)	2007	2016	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2007	2016	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2007	2016	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2007	2016	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	A6 (C6/C7)	2012	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2012	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2012	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2012	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	A7 (4G)	2011	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2011	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2011	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2011	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	TT	2006	2014	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2006	2014	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	

STOLZ Application List (Front)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
AUDI	TT	2006	2014	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2006	2014	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	R8	2006	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2006	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2006	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2006	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	RS6	2002	2004	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2002	2004	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2002	2004	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2002	2004	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
BMW	E46 3series	1998	2006	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		1998	2006	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		1998	2006	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		1998	2006	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	E90 3series	2005	2013	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2005	2013	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2005	2013	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2005	2013	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	F30 3series	2012	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2012	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2012	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2012	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	

STOLZ Application List (Front)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
BMW	E60 5series	2005	2009	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2005	2009	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2005	2009	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2005	2009	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	F10 5series	2010	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2010	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2010	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2010	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	G30 5series	2010	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2010	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2010	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2010	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	E63 6series	2010	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2010	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2010	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2010	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	F12 6series	2010	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2010	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2010	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2010	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	E82 M1	2011	2012	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2011	2012	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	

STOLZ Application List (Front)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
BMW	E82 M1	2011	2012	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2011	2012	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	E46 M3	2001	2006	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2001	2006	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2001	2006	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2001	2006	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	E90 M3	2001	2006	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2001	2006	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2001	2006	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2001	2006	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	E92 M3	2001	2006	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2001	2006	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2001	2006	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2001	2006	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	E89 Z4	2001	2006	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2001	2006	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2001	2006	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2001	2006	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	E70 X5	2013	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2013	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2013	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2013	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	

STOLZ Application List (Front)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
BMW	E71 X6	2015	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2015	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2015	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2015	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
MERCEDES-BENZ	CLA-Class (C117)	2014	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2014	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2014	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2014	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	A-Class (W176 / A45 AMG)	2013	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2013	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2013	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2013	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	C-Class (W204)	2008	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2008	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2008	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2008	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	E-Class (W211/W212) *E220	2002	2017	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2002	2017	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2002	2017	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2002	2017	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	CLS-Class (W219)	2004	2011	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2004	2011	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	

STOLZ Application List (Front)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
MERCEDES-BENZ	CLS-Class (W219)	2004	2011	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2004	2011	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	S-Class (W221) *SLK 200(R172)	2005	2013	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2005	2013	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2005	2013	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2005	2013	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	GLK-Class (X204)	2010	2015	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2010	2015	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2010	2015	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2010	2015	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	G-Class (W463)	2012	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2012	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2012	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2012	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
INFINITI	Q30	2017	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2017	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2017	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2017	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Q50	2014	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2014	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2014	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2014	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	

STOLZ Application List (Front)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
INFINITI	G35	2003	2008	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2003	2008	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2003	2008	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2003	2008	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	G37	2008	2013	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2008	2013	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2008	2013	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2008	2013	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
INFINITI	M35 / M37	2003	2013	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2003	2013	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2003	2013	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2003	2013	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	M56	2010	2013	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2010	2013	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2010	2013	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2010	2013	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	*EX FX	2008	2013	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2008	2013	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2008	2013	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2008	2013	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
MASERATI	GHIBLI	2013	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2013	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	

STOLZ Application List (Front)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
MASERATI	GHIBLI	2013	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2013	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	QUATTROPORTE	2004	2013	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2004	2013	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2004	2013	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2004	2013	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
FORD	MUSTANG	2005	2015	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2005	2015	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2005	2015	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2005	2015	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	MUSTANG	2015	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2015	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2015	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2015	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	TAURUS	2009	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2009	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2009	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2009	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	EXPLORER	2011	2016	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2011	2016	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2011	2016	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2011	2016	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	

STOLZ Application List (Front)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
FORD	FALCON FG(BA)	2002	2005	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2002	2005	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2002	2005	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2002	2005	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
HONDA	ACCORD (China made)	2007	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2007	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2007	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2007	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
NISSAN	350Z	2003	2008	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2003	2008	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2003	2008	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2003	2008	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	ALTIMA L33	2012	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2012	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2012	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2012	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	MAXIMA A36	2015	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2015	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2015	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2015	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	ROGUE S35	2008	2014	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2008	2014	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	

STOLZ Application List (Front)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
NISSAN	ROGUE S35	2008	2014	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2008	2014	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
PORSCHE	997 CARRERA S	2005	2011	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2005	2011	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2005	2011	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2005	2011	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	997 TURBO	2005	2011	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2005	2011	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2005	2011	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2005	2011	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	957 CAYENNE TURBO	2007	2010	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2007	2010	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2007	2010	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2007	2010	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
SUBARU	IMPREZA WRX STI	2007	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2007	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2007	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2007	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	IMPREZA WRX	2008	2014	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2008	2014	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2008	2014	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2008	2014	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	

STOLZ Application List (Front)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
SUBARU	WRX	2015	2017	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2015	2017	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2015	2017	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2015	2017	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
							350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
HOLDEN	VE	2006	2013	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2006	2013	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2006	2013	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2006	2013	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	VF	2013	2017	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2013	2017	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2013	2017	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2013	2017	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	VX	2000	2002	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2000	2002	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2000	2002	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2000	2002	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	VY	2002	2004	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2002	2004	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2002	2004	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2002	2004	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	VZ	2004	2007	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2004	2007	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	

STOLZ Application List (Front)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
HOLDEN	VZ	2004	2007	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2004	2007	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
TOYOTA	86	2012	2016	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2012	2016	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2012	2016	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2012	2016	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	LAND CRUISER 200	2015	2018	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2015	2018	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2015	2018	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2015	2018	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
VOLKSWAGEN	GOLF	2007	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2007	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2007	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2007	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	GOLF GTI	2007	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2007	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2007	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2007	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	SCIROCCO R	2008	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2008	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2008	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2008	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	

STOLZ Application List (Front)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
VOLKSWAGEN	JETTA A5	2005	2010	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2005	2010	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2005	2010	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2005	2010	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
MINI	COOPER R56	2005	2014	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2005	2014	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2005	2014	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2005	2014	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
FERRARI	360 MODENA	1999	2005	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		1999	2005	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		1999	2005	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		1999	2005	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	F430	2004	2009	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2004	2009	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2004	2009	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2004	2009	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
HYUNDAI	AVANTE	2006	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2006	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2006	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2006	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Grand Starex	2007	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2007	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	

STOLZ Application List (Front)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
HYUNDAI	Grand Starex	2007	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2007	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Genesis BH	2008	2013	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2008	2013	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2008	2013	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2008	2013	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Genesis Coupe	2008	2015	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2008	2015	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2008	2015	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2008	2015	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Genesis DH	2014	2015	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2014	2015	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2014	2015	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2014	2015	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Genesis G70 IK	2016	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2016	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2016	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2016	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Genesis G80	2016	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2016	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2016	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2016	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	

STOLZ Application List (Front)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
HYUNDAI	Grandeur XG	2001	2005	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2001	2005	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2001	2005	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2001	2005	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Grandeur TG	2005	2011	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2005	2011	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2005	2011	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2005	2011	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Grandeur IG	2016	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2016	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2016	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2016	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	I30 (FD,GD,PD)	2012	2015	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2012	2015	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2012	2015	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2012	2015	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	I40 (VF)	2011	2015	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2011	2015	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2011	2015	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2011	2015	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Maxcruz	2013	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2013	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	

STOLZ Application List (Front)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
HYUNDAI	Maxcruz	2013	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2013	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Santafe CM	2006	2012	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2006	2012	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2006	2012	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2006	2012	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Santafe DM	2013	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2013	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2013	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2013	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Sonata LF	2015	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2015	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2015	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2015	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Sonata NF	2005	2009	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2005	2009	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2005	2009	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2005	2009	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Sonata YF *IONIC (AE)	2010	2014	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2010	2014	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2010	2014	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2010	2014	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	

STOLZ Application List (Front)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
HYUNDAI	Tucson lx *KONA (OS)	2010	2015	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2010	2015	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2010	2015	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2010	2015	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Veloster	2011	2015	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2011	2015	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2011	2015	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2011	2015	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Veracruz	2007	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2007	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2007	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2007	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
KIA	All New Carnival	2014	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2014	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2014	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2014	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	All New Pride (UB)	2012	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2012	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2012	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2012	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Forte	2008	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2008	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	

STOLZ Application List (Front)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
KIA	Forte	2008	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2008	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Grand Carnival	2006	2013	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2006	2013	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2006	2013	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2006	2013	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	K3 (YD, YK)	2013	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2013	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2013	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2013	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	K5 (TF, JF)	2010	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2010	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2010	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2010	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	K7 (VG)	2010	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2010	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2010	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2010	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	K9 (KH)	2013	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2013	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2013	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2013	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	

STOLZ Application List (Front)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
KIA	Mohave (HM)	2008	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2008	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2008	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2008	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Opirus	2004	2011	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2004	2011	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2004	2011	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2004	2011	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Sorento	2009	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2009	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2009	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2009	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Sportage *NIRO (DE)	2010	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2010	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2010	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2010	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
CHEVROLET	Cruze	2011	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2011	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2011	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2011	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Impala	2014	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2014	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	

STOLZ Application List (Front)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
CHEVROLET	Impala	2014	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2014	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Malibu (V300,V400)	2012	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2012	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2012	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2012	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Tosca	2006	2009	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2006	2009	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2006	2009	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2006	2009	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	WINSTOM CAPTIVA	2006	2010	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2006	2010	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2006	2010	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2006	2010	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
RENAULT	QM5 (H45)	2008	2015	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2008	2015	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2008	2015	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2008	2015	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	SM5 (EX1/DF)	2013	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2013	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2013	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2013	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	

STOLZ Application List (Front)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
RENAULT	SM5 520D	2001	2004	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2001	2004	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2001	2004	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2001	2004	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	SM5 IMPRESSION	2008	2010	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2008	2010	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2008	2010	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2008	2010	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	SM5 L43	2010	2012	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2010	2012	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2010	2012	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2010	2012	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	SM6 LFD	2016	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2016	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2016	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2016	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	SM7 EX2	2011	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2011	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2011	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2011	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
SSANGYONG	Chairman	2002	2016	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2002	2016	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	

STOLZ Application List (Front)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
SSANGYONG	Chairman	2002	2016	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2002	2016	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Korando	2000	2005	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2000	2005	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2000	2005	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2000	2005	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Korando C	2012	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2012	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2012	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2012	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Korando Sports *Actyon	2012	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2012	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2012	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2012	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Rexton	2008	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2008	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2008	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2008	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	G4 Rexton MOSSO	2017	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2017	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2017	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2017	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	

STOLZ Application List (Front)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
SSANGYONG	Tivoli	2016	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2016	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2016	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2016	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
	Tivoli Air	2016	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
		2016	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	
							380x31(2-Piece)	33	136	219	19	
		2016	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	
							380x31(2-Piece)	35	140	217	19	
		2016	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	
							380x31(2-Piece)	35	139	220	19	
Note Legend	Explanation											
1												
2												
General Notes												
- The caliper colors are G=Gold, S=Original Silver, GB=Gunmetal, B=Black.												
- All discs are basically drilled discs												