



HDR 670 CLASSIC

BASIN TYPE TIPPING SEMI-TRAILER



Dynamic Production with Innovative Approach




One-to-one Dialogue Before and After Sales



Deep Friendships Since 1983



together we are stronger



EXTRA FUNCTIONS











TILT WARNING

AUTO BRAKE When tipped brake system activates after 10 km speed

OVERLOAD CONTROL SYSTEM

AUTOMATIC AXLE LIFTING

FINISHER FUNCTION



3x12 TON CAPACITY AXLE



LOCK SYSTEM PREVENTING TIPPING WHILE MOVING BASED ON ROAD REGULATIONS



BOLTED SHOVEL



FIXED TYPE BUMPER (SAND AND EXCAVATION) FOLDING TYPE BUMPER (ASPHALT DUMPING)



SPECIALLY DESIGNED AND REINFORCED MANUAL AND HYDRAULIC OPTIONAL REAR COVER



11.500 KG CAPACITY KING-PIN











HDR 670 PRESTIGE

BASIN TYPE TIPPING SEMI-TRAILER



Dynamic Production with Innovative Approach




One-to-one Dialogue Before and After Sales



Deep Friendships Since 1983



together we are stronger



EXTRA FUNCTIONS











TILT WARNING

AUTO BRAKE When tipped brake system activates after 10 km speed

OVERLOAD CONTROL SYSTEM

AUTOMATIC AXLE LIFTING

FINISHER FUNCTION



3x9 TON CAPACITY AXLE



LOCK SYSTEM PREVENTING TIPPING WHILE MOVING BASED ON ROAD REGULATIONS



BOLTED SHOVEL



FIXED TYPE BUMPER (SAND AND EXCAVATION) FOLDING TYPE BUMPER (ASPHALT DUMPING)



SPECIALLY DESIGNED AND REINFORCED MANUAL AND HYDRAULIC OPTIONAL REAR COVER



11.500 KG CAPACITY KING-PIN











HDR 740

BASIN TYPE TIPPING SEMI-TRAILER



Dynamic Production with Innovative Approach




One-to-one Dialogue Before and After Sales



Deep Friendships Since 1983





TECHNICAL SPECIFICATIONS

VOLUME FLOOR-SIDE WALLS FRONT PANEL-REAR COVER

WEIGHT

22-28 m³
Wear plate of 400-450 Brinell hardness
Wear plate of 400-450 Brinell hardness
Weight starting from 6200 kg

HDR 740
BASIN TYPE TIPPING SEMI-TRAILER



3x9 TON CAPACITY AXLE



LOCK SYSTEM PREVENTING TIPPING WHILE MOVING BASED ON ROAD REGULATIONS



BOLTED SHOVEL



FIXED TYPE BUMPER (SAND AND EXCAVATION) FOLDING TYPE BUMPER (ASPHALT DUMPING)



SPECIALLY DESIGNED AND REINFORCED MANUAL AND HYDRAULIC OPTIONAL REAR COVER



FLANGE KING-PIN REMOVABLE BY 2" BOLTS











HDR 760 PRESTIGE

BASIN TYPE TIPPING SEMI-TRAILER



Dynamic Production with Innovative Approach




One-to-one Dialogue Before and After Sales



Deep Friendships Since 1983



together we are stronger



TECHNICAL SPECIFICATIONS

VOLUME FLOOR-SIDE WALLS FRONT PANEL-REAR COVER WEIGHT 22-24 m³
Wear plate of 400-450 Brinell hardness
Wear plate of 400-450 Brinell hardness
6050 kg new light model

HDR 760 PRESTIGE BASIN TYPE TIPPING SEMI-TRAILER



3x9 TON CAPACITY AXLE



LOCK SYSTEM PREVENTING TIPPING WHILE MOVING BASED ON ROAD REGULATIONS



SPECIAL DESIGN OVERHANG
DISTANCE FOR ASPHALT CARRIERS



FIXED TYPE BUMPER (SAND AND EXCAVATION) FOLDING TYPE BUMPER (ASPHALT DUMPING)



SPECIALLY DESIGNED AND REINFORCED MANUAL AND HYDRAULIC OPTIONAL REAR COVER



FLANGE KING-PIN REMOVABLE BY 2" BOLTS





