

Sealing Machine

Foodie®



A manual machine that puts the contents into a packaging container and then seals the packaging film.
It is mainly used in the delivery specialist company such as porridge, side dish shop




Product Specifications

horizontal	210mm	Vertical	462mm
Height	550mm	weight	11kg
output	Per minute 7~8pack	Maximum mold size	160mm(width) / 200m(Length)
Power supply	220V, 60Hz, 450W	material	Iron, aluminum

※ The contents of the jar is not deteriorated to the temperature of 110 ℃, even if heated in the microwave, it is safe to 100 ℃.

※ Please avoid direct sunlight and high temperature when storing.

How to use the product



WOJJINiD LTD

1353 Kwangyulno, Baekseok-eup, Yangju-si, Gyeonggi-do, Korea
TEL +82 31-829-0687 FAX +82 31-829-0697



It is possible to exchange only bits when a bit is damaged due to bit separation type.

Charge driver, spindle lock, and one-touch lock available



Product Specifications

product name	Wire twist / Patent registratio 10-1653874 Design Application
weight	60g
material	SUS
insertion portion	hexagon (6.35mm)
use	Single wire 1.5~4SQ / Strand 6SQ, 2.5SQ 10 concurrently available
characteristic	Charging Driver Spindle, One touch is all future Supports both positive and negative twist directions, Seamless wire separation after kinking (minimization of latching phenomenon)

WIRE TWISTING TOOL Bit exchange type



Easy one-touch separation
method



Wire connector available



The home holds the wire.
Support both forward and reverse directions



WOOJINiD LTD

1353 Kwangyulno, Baekseok-eup, Yangju-si, Gyeonggi-do, Korea
TEL +82 31-829-0687 FAX +82 31-829-0697


Bolt chamfer

TOOLPX®

External diameter chamfering such as bolt, pipe, round bar
Apply to Impact Drills and all drills

Product Specifications

product name	Bolt chamfer
weight	35g
material	SUS2(Strong bearing)
hardness	54
performance	Diameter 8 ~ 25mm Bolt, pipe, round bar OD Chamfer
characteristi	High strength vacuum heat treatment, impact drilling and all drilling applications



A chamfering machine that removes the burrs generated when cutting the computerized bolts and chamfering to make the bolts and nuts smoothly connected.



Simple usage

**Attach the bolt chamfer to the drill and insert the bolts.
When the drill is working, it will finish neatly.**



WOOJINID LTD

1353 Kwangyulno, Baekseok-eup, Yangju-si, Gyeonggi-do, Korea
TEL +82 31-829-0687 FAX +82 31-829-0697

Pipe expander



Easy and easy to expand the pipe
Charge driver, spindle lock, and one-touch lock available

Product Specifications

product name	Copper pipe expander
weight	-
material	SUS2(Strong bearing)
hardness	-
performance	Copper pipe expansion (other than air conditioner)
characteristi	Impact drill and all drill applications



WOOJINiD LTD

1353 Kwangyulno, Baekseok-eup, Yangju-si, Gyeonggi-do, Korea
TEL +82 31-829-0687 FAX +82 31-829-0697