DESKLINE IMPROVING ERGONOMICS



# DESKLINE® Product overview



# The clever move

## Plug & Play<sup>™</sup>

LINAK<sup>®</sup> has the widest product programme on the market. We develop and provide solutions where all components work together. True systems where everything fits, it is simply Plug & Play. With our DESKLINE<sup>®</sup> systems, you can concentrate on design, stability and furniture aesthetics. As a global leader, we provide Plug & Play electric height adjustable solutions for desks, tables, counters and workstations which people work behind every day.

## PVC-Free<sup>™</sup> systems

LINAK has acknowledged that there are alternatives to materials containing PVC. For health reasons and for the sake of the environment, most DESKLINE systems are PVC-Free as standard. Look for the PVC-Free icon to denote products that are PVC-Free.

## ZERO<sup>™</sup> technology

The environment is increasingly on people's minds. LINAK uses ZERO technology to lower standby power consumption to just 0.1W. All DESKLINE control boxes have low standby power as standard. Look for the ZERO icon to denote products that have low standby power consumption.

# PIEZO<sup>™</sup> anti-collision technology

PIEZO is the name of the hardware-based anti-collision technology developed by LINAK. This feature prevents material damage to a desk if a collision with a solid object occurs. The PIEZO sensor is completely

PIEZ

integrated in the column with no visible changes and no extra mounting. The PIEZO sensor is more sensitive and reacts faster than known software-based systems. Look for the PIEZO logo to denote which DESKLINE columns offer PIEZO as a feature.

### 5-year warranty

LINAK quality is a combination of high-quality components, semiautomatic production, competent and experienced personnel as well as rigorous testing. We believe in our products and we believe that quality matters. Therefore, DESKLINE products have a 5-year warranty on manufacturing defects. As a market standard, batteries have a 12-months warranty.

# DESKLIFT<sup>™</sup> SetPack

You can choose selected products as a DL SetPack solution. Our prepacked sets are delivered in one stable box and include everything you need for the assembly of your 2-leg desk. With the DL SetPack, you avoid local packaging and are all set to deliver a complete set to your customers. Our DL SetPack comes in a strong and stable cardboard box with an optimised inlay for our DESKLINE® products.



**PVC** 

FREE

SetPack

Plug &

Play

**U**<sub>1</sub>W

# Power to the system



#### CBD6S

- Compact, lightweight
- ZERO<sup>™</sup> standby power consumption
- PVC-Free<sup>™</sup> as standard
- High performance, low pleasant sound and constant speed of the system





#### CBD6S

- Intuitive cable management
- Plug & Play™ with all lifting columns
- Up to 4 channels in parallel
- Universal input (300W)



#### Battery box BA001\*

- Battery alarm (audio)
- Battery charging indicator (LED light bars)
- Capacity 2.2 Ah/53Wh
- Nominal voltage 24V
- Mounting bracket for easy mounting/demounting



## A compact, state-of-the-art control box CBD6S

The series of control boxes CBD6S combines the best of the past with new unique features into compact, state-of-the-art control boxes. The CBD6S is backwards compatible and works with the entire DESKLINE<sup>®</sup> product programme.

Weighing down to 400 g and with a height of only 38 mm, it is easy to mount, and it has grooves in the bottom for intuitive cable management. Moreover, it is PVC-Free<sup>TM</sup> and comes with ZERO<sup>TM</sup> standby power as standard.





\* If any and all of the Li-ion batteries built into LINAK products are found to be defective under warranty, LINAK will provide a new product to the OEM. LINAK explicitly disclaims all other remedies. LINAK shall not in any event be liable under any circumstances for any special indirect punitive incidental or consequential damages or losses arising from any incident related to the inherent risk of thermal runaway in the Li-ion cell and any use of LINAK products. Moreover, LINAK explicitly disclaims lost profits, failure to realise expected savings, any claim against our customer by a third party, or any other commercial or economic losses of any kind, even if LINAK has been advised of the possibility of such damages or losses.



# Movement of the desk

Throughout the years, LINAK® has launched a wide range of motor systems for office desks, tables, counters, workstations and kitchens.

All members of our DESKLINE® column family contribute to reliable, easy and innovative solutions for the electric ergonomic adjustment to your desks. LINAK solutions focus on complete flexible systems based on your needs and wishes - both functionally and aesthetically.

All columns are available in black, grey and white as standard (not DL2).

LA23 12.6 mm/sec Speed: Max thrust: 2500 N/actuator Stroke length: 300 mm Available in several lengths

LA31

Speed:

Max thrust:

Stroke length:

Baselift 20 mm/sec

3500 N/actuator

500 mm

Available in several lengths

Speed: Max thrust: Stroke length: Built-in dim:

DL2 Speed: 14 mm/sec 1500 N 100 mm 100 mm

20 mm/sec Max thrust: 2500 N/leg Stroke length: 500 mm Built-in dim: 645 mm Available in several lengths

**PVC** FREE



500 mm 645 mm Also available as a built-in actuator

Also available with IC (Integrated Controller)





Also available in a 1200N version Also available with IC (Integrated Controller)

**PVC** FREE PIEZO SetPack

DL7 and DL7R 34 mm/sec Max thrust: 800 N/leg Stroke length: 470 mm 645 mm Built-in dim:

Speed:

DL8 Speed: 38 mm/sec Max thrust: 800 N/leg Stroke length: 500 mm Built-in dim: 645 mm Also available with IC

(Integrated Controller)

## DL9 Speed:

38 mm/sec Max thrust: 800 N/leg Stroke length: 650 mm Built-in dim: 560 mm Also available in an

XL-version

Also available with IC (Integrated Controller)







DL4S Speed: . Max thrust: Stroke length: Built-in dim:



38 mm/sec 700 N/leg 675 mm 560 mm



DL12 Speed: 38 mm/sec Max thrust: 700 N/leg Stroke length: 660 mm Built-in dim: 518 or 545 mm Also available in an XL-version

> PVC FREE PIEZO



**DL14** Speed: 38 mm/sec 700 N/leg Max thrust: Stroke length: 660 mm Built-in dim: 525 mm Also available as a built-in actuator





DL17 Speed: 38 mm/sec 700 N/leg Max thrust: Stroke length: 660 mm Built-in dim: 518 or 545 mm





DL1A Speed: Max thrust: Stroke length: Built-in dim.:

43 mm/sec 1600 N/leg 500 mm 645 mm Available in several lengths



Speed: Max thrust: 800 N/leg Stroke length: 500 mm Built-in dim: 645 mm Also available with IC (Integrated Controller)

**DL11** Speed: 38 mm/sec

Max thrust: 800 N/leg Stroke length: 650 mm 560 mm Built-in dim: Also available in an XL-version

Also available with IC (Integrated Controller)



Speed: 38 mm/sec Max thrust: 800 N/leg Stroke length: 500 mm Built-in dim: 645 mm Also available with IC (Integrated Controller)

**DL16** Speed: 38 mm/sec Max thrust: 800 N/leg Stroke length: 650 mm Built-in dim: 560 mm Also available in an

Also available with IC

XL-version





DL19 Speed: 38 mm/sec 800 N/leg Max thrust: Stroke length: Built-in dim: Also available in a

650 mm 560 mm 1200N version

Also available with IC (Integrated Controller)













# Raise your control level

We have what you need. LINAK<sup>®</sup> offers a full range of control units in basic, advanced and wireless versions, with memory functions and displays monitoring the desk height as well as other data. The range of DESKLINE<sup>®</sup> controls also includes apps via Bluetooth<sup>®</sup> wireless technology with motivational software and built-in reminders.



**PVC** FREE **PVC** FREE

∢

LINAK ® 3





- Small, compact panel
- Up-down function
- Intuitive use • •
- Adjustable front





**PVC** FREE

### • Small, compact panel

- Up-down function
- Intuitive use
- Fixed, angled front
- Drawer for easy mounting

Can be customised • Available in black or white

For integration in tabletops

• Small, compact panel

Up-down function

DPH

•

•

#### DPT

- For integration in tabletops
- Touch technique •
- Display for height read-out
- Memory buttons •
  - Available in black or white

Accessories



- DP1CSClassic design
- Memory buttons
- Display for height read-out

**PVC** FREE



### Desk Control<sup>™</sup> Basic Software

- A software desk panel
- Interface via USB2LIN cable or Bluetooth<sup>®</sup> Adapter
- Adjustment via PC or Mac •
- Counts standing minutes and calories •
- Report: tracks desk use

\*

PVC FREE

- Alarm: reminds the user to stand •
- ٠ Customised user interface (option)



### HB10RF

- Wireless handset (RF based)
- Easily operated
- Ergonomic design
- Available in 1 or 2 channel versions



#### Kick & Click™

- Fast and intuitive assembly
- No tools or screws needed
- Available in four versions

Kick & Click<sup>™</sup> is the innovative mounting solution for office desks with two or three legs. It fits with all motor house columns and for the design of T and C-Desks.

Kicko Ciick

Bluetooth is a registered trademark of Bluetooth SIG, Inc. and any use of such marks by LINAK is under license. Other trademarks and trade names are those of their respective owners.







For further information about the DESKLINE® product programme: LINAK.COM/DESKLINE



Subscribe to LINAK<sup>®</sup> DESKLINE news: LINAK.COM/NEWSLETTER

Need support? Find answers to common questions about your DESKLINE motor system.



LINAK Tech Support LINAK.COM/TECH-SUPPORT



Support videos on YouTube YOUTUBE.COM/LINAK



# **Global presence**

LINAK<sup>®</sup> has a well-developed sales and service organisation in Europe, Americas, Asia and Australia. Therefore, we can assist you and your customers locally, under the global sales concept idea: Be global, act local

#### **TERMS OF USE**

The user is responsible for determining the suitability of LINAK products for a specific application. LINAK takes great care in providing accurate and up-to-date information on its products. However, due to continuous development in order to improve its products, LINAK products are subject to frequent modifications and changes without prior notice. Therefore, LINAK cannot guarantee the correct and actual status of said information on its products. While LINAK uses its best efforts to fulfil orders, LINAK cannot, for the same reasons as mentioned above, guarantee the availability of any particular product. Therefore, LINAK reserves the right to discontinue the sale of any product displayed on its website or listed in its catalogues or other written material drawn up by LINAK.

All sales are subject to the Standard Terms of Sale and Delivery for LINAK. For a copy hereof, please contact LINAK.

LINAK has a world-class sales and service organisation. Today we are present in 35 countries all over the world. For further information, please visit our website: **LINAK.COM** 

