

Seedeer 

B2B
SOURCING SERVICE



A man wearing safety glasses and a blue plaid shirt is using a yellow and white circular saw to cut a piece of light-colored wood on a workbench. He is wearing yellow gloves. The background is a bright, out-of-focus workshop.

Power tools



JFMD3215K
Exw: us\$20.6



Exw:us\$29.72



8218
Exw:us\$29.16



JFEB002
Exw: us\$10.4



8121S
Exw:us\$20.69



6018
Exw:us\$24.19



1002C
Exw:us\$20.04

Item	Model No.	Picture	Specifciation	packing					total canton pcs	total size	HS Code	exw USD
				qty for one carton pcs	carnton size			MOQ				
Bench grinder	JFMD3215K		Rated Voltage: 230 V Frequency: 50Hz Rated Input Power: 200W No-Load Speed: 2950 r/min Wheel size: Φ150×16×Φ12.7mm	1	0.37	0.197	0.24	500	500	8.5646	8460901000	US\$20.60
Bench grinder	JFMD3220K		Rated Voltage: 230 V Frequency: 50Hz Rated Input Power: 250W No-Load Speed: 2950 r/min Wheel size: Φ200×20×Φ32mm	1	0.385	0.265	0.29	500	500	14.539	8460901000	US\$27.41
Electric Blower	JFEB002		Rated Voltage: 110/220 V Frequency: 50/60 Hz Rated Input Power:500/650W No-Load Speed: 0-13000 r/min Blowing Rate:2.8m3/min	8	0.54	0.38	0.4	504	63	5.171	8467299000	US\$10.40

Model	Image	Model	Parameter	Price (usd)	NW	GW	20'F CL	40'FCL	Pcs/Ct n	Measureme nt	Accessories
Impact Drill		6018	Rated Voltage: 220~240V	US\$24.19	17kgs	18kgs	3400 pcs	7000pcs	6pcs	50.5x34.5x29cm	* 1 pair Carbon brush
			Frequency :50/60Hz								* 1 pc depth gauge
			No Load Speed :0~2800r/min								* 1 pc auxiliary handle
			Input Power :800W								* 1 pc chuck key
			Chuck Size:13mm								* 1pc instruction manual
Angle Grinder		1002C	Disc Diameter:125mm	US\$20.04	23kgs	24kgs	4100 pcs	8500pcs	10pcs	62.5x40x25cm	* 1 pair Carbon brush ;
			No Load Speed :11000r/min								* 1pc side handle ;
			Input Power :860W								* 1pc wrench ;
			Rated Voltage: 220~240V								* 1pc protect guard ;
			Frequency :50/60Hz								* 1pc instruction manual

Picture	Model No	Specification	EXW(USD)	MOQ	Carton Size	NW/GW	20/40/40HC
	650w paint spray gun , metal gun and metal bottle	220-240V/50Hz, 650W, Paint Reservior: 1000ml, Max. Viscosity: 50din/sec, Max. Flow: 1000ml/min, Nozzle: Φ1.0mm, Cable length: 2.0m, 1pcs viscosity measuring cup, 1pcs 1.5m hose, 1pcs shoulder belt	US\$29.72	1000	1pcs/box 29x21.5x32cm 4pcs/carton 45.5x31x65.5cm	13.5/14.5kgs	1240pcs 2480pcs 2845pcs

PICTURE	PRODU CT NAME	MODEL	FEATURES & SPECIFICATION	ACCESSORIES	PRICE (USD)	OE M	CARTON					STD 20	STD 40	STD 40 HQ
					exw(usd)	MO Q	SET	N.W (KG)	G.W (KG)	MEAS (CM)	CBM (M³)			
	Cordless Drill	8121S	Chuck Capacity:10mm Voltage Supply:12V No-load Speed:650 rpm Battery Capacity:1.3Ah Low Speed:0-420r/min High Speed:0-1350r/min Max torque:28N.m	1.User manual 1pcs 2.Charger 1pcs 3.battery 2pcs 4.color box	US\$20.69	1000	1	11	16.6	52*37*25	0.046	6086	1260 8	14782
	Multi function Circular Saw	88006A1	Cutting Capacity (90°) 32mm Cutting Capacity (45°) 18mm Blade Dia: Φ110mm Blade Bore:20mm NO-load speed:12500r/min Rated Input Power: 1350W Rated Voltage:220V Rated Frequency: 50Hz	1.ruler 1 pcs 2.wrench 1 pcs 3.carbon brush 1couple 4.user manual 1pcs	US\$29.16	500	6	24.2	28,7	48.5*26.5*40	0.052	2801	6303	7937

A collection of various hand tools is displayed on a wooden surface. In the background, a tan leather tool belt is filled with tools, including several wrenches, pliers, and a set of screwdrivers. A yellow and black tape measure is also visible. In the foreground, a pair of yellow and brown work gloves lies next to a hammer with a white head and yellow handle. A set of black hex keys and a long, twisted metal rod are also present. The tools are arranged in a way that showcases a variety of common hand tools.

Hand tools



Fob
shanghai:us\$1.82



Fob
shanghai:us\$2.91



Fob
shanghai:us\$2.78



Fob
shanghai:us\$2.25



Fob
shanghai:us\$1.3



Fob
shanghai:us\$2.48



Fob
shanghai:us\$0.81



Fob
shanghai:us\$0.77



Fob
shanghai:us\$1.08

Pic	Desc	Price(exw)	Packing	MOQ
	11" #45 carbon steel, nickel plated,	\$2.78	blister card	1200
	8" #45 carbon steel, stain finished,	\$2.25	blister card	1200
	7" #45 carbon steel, polished	\$1.30	blister card	1200

Pic	Desc	Price(Exw)	packing	MOQ
	2LB #45 carbon steel	\$2.91	sticker	720
	4LB #45 carbon steel	\$4.68	sticker	360
	10" #45 carbon steel, nickel plated,	\$1.82	blister card	1200
	10" #45 carbon steel, Chrome plated,	\$2.48	half double blister card	1200

Pic	Desc	Price(exw)	Packing	MOQ
	3"	\$0.81	color box	3000
	4"	\$1.35	color box	3000
	9"	\$1.08	sticker	3000

Model	Photo	Description	Size	Packing	PCS/CTN	MOQ	Price(Exw)	FOB total	Remark		
									Nylon coat	Iman	Brake
PR-89		Rubber grip case steel tape, with magent hook	3m x 16mm	Display box ABS part 137c OEM color sticker	120	6000pcs	US\$0.77	US\$24,300.00	×	√	3
			3m x 19mm		120	6000pcs	US\$0.82	US\$25,800.00	×	√	3
			5m x 19mm		120	6000pcs	US\$0.99	US\$31,200.00	×	√	3
			5m x 25mm		120	6000pcs	US\$1.10	US\$34,800.00	×	√	3
			7,5m x 25mm		60	6000pcs	US\$1.80	US\$57,000.00	×	√	3
			10m x 25mm		60	6000pcs	US\$2.12	US\$67,200.00	×	√	3

The background of the image shows several large spools of wire rope. The spools are made of light-colored wood and are arranged in rows. The wire rope is dark grey or black and is coiled tightly around the spools. The perspective is from a slightly elevated angle, looking down at the spools. A semi-transparent white horizontal band is overlaid across the middle of the image, containing the text.

Wire rope and accessory

Wire rope

G80 U.S. Eye Self-Locking Hook (TH-8)

- Powder coated, different color is available as per request.
- Working load limit permanently shown on the body.
- Max proof load is 2.5 times of the working load limited.
- Min. Breaking strength is 4 times of the W.L.L.

Size	W.L.L (lbs)	B.L (lbs)	Dimension (mm)						N.W. (kg/pc)
			Φ1	E	Φ2	H	K	L	
7/8-8	4500	18000	25	35	42	29.5	132	173.5	0.98
10-8	7100	28400	32.5	46	55	34.5	171	220.5	1.85
13-8	12000	48000	42	56	64	41.5	312	273.5	3.75



The image features several rolls of adhesive tape in various colors: white, yellow, blue, purple, and orange. The rolls are arranged in a cluster on a dark wooden surface. Some rolls are standing upright, while others are tilted or lying on their sides, revealing the adhesive backing. The background is a warm, orange-toned gradient. The word "Tape" is centered in the image in a bold, black, sans-serif font.

Tape



Cinta de Embalaje



Cinta Teflon



Cinta Enmascarar



Cinta Tela



Cinta Aisladora



Cinta Antideslizante



Cinta Doble Faz



Cinta de Advertencia

No.	Client code	Photo	Description	Specification	Package	EXW price(usd)	MOQ
1	77000131		Marking Tape No. 988 without UV protection	without UV protection, 120mic x 12mm x 50m	Color Card+ Shrinkage for each piece+ Aircraft hole	US\$0.23	10,000 pcs
2	77000132			without UV protection, 120mic x 18mm x 50m		US\$0.33	10,000 pcs
3	77000133			without UV protection, 120mic x 24mm x 50m		US\$0.43	10,000 pcs
4	77000134			without UV protection, 120mic x 36mm x 50m		US\$0.64	5,000 pcs
5	77000135			without UV protection, 120mic x 48mm x 50m		US\$0.84	5,000 pcs
6	77000137		Blue Marsking Tape No. 900 with UV protection	with UV protection, 120mic x 18mm x 50m		US\$0.55	5,000 pcs
7	77000138			with UV protection, 120mic x 24mm x 50m		US\$0.67	5,000 pcs
8	77000139			with UV protection, 120mic x 36mm x 50m		US\$0.94	5,000 pcs
9	77000143			with UV protection, 120mic x 48mm x 50m		US\$1.34	3,000 pcs
10	77000145		BOPP Tape tranparent	38mic x 48mm x 50m	Color Card+ Shrinkage for each piece+ Aircraft hole	US\$0.34	10,000 pcs
9	77000144		BOPP Tape brown	38mic x 48mm x 50m	Color Card+ Shrinkage for each piece+ Aircraft hole	US\$0.34	10,000 pcs

Ladder





JB-03

Fob Ningbo: us\$17.85/pc



JC-4003

Fob Ningbo: us\$53.28/pc



JC-044-2

Fob Ningbo: us\$79.08/pc

Model	Description		Max load	N.W	Dimension	1*20'	1*40'	1*40HQ	Price(exw)
			KGS	KGS	CM	PCS	PCS	PCS	
JCB-03	Extension size:	107H x 420 mm	150	2.53	warning label, 1xA4 color leaf, PE bag; two pcs wrapped. (Packing Size: 130x420x20CM)	672	1488	1656	US\$17.85
	Folding size:	1140x420x100 mm							
	working height:	62cm							
	steps:	3							
	rung distance:	22cm							
	Material:	Aluminum alloy 6063, Thickness of Aluminum: 0.8 mm							
JCB-04	Extension size:	1280H x 445 mm	150	2.9	warning label, 1xA4 color leaf, PE bag; two pcs wrapped. (Packing Size: 153X45x20CM)	530	1174	1306	US\$20.85
	Folding size:	1365x445x100 mm							
	working height:	83cm							
	steps:	4							
	rung distance:	22cm							
	Material:	Aluminum alloy 6063, Thickness of Aluminum: 0.8 mm							
JCB-05	Extension size:	1500H x 470 mm	150	3.3	warning label, 1xA4 color leaf, PE bag; two pcs wrapped. (Packing Size: 177X47x20CM)	451	999	1112	US\$24.68
	Folding size:	1595x470x100 mm							
	working height:	105cm							
	steps:	5							
	rung distance:	22cm							
	Material:	Aluminum alloy 6063, Thickness of Aluminum: 0.8 mm							



Model No.	JC-044-2	JC-038-2
Description	7+7 steps double telescopic ladder	6+6 steps double telescopic ladder
Leaning ladder height (cm)	440	380
A type ladder height (cm)	213	185
Aluminum thickness (mm)	1.2+MM	1.2+MM
Pack size (cm)	93X52X21	90X52X19.5
20GP/40GP/40HQ(PCS)	294/604/691	336/684/790
N.W.(KGS)	15	13
G.W.(KGS)	16	14
Price (EXW)	US\$79.08	US\$64.92



Image of product	Article #	Description & Specifications	Price (EXW)	Retail Pack	Certificate	Packing size	20'/40'/40HQ Qty
	JC-4003	3.36 M ALUMINIUM MULTIFOLD LADDER WITH WORK PLATFORM	Us\$53.28	1pc/shrink with color cap & warning label, no shipper carton 	EN131	89x34.3x25.5	382/780/897
		"A" Open size: W105.5xH164xL60cm					
		platform size: 87Hx 224W x 60cm					
		Folding size: W34.5 x D60 x H91 cm					
		space between rungs: 27cm					
		Material: Aluminium, Thickness: 1.2mm(rung/body), PVC Acc					
		N.W/G.W: 14/14.3kgs					
		Load capacity: 150kgs					

A collection of personal protective equipment (PPE) is arranged on a rustic wooden plank surface. In the upper left, a red hard hat is partially visible. To its right are a pair of yellow work gloves. Below the gloves is a screwdriver with a black and red handle. In the lower left, a pair of clear safety goggles with white straps is positioned. A semi-transparent grey horizontal band runs across the middle of the image, containing the text 'Personal protection' in a bold, black, sans-serif font.

Personal protection

1 Equipo de Protección Individual habitual


Se trata de la indumentaria más común en la Refinería de CEPSA con el fin de preservar la seguridad de los trabajadores.

B Protectores auditivos

Protegen los oídos contra los ruidos. El operario puede escoger entre tapones desechables y orejeras adaptables al casco.

• Las **orejeras acopladas a casco** permiten tres posiciones de colocación: trabajo, aireación y parada. Su atenuación media es de **33 db**.

• Los **tapones** son de espuma de poliuretano con película de sellado antipartículas. Son moldeables y su atenuación media es de **27 db**.




F Guantes

Protegen las manos contra todo tipo de riesgos mecánicos.

• Guante de piel de vacuno muy confortable.
• Protección frente a riesgos mecánicos: resistencia a la abrasión, al corte, al rasgado y a la perforación.



Guantes de protección mecánica



A Casco de seguridad

Fabricado en ABS, material termoplástico utilizado por su gran capacidad de absorción en caso de golpes, bajo peso y su alta resistencia química.

• Protección para la cabeza frente a la caída de objetos desprendidos o de los trabajadores.
• Protección térmica (hasta 150°).
• Aislamiento eléctrico (hasta 1.000 V).

C Gafas

Aportan protección frente a la radiación ultravioleta y a impactos de partículas.



Gafas blancas o amarillas. Filtro para radiación ultravioleta grado 2-1,2.



Gafas oscuras. Filtro para radiación ultravioleta grado 5-3,1.

• Proyección de partículas de alta velocidad y baja energía.
• Radiación ultravioleta con deslumbramiento.

D Ropa de trabajo ignífuga

El uniforme básico se compone de chaqueta y pantalón azul oscuro y camisa azul. Están fabricados en Nomex Delta Comfort: Nomex (93%), Kevlar (5%) y fibra antiestática (2%).

• Protege frente al riesgo de exposición a calor procedente de llamas.
• Protección contra quemaduras generadas por arcos eléctricos.

E Calzado

La puntera y la planta son de acero. El operario puede escoger entre bota o zapato. Protegen sus pies además de utilizar materiales ligeros y confortables.

• Piel transpirable, hidrófuga y resistente a aceites.
• Planta de acero antiperforación y plantilla antiestática.
• Suela antideslizante, aislante de frío/calor, resistente a la abrasión y a los hidrocarburos.



Picture	ART.NO	DESCRIPTION	PACK	QTY	G.W.(kg)	N.W.(kg)	MEAS(cm)	MOQ	Price (exw)	
	HS2008	SAFETY GOGGLE MATERIAL:1.0MM PC	HEAD CARD PACKING	200PCS/CTN	14	12	50*39*44	3000PC	US\$0.55	CE
	HS2008	SAFETY GOGGLE MATERIAL:0.7MM PVC	HEAD CARD PACKING	200PCS/CTN	14	12	50*39*44	3000PC	US\$0.38	
	HS2008	SAFETY GOGGLE MATERIAL:1.5MM PC ANTI-FOG	HEAD CARD PACKING	200PCS/CTN	14	12	50*39*44	3000PC	US\$0.94	CE
	HS2009	SAFETY GOGGLE MATERIAL:0.7MM PVC	HEAD CARD PACKING	200PCS/CTN	16	14	70*39*43	3000PC	US\$0.47	
	HS2009	SAFETY GOGGLE MATERIAL:1.5MM PC ANTI-FOG	HEAD CARD PACKING	200PCS/CTN	16	14	70*39*43	3000PC	US\$1.00	CE
	HS2009	SAFETY GOGGLE MATERIAL:1.0MM PC	HEAD CARD PACKING	200PCS/CTN	16	14	70*39*43	2000PC	US\$0.59	CE

	HS2004	SAFETY GOGGLE MATERIAL:2.2MM PC COLOR:YOU CAN CHOOSE ANY COLOR Anti-Scratch	OPP PACKING	300PCS/CTN	13	11	82*35*38	2000PC	US\$0.43	CE
	HS2006	SAFETY GOGGLE MATERIAL:2.0MM PC COLOR:YOU CAN CHOOSE ANY COLOR	HEAD CARD PACKING	240PCS/CTN	12	10	68*34*35	3000PC	US\$0.55	CE
	HS3001	WELDING GOGGLE MATERIAL:PVC, ABS CAN FLIP	HEAD CARD PACKING	100PCS/CTN	13	11	52*39*40	3000PC	US\$0.98	CE
	HS3001	WELDING GOGGLE MATERIAL:PVC, ABS CAN FLIP	HEAD CARD PACKING	100PCS/CTN	13	11	52*39*40	3000PC	US\$0.60	Ordinary quality

	KM2101	SAFETY GOGGLE MATERIAL:ILENS2.0MM PC FRAME PVC COLOR:YOU CAN CHOOSE ANY COLOR A NTI-SCRATCH	OPP PACKING	200PCS/CTN	22	20	77*43.5*50	3000PC	US\$1.29	CE
	KM2101	SAFETY GOGGLE MATERIAL:ILENS2.0MM PC FRAME PVC COLOR:YOU CAN CHOOSE ANY COLOR ANTI-FOG	OPP PACKING	200PCS/CTN	22	20	77*43.5*50	3000PC	US\$2.04	CE
	HS2018	PROTECTIVE EARMUFF MATERIAL:PP	HEAD CARD PACKING	50PCS/CTN	7	5	59*39*39	2000PC	US\$1.00	CE
	HS2018	PROTECTIVE EARMUFF MATERIAL:PP	HEAD CARD PACKING	50PCS/CTN	7	5	59*39*39	2000PC	US\$0.74	Ordinary quality
	HS2020	PROTECTIVE EARMUFF MATERIAL:ABS	HEAD CARD PACKING	50PCS/CTN	12	10	60*40*41	2000PC	US\$1.66	CE

	HS3020	WELDING HELMET MATERIAL:PP NEW	OPP PACKING	30PCS/CTN	16	15	52*45*56	2000PC	US\$2.12	CE
	HS3020	WELDING HELMET MATERIAL:PP	OPP PACKING	30PCS/CTN	16	15	52*45*56	2000PC	US\$1.51	Ordinary quality
	HS3021	PVC SAFETY FACE SHIELD VISOR LENS MATERIAL:PC THICKNESS: 1mm HEAD MATERIAL: PP	OPP PACKING	40PCS/CTN	16	14	52*42*64	2000PC	US\$2.65	CE
	HS3021	PVC SAFETY FACE SHIELD VISOR LENS MATERIAL:PVC THICKNESS: 1mm HEAD MATERIAL: PP	OPP PACKING	40PCS/CTN	16	14	52*42*64	2000PC	US\$2.04	Ordinary quality