

Website: www.ronakautomation.com

Email : ketandodia@ronakautomation.com



Tele : 022 - 22064800 / 01 / 02 / 03

RONAK SWITCHGEAR & AUTOMATION

Shop No. 6/7/8, Gr Flr, 468 BHARAT BHUVAN, JUNC of KALBADEVI & PRINCESS STREET, MUMBAI - 400 002

Authorised Distributor :

OMRON

PRODUCT CODE	DESCRIPTION	HSN CODE
SMPS - 5V DC		
SMPS 5V DC (<i>old model</i>)- Bottom Mounting C - Input 220V AC only		
	S8JC-Z01505C - 3amp	8504
	S8JC-Z03505C - 7amp	
	S8JC-Z05005C - 10amp	

SMPS 5V DC (<i>old model</i>) - Din Rail Mounting - CD - Input 220V AC only		
	S8JC-Z10005CD - 20amp	8504
	S8JC-Z15005CD	

SMPS 5V DC (<i>New model</i>) - Bottom Mounting - PS - Input 110 / 220V Universal Input		
	S8FS-C02505 - 7amp	8504
	S8FS-C03505 - 7amp	
	S8FS-C05005 - 10amp	
	S8FS-C07505 - 15amp	
	S8FS-C10005 - 20amp	
	S8FS-C15005 - 30amp	
	S8FS-C35005 - 70amp	

SMPS 5V DC (new model) - Din Rail Mounting - PS - Input 110 / 220V Universal Input



S8FS-C01505J - 3amp

S8FS-C02505J - 5amp

S8FS-C03505J - 7amp

S8FS-C05005J - 10amp

S8FS-C07505J - 15amp

S8FS-C10005J - 20amp

S8FS-C15005J - 30amp

S8FS-C35005J - 70amp

8504

Mounting Brackets



S82Y-FSC015DIN

used for

S8JC-Z01505C

S8FS-C01505J

7326



S82Y-FSC025DIN


used for

S8JC-Z03505C

S8FS-C03505

S8FS-C03505J

7326



S82Y-FSC050DIN


used for

S8JC-Z05005C

S8FS-C05005

S8FS-C05005J

7326



S82Y-FSC150DIN

used for

S8JC-Z05005C

S8FS-C05005

S8FS-C05005J

S8JC-Z15005CD

S8FS-C15005

S8FS-C15005J

7326



S82Y-FSC350DIN

used for

S8FS-C35005

S8FS-C35005J

7326

SMPS - 12 V DC

SMPS 12V DC (old model) - Bottom Mounting - C - Input 220V AC only



S8JC-Z05012C - 4.2amp
S8JC-Z10012C - 8.5amp
S8JC-Z15012C - 12.5amp
S8JC-Z35012C - 29.1amp

8504

SMPS 12V DC (old model) - Din Rail Mounting - CD - Input 220V AC only



S8JC-Z01512CD - 1.3amp
S8JC-Z03512CD - 3amp
S8JC-Z05012CD - 4.2amp
S8JC-Z10012CD - 8.5amp
S8JC-Z15012CD - 12.5amp

8504

SMPS 12V DC (new model) - Bottom Mounting - PS - Input 110 / 220V Universal Input



S8FS-C01512 - 1.2amp
S8FS-C02512 - 2amp
S8FS-C03512 - 3amp
S8FS-C05012 - 4.2amp
S8FS-C07512 - 6amp
S8FS-C10012 - 8.5amp
S8FS-C15012 - 12.5amp
S8FS-C20012 - 16.5amp
S8FS-C35012 - 29.1amp

8504

SMPS 12V DC (new model) - Din Rail Mounting - PS - Input 110 / 220V Universal Input



S8FS-C01512J - 1.3amp
S8FS-C02512J - 2amp
S8FS-C03512J - 3amp
S8FS-C05012J - 4.2amp
S8FS-C07512J - 6amp
S8FS-C10012J - 8.5amp
S8FS-C15012J - 12.5amp
S8FS-C20012J - 16.5amp
S8FS-C35012J - 29.1amp

8504

SMPS - 15 V DC

SMPS 15V DC (new model) - Bottom Mounting - PS - Input 110 / 220V Universal Input



S8FS-C02515 - 2amp
S8FS-C03515 - 3amp
S8FS-C05015 - 4.2amp
S8FS-C07515 - 6amp
S8FS-C10015 - 8.5amp
S8FS-C15015 - 12.5amp

8504

SMPS 15V DC (new model) - Din Rail Mounting - PS - Input 110 / 220V Universal Input



S8FS-C01515J - 1.3amp
S8FS-C02515J - 2amp
S8FS-C03515J - 3amp
S8FS-C05015J - 4.2amp
S8FS-C07515J - 6amp
S8FS-C10015J - 8.5amp
S8FS-C15015J - 12.5amp

8504

SMPS - 24V DC

SMPS 24V DC (old model)- Bottom Mounting C - Input 220V AC only



S8JC-Z01524C - 0.7amp
S8JC-Z03524C - 1.5amp
S8JC-Z05024C - 2.1amp
S8JC-Z10024C - 4.5amp
S8JC-Z35024C - 14.6amp

8504

SMPS 24V DC (old model) - Din Rail Mounting - CD - Input 220V AC only



S8JC-Z01524CD - 0.7amp
S8JC-Z03524CD - 1.5amp
S8JC-Z15024CD - 6.5amp

8504

SMPS 24V DC (new model) - Bottom Mounting - PS - Input 110 / 220V Universal Input



S8FS-C02524 - 1amp
S8FS-C03524 - 1.5amp
S8FS-C05024 - 2.1amp
S8FS-C07524 - 3amp
S8FS-C10024 - 4.5amp
S8FS-C15024 - 6.5amp
S8FS-C20024 - 8amp
S8FS-C35024 - 14.6amp
S8FS-G60024 - 25amp
S8FS-G60024C - 25amp
S8FS-G60024CD - 25amp

8504

SMPS 24V DC (new model) - Din Rail Mounting - PS - Input 110 / 220V Universal Input



S8FS-C01524J - 0.7amp
S8FS-C02524J - 1amp
S8FS-C03524J - 1.5amp
S8FS-C05024J - 2.1amp
S8FS-C07524J - 3amp
S8FS-C10024J - 4.5amp
S8FS-C15024J - 6.5amp
S8FS-C20024J - 8amp
S8FS-C35024J - 14.6amp

8504

SMPS - 36 V DC

SMPS 36V DC (new model) - Bottom Mounting - PS - Input 110 / 220V Universal Input



S8FS-C10036
S8FS-C15036
S8FS-C35036
S8FS-C20036

8504

SMPS 36V DC (new model) - Din Rail Mounting - PS - Input 110 / 220V Universal Input



S8FS-C10036J
S8FS-C15036J
S8FS-C35036J
S8FS-C20036J

8504

SMPS - 48V DC

SMPS 48V DC (old model)- Bottom Mounting C - Input 220V AC only

	S8JC-Z05048C - 2.1amp	8504
	S8JC-Z10048C - 4.5amp	
	S8JC-Z15048C - 6.5amp	

SMPS 48V DC (new model) - Bottom Mounting - PS - Input 110 / 220V Universal Input

	S8FS-C02548 - 0.5amp	8504
	S8FS-C03548 - 0.7amp	
	S8FS-C05048 - 1amp	
	S8FS-C07548 - 1.5amp	
	S8FS-C10048 - 2amp	
	S8FS-C15048 - 3amp	
	S8FS-C20048 - 4.2 amp	
	S8FS-C35048 - 7.3amp	

SMPS 48V DC (new model) - Din Rail Mounting - PS - Input 110 / 220V Universal Input

	S8FS-C01548J - 0.3amp	8504
	S8FS-C02548J - 0.5amp	
	S8FS-C03548J - 0.7amp	
	S8FS-C05048J - 1amp	
	S8FS-C07548J - 1.6amp	
	S8FS-C10048J - 2.1amp	
	S8FS-C15048J - 3.1amp	
	S8FS-C20048J - 4.2amp	
	S8FS-C35048J - 7.3amp	

Switch Mode Power Supply

S8VK-C - SMPS - Input voltage Single phase 100 to 240V AC & 90 to 350V DC

			
S8VK-C06024	S8VK-C12024	S8VK-C24024	S8VK-C48024
60 WATTS, 2.5 AMP, OUTPUT 24V DC.	120 WATTS, 5 AMP, OUTPUT 24V DC.	240 WATTS, 10 AMP, OUTPUT 24V DC.	480 WATTS, 20 AMP, OUTPUT 24V DC.

Retendence Module for SMPS S8VKG Series

	
S8VK-R10	S8VK-R20
FOR USE UP TO 10 AMP SMPS	FOR USE UP TO 20 AMP SMPS

S8VK-G SMPS - Input voltage Single phase 100 to 240V AC & 90 to 350V DC

		
S8VK-G01505	15 WATTS, 3 AMP, OUTPUT 5V DC. Boost Current 3.6Amp.	
S8VK-G01512	15 WATTS, 1.2 AMP, OUTPUT 12V DC. Boost Current 1.44Amp.	
S8VK-G01524	15 WATTS, 0.65 AMP, OUTPUT 24V DC. Boost Current 0.78Amp.	
S8VK-G03005	30 WATTS, 5 AMP, OUTPUT 5V DC. Boost Current 6Amp.	
S8VK-G03012	30 WATTS, 2.5 AMP, OUTPUT 12V DC. Boost Current 3 Amp.	
S8VK-G03024	30 WATTS, 1.3 AMP, OUTPUT 24V DC. Boost Current 1.56 Amp.	
S8VK-G06012	60 WATTS, 4.5 AMP, OUTPUT 12V DC. Boost Current 5.4 Amp.	
S8VK-G06024	60 WATTS, 2.5 AMP, OUTPUT 24V DC. Boost Current 3 Amp.	
S8VK-G12024	120 WATTS, 5AMP, OUTPUT 24V DC. Boost Current 6 Amp.	
S8VK-G24024	240 WATTS, 10AMP, OUTPUT 24V DC. Boost Current 12 Amp.	
S8VK-G24048	240 WATTS, 5AMP, OUTPUT 48V DC. Boost Current 6 Amp.	
S8VK-G48024	480 WATTS, 20AMP, OUTPUT 24V DC. Boost Current 24 Amp.	
S8VK-G48048	480 WATTS, 10AMP, OUTPUT 48V DC. Boost Current 12 Amp.	

S8VM - SMPS - Covered type, Natural air-cooling, Input: 100 to 240 VAC, Power ratings: 100 W, Output: 24 VDC

S8VM-03024CD		(1.3A 24V DC)
S8VM-05024CD		(2.5A 24V DC)
S8VM-10024CD		(4.5A 24V DC)
S8VM-15024CD		(6.5A 24V DC)
S8VM-30024C		(14A 24V DC)
S8VM-60024C		(27A 24V DC)

S8VS - SMPS - Covered type, Natural air-cooling, Input: 80 to 370 VDC 100 to 240 VAC, Power ratings: 15 W, Output: 24 VDC

S8VS-01524		
S8VS-09024		
S8VS-12024		
S8VS-18024		
S8VS-24024		
S8VS-48024		

S8VS - SMPS - Covered type, Natural air-cooling, Input: 80 to 370 VDC 100 to 240 VAC, Power ratings: 15 W, Output: 24 VDC with Digital Display



S8VS-06024 B		
S8VS-12024 B		
S8VS-24024 B		

S8VK-C SMPS - Input Voltage 400 - 500V AC, 3 Phase

S8VT-F12024E	120 WATTS, 5 Amp. Input 2-phase and 3-phase, 380 to 480 VAC, 450 to 600 VDC, Output 24V DC,	
S8VK-T12024 [NEW]		
S8VT-F24024E	240 WATTS, 10 Amp.	
S8VK-T24024 [NEW]		
S8VT-F48024E	480 WATTS, 20 Amp.	
S8VK-T48024 [NEW]		
S8VT-F96024E	960 WATTS, 40 Amp. Input 3-phase, 380 to 480 VAC, Output 24V DC,	
S8VK-T96024 [NEW]	960 WATTS, 32 Amp, Input 2-phase, 380 to 480 VAC, Output 24V DC,	

Relays

Relay 'MKS 2PN' Type 10 AMP AT 220V AC (8 Pin Round) with LED Indicator


	12 V AC	8536	Terminal Arrangement  Mounting Holes Two, M4 or two 4.5-dia. holes 
	12 V DC		
	24 V AC		
	24 V DC		
	48 V AC		
	48 V DC		
	110 V AC		
	110 V DC		
	240 V AC		

Relay 'MKS 2P' Type 10 AMP AT 220V AC (8 Pin Round) Without Indicator

	24 V DC	8536
	110 V AC	
	110 V DC	
	220 V AC	

Relay ' MKS 3PN ' Type 10 AMP AT 220V AC (11 Pin Round) with LED Indicator			
	12 V AC	8536	
	12 V DC		
	24 V AC		
	24 V DC		
	48 V AC		
	48 V DC		
	110 V AC		
	110 V DC		
	240 V AC		

Relay ' MKS 3P ' Type 10 AMP AT 220V AC (11 Pin Round) Without Indicator			
	12 V AC	8536	
	12 V DC		
	24 V AC		
	24 V DC		
	48 V AC		
	48 V DC		
	110 V AC		
	110 V DC		
	240 V AC		

Relay 'MKS3PIN-5' with Latching Lever (Reset Button)			
	12 V AC	8536	
	12 V DC		
	24 V AC		
	24 V DC		
	48 V AC		
	48 V DC		
	110 V AC		
	110 V DC		
	240 V AC		
Equivalent Model to Salzer MKG3P & PLA MPC3 CO			

Sockets for **MKS** RELAY



PF083A-E (8 Pin)



PF113A-E (11 Pin)

MY2N / MY2N-GS Series - Relay Miniature (Flat Pin) 5 AMP (8 Pin)



6 V AC
6 V DC
12 V AC
12 V DC
24 V AC
24 V DC
48 V AC
48 V DC
110 V AC
110 V DC
240 V AC

8536

MY2IN - Series Relay Miniature - Type 10 AMP (8 Pin) - made in JAPAN



12 V DC
24 V DC
220/ 240 V AC
110 V AC
110 V DC

8536

MY4N Series - Relay Miniature (Flat Pin) 3 AMP (14 Pin)



6 V AC
6 V DC
12 V AC
12 V DC
24 V AC
24 V DC
48 V AC
48 V DC
110 V AC
110 V DC
240 V AC

8536

MY4IN - Series Relay Miniature - Type 5 AMP (14 Pin) - made in JAPAN



24 V DC
220/ 240 V AC

8536



MY4N-CR 100-110V AC



MY4N-CR 220-240V AC

8536

Miniature Power Relays, Built-in LED indicator and diode type, Plug-in terminal - Gold Plated



MY4ZN-D2 DC24



Miniature Power Relays **MY4H** Hermetic models, 3 A (Resistive load)



MY4H DC24

MY4ZH DC24 (gold plated)

- Fully hermetically sealed for hazardous locations



MY2K - Series Latching Relay - Type 5 AMP (10 Pin)



MY2K DC24



MY2K DC12

Relay Base 4, MY2K relay

PYF 14 A E

MY2ND2 - Series Built-in LED indicator and diode type, Plug-in terminal - Gold Plated



MY2ND2 DC24



MY4ND2 DC24

Sockets for MY RELAY

			
PYF08A-E (8 Pin)	PYF08A-N (8 Pin)	PYF14A-E (14 Pin)	PYF14A-N (14 Pin)

Relay Clip



PYC-A1

LY2N Series - Relay Miniature (Flat Pin) 10 AMP (8 Pin)

	12 V AC	8536
	12 V DC	
	24 V AC	
	24 V DC	
	110 / 120 V AC	
	100 /110 V AC	
	100 /110 V AC	
	220 /240 V AC	

LY4N Series - Relay Miniature (Flat Pin) 10 AMP (14 Pin)

	12 V AC	8536
	12 V DC	
	24 V AC	
	24 V DC	
	110 / 120 V AC	
	100 /110 V AC	
	100 /110 V AC	
	220 /240 V AC	

LY2ND2 - Series Built-in LED indicator and diode type, Plug-in terminal - Gold Plated



LY2ND2 DC24



LY4ND2 DC24

LY2F Base Mounting Relay



LY2F DC 24

Sockets for LY RELAY



PTF08A-E (8 Pin)



PTF14A-E (14 Pin)

PCB Mounting Relay

G2RL - 1 Series - PCB Mounting Relay - 10A - 5 Pin



12 V DC

24 V AC

24 V DC

110 V AC

220 V AC

G2RL - 2 Series - PCB Mounting Relay - 10A - 8 Pin



12 V DC

24 V AC

24 V DC

110 V AC

220 V AC

G2R - 1SN Series - Plug in Mounting Relay - with Indicator



12 V DC

24 V AC

24 V DC

110 V AC

240 V AC

G2R - 2SN Series - Plug in Mounting Relay - with Indicator



12 V DC

24 V AC

24 V DC

110 V AC

110 V DC

240 V AC

G2R - 1SND Series - Plug in Mounting Relay - with Indicator with Diode



12 V DC

24 V DC

G2R - 2SND Series - Plug in Mounting Relay - with Indicator with Diode



12 V DC

24 V DC

Sockets for G2R-2-S, G2R-2-SN, G2R-2-SND RELAY



P2RF-05-E (5 Pin)

MRP:



P2RF-08-E (8 Pin)

MRP:

