

TENUTE SPECIALI

TESTE®

**...TO KEEP
THE FIRE INSIDE!**



**TECHNICAL
TEXTILES
FOR HIGH
TEMPERATURES**

GUARNIZIONI TESSILI PER ALTE TEMPERATURE

VETRO – 550°C
THERMOTEX – 750°C
SILICE – 1000°C
SILCAWOOL – 1100°C

TEXTILE SEALS FOR HIGH TEMPERATURE

GLASS – 550°C
THERMOTEX – 750°C
SILICA – 1000°C
SILCAWOOL – 1100°C

TRECCE IN VETRO

Le Trecce in Vetro sono molto compatte, solide e flessibili, ad alta resistenza meccanica e ottime proprietà di tenuta statica.

A richiesta: Nere (N), Grafitate (GR), Vermiculite (REF)

2221: Treccia Tonda
2222: Treccia Quadrata o Rettangolare
2224: GLASSCORD - Soffice

Misure: da 3mm a 60mm / Speciali fino a 150mm

Disponibili anche trecce in:

THERMOTEX (750°C) | SILICE (1000°C) | SILCAWOOL (1100°)

GLASS FIBRE PACKINGS

Glass Fiber Packings are compacts, solid, flexible, with a high mechanical resistance and a good static sealing joints properties.

On request : Black (N), Graphited (GR), Vermiculit (REF)

2221: Round Packing
2222: Square or Rectangular Packing
2224: GLASSCORD – Soft Packing

Dimension: from 3mm to 60mm / Special size up to 150mm

Also available made of: THERMOTEX (750°C) | SILICE (1000°C) | SILCAWOOL (1100°)

CORDE TRICO

Le Corde in Vetro TRICO sono estremamente elastiche, soffici e flessibili. Nella versione con anima possono essere realizzate anche molto compatte.

Disponibili anche in Colore Nero (N), Grigio (G)

2226: TRICOTEE (senza anima)
2227: TRICOTEE DT (a doppia trecciatura)
2228: TRICOVET (con anima)
/MI: METALVET (Maglia esterna in AISI)

Misure: Diam. 3-30mm

Realizzabili anche in THERMOTEX o in SILTEX

KNITTED ROPES

Knitted Ropes are extremely elastic and flexible and do not shed on cutting. When made with core they can also be done very compact.

Also available in Black (N) and Gray (G) Colors

2226: TRICOTEE (no core)
2227: TRICOTEE DT (double knit)
2228: TRICOVET (with core)
/MI: METALVET (over-knitted with INOX wire)

Dimension: Diam 3-30mm

Also available made of THERMOTEX or SILTEX

TRECCE VETRO "SPRING"

Realizzate con corda TRICO, rivestita con trecciatura esterna molto fitta in fili di vetro, per rendere la superficie liscia, molto resistente alla abrasione e non irritante.

Disponibili anche in Colore Nero (N), Grigio (G)

2266: SPRING elastica
2268: SPRING non elastica

Misure: Diam. 3-50mm

GLASS PACKINGS "SPRING"

Made with core of KNITTED ROPE, over-braided with a very thin and closed mesh braid of glass yarns. High abrasion resistance and no-irritating surface.

Also available in Black (N) and Gray (G) Colors

2266: SPRING (elastic)
2268: SPRING (non-elastic)

Dimension: Diam 3-30mm

FILOTTI VETRO TRECCIATI

Anima in filotto ritorto con trecciatura esterna rada in filo di Vetro o Ottone per incrementare la resistenza meccanica e la stabilità dimensionale.

2211: Filotto trecciato con VETRO
2212: Filotto trecciato con OTTONE

Misure: Diam. 3-30mm

Disponibili anche con filotti in: THERMOTEX – SILICE - SILCAWOOL

GLASS TWISTED ROPE OVER-BRAIDED

Core of twisted rope over-braided with an open mesh of Glass or Brass wire in order to increase mechanical resistance and dimension stability.

2211: Twisted Rope braided with GLASS
2212: Twisted Rope braided with BRASS

Dimension: Diam 3-30mm

Also available made of: THERMOTEX – SILICE - SILCAWOOL

Cod. 2222

Cod. 2222/N

Cod. 2226

Cod. 2226/N

Cod. 2228

Cod. 2228/N

Cod. 2228/N/MI

Cod. 2266

Cod. 2266/N

Cod. 2212

NASTRI IN VETRO

I Nastri in Vetro cimossati sono molto compatti e resistenti alla abrasione meccanica. Possono anche essere realizzati con falla centrale (scaletta) o/e con biadesivo su di un lato.

A richiesta: Neri (N), Grafitati (GR), Vermiculite (REF)

2250: Nastro Vetro Cimossato

/SC: Nastro Vetro a Scaletta

/C: Caramellato

/AD: Con biadesivo su un lato

Larghezza: da 8mm a 300mm | Spessore: da 1mm a 10mm

Dimensioni speciali a richiesta. Disponibili anche in: THERMOTEX - SILICE - SILCAWOOL

GLASS FIBRE TAPE

Glass Fiber Woven Tapes are very compacts, with a high mechanical and abrasion resistance. They can also be done with a leak (a ladder) in the center of the tape and / or with adhesive backed on one side.

On request: Black (N), Graphited (GR), Vermiculite (REF)

2250: Glass Fiber Woven Tape

/SC: Glass Fiber Ladder Tape

/C: Caramelized

/AD: With adhesive back

Width: from 8mm to 300mm | Thickness: from 1mm to 10mm

Other special sizes on request. Also available made of: THERMOTEX – SILICA - SILCAWOOL

NASTRI IN VETRO TRICO

I Nastri TRICO sono realizzati a maglia e risultano molto soffici e flessibili, adattandosi perfettamente alle superfici anche irregolari e alle curvature delle carpenterie. Possono anche essere realizzati con falla centrale (scaletta) o/e con biadesivo su di un lato.

Generalmente forniti in Colore Nero (N) o Grigio (G)

2256: Nastro Vetro TRICOTEE

/SC: Nastro Vetro TRICOTEE a Scaletta

/AD: Con biadesivo su un lato

Larghezza: da 6mm a 50mm | Spessore: da 2mm a 6mm

Dimensioni speciali a richiesta. Disponibili anche in: THERMOTEX e SILTEX

GLASS FIBRE KNITTED TAPE

Knitted Tapes are very soft and flexible and fit perfectly to any surface and to the curvature of the carpentry. They can also be done with a leak (a ladder) in the center of the tape and / or with adhesive backed on one side.

Normally supplied in Black (N) or Gray (G) Colors

2256: Glass Fiber KNITTED Tape

/SC: Glass Fiber Ladder Tape

/AD: With adhesive back

Width: from 6mm to 50mm | Thickness: from 2mm to 6mm

Other special sizes on request. Also available made of: THERMOTEX and SILTEX

CALZINE IN VETRO

Sono realizzate con una trecciatura fine e molto fitta per una maggiore resistenza alla abrasione superficiale. Utilizzate come guarnizioni piatte, con o senza biadesivo, possono anche essere rinforzate con filo armonico (I) o con una anima il maglia elastica di filo INOX (tipo 2267) per ottenere una guarnizione molto morbida, ma con un elevato ritorno elastico.

Normalmente fornite in Colore Nero (N) o Grigio (G)

Disponibili anche rivestite con Silicone Rosso (Tipo 2264) per isolamento termo-elettrico di cavi.

2262: Calzina Vetro Trecciata in Vetro, Tonda o a Nastro

2262/I: Calzina Vetro Trecciata rinforzata con filo INOX

2267: Calzina Vetro Trecciata con Anima METALSPRING

2236/MI: Calza Vetro TRICO* con Anima METALSPRING

/AD: Con biadesivo su un lato

Misure: tonde o piatte da 3mm a 50mm

*A richiesta realizzabili anche in THERMOTEX (750) e SILTEX (1000°C)

GLASS FIBRE SLEEVES

They are made with a very thin and closed mesh in order to increase the abrasion resistance of the surface. Used as a Flat Seal, with or without the self-adhesive back, they can also be reinforced with metal wire (I) or with a core of metal knitted sleeve (type 2267) in order to have a very soft seal with high elastic recovery.

Normally supplied in Black (N) or Gray (G) Colors

Also available with Red Silicon coating for electrical insulating (Type 2264)

2262: Glass Fiber Braided Sleeve, Round or Flat Seal

2262/I: Glass Fiber Braided Sleeve reinforced metal

2267: Glass Fiber Braided Sleeve + core of METALSPRING

2236/MI: Glass Fiber Knitted Sleeve*, core of METALSPRING

/AD: With adhesive back

Dimension: Round or Flat form 3mm to 50mm

*Also available made of: THERMOTEX (750°C) and SILTEX (1000°C)

GUARNIZIONI A BULBO IN VETRO

Sono realizzate su misura con le Calzine in Vetro riempite lateralmente e cucite a formare il BULBO che funge da guarnizione ed una patella laterale che serve a fissarle sulla carpenteria. I prodotti di riempimento del Bulbo variano in funzione dello schiacciamento e del ritorno elastico che si vuole ottenere dalla guarnizione.

Normalmente fornite in Colore Nero (N) o Grigio (G)

Alcuni esempi:

2271: Con un Bulbo

2272: Con due Bulbi

/MI: Anima del Bulbo in calzina METALSPRING

/26: Anima del Bulbo in TRICOTEE

/AD: Con biadesivo su un lato

Misure da specificare: Diametro del bulbo - Larghezza Totale - Spessore patella

GLASS FIBER TAD-POLE SEALS

They are made, on specific request, of Glass Fiber Sleeves filled on the edge and sewed in order to make a BULB (the seal part) and a lap (the fastening part). The filler products used in the Bulb are chosen depending on the softness and the elastic recovery needed from the gasket.

Normally supplied in Black (N) or Gray (G) Colors

Some articles:

2271: With only one Bulb

2272: With two Bulbs

/MI: Core of Bulb – knitted METALSPRING

/26: Core of Bulb – knitted rope

/AD: With adhesive back

Dimension of request: Diameter of Bulb - Total width - Thickness of Lap

Cod. 2250

Cod. 2250/N

Cod. 2256

Cod. 2256/N/AD

Cod. 2262/N/AD

Cod. 2262/N

Cod. 2262/I

Cod. 2267/N

Cod. 2236/N/MI

Cod.
2271/N/MI/AD

NASTRO IN CARTA CERAMICA 'ECO' AUTADESIVA
'ECO' CERAMIC FIBER TAPE WITH ADHESIVE BACK



GUARNIZIONI INDUSTRIALI IN:

Cartone e Carta Ceramica 'ECO'
Giuntura SA e Grafite
Silicone
Particolari speciali e a disegno in vari materiali.

INDUSTRIAL GASKETS MADE WITH:

Millboard or 'ECO' Ceramic Fibre
CAF or Graphite sheets
Silicone rubber
Special products and shapes on demand



SIGILLANTE SILICONICO PER ALTA TEMPERATURA

Colore Nero
Colore Rosso
In Cartucce 310ml
In Tubetto 60ml

KIT personalizzati x manutenzione (sacchetti o blister):
Trecce TRICO NERE Diam 6-8-10-12 mm
Nastro TRICO NERO L. 8-10-12-15mm x 2/3mm
Con o senza colla HT.
Altri articoli in KIT a richiesta.

HIGH TEMPERATURE SILICONE SEALANT

Black Colour
Red Colour
In Cartridges of 310ml
In Tube of 60 ml

Customized KITS (bags or blister)
Knitted ROPE Diam 6-8-10-12mm
Knitted Tape W. 8-10-12-15mm x 2/3mm
With or without HT glue
Other articles on demand

NASTRINO ADESIVO IN VETRO NERO O BIANCO

NASTRO IN ALLUMINIO ADESIVO

DIMENSIONI STANDARD: 25-50-75-100MM

THIN GLASS FIBER TAPE, SELF-ADHESIVE, BLACK OR WHITE

ALUMINUM TAPE WITH ADHESIVE BACK

STANDARD SIZE: 25-50-75-100MM



PRODOTTI ISOLANTI PER ALTE TEMPERATURE

Cartone Isolante TES-BOARD
Materassini e Carta in Fibra Ceramica 'ECO'.
Feltri e Materassini in Silice e Vetro.
Lastre e Articoli a disegno in Vermiculite e Calcio-Silicati
Colle e mastici sigillanti refrattari

INSULATING PRODUCTS FOR HIGH TEMPERATURE

TES-BOARD: High Density Millboard
Blankets and Paper in 'ECO' Ceramic Fibre
Mats and Felts in Silica and Glass Fiber
Boards and articles in Vermiculite and Calcium-Silicat
Refractory Glue and Mastic Sealant





TESPE TESSILI TECNICI E GUARNIZIONI INDUSTRIALI PER ALTE TEMPERATURE

Dinamicità, professionalità e spirito di gruppo sono le risorse primarie che ci hanno permesso di far nascere, nel 1993, la TESPE srl, azienda originariamente produttrice di soli tessuti tecnici e successivamente di una vasta gamma di prodotti per l'industria. Ricerca, pianificazione e controllo qualità sono le linee guida della produzione, in continua espansione, nell'intento di soddisfare al meglio tutte le necessità tecniche e commerciali di un mercato sempre più qualificato ed esigente. Il nostro Servizio Globale: essere un partner tecnico-commerciale totalmente affidabile, e non un semplice fornitore di prodotti, mettendo sempre in campo la nostra esperienza e professionalità per garantire consulenza, assistenza tecnica, tempestività e competitività. Visitate la sezione Prodotti e servizi per conoscere la nostra gamma di prodotti

Dinamicity, Professionality, Team Spirit have been the primary resources which have allowed us to create Tespe, in the beginning just as simple manufacturers of technical textiles and then of a wide range of products and which still nowadays, together with a consolidated experience, lead us to improve its skills and targets. Research, Planning, Quality Check are the policies of our internal production, which is in a never ending expansion in order to satisfy any technical and commercial requirement of a more and more qualified and demanding market at the best. Being a totally reliable technical commercial partner and not just a simple supplier of products, means for us playing our experience and professionalism to grant technical advice and assistance, opportuneness, competitiveness, with a wider and wider range of Thermal Insulating Products, Industrial Gaskets and Quality Technical Products. These are our main targets and what we mean by Customer Global Service.

GAMMA PRODOTTI

- Tessili Tecnici
- Prodotti Isolanti e Refrattari
- Dynapack
- Ecoflex
- Tesgraf
- Baderne e Guarnizioni
- UNI-FLON TESPE®
- Guarnizioni Industriali

PRODUCTS RANGE

- Technical Textile
- Insulating Products
- Dynapack Gland Packings
- Tesgraf Pure Expanded Mineral Graphite
- Packings And Manholegaskets
- Industrial Gasket
- UNI-FLON TESPE®
- Compressed Sheets And Gaskets





Via Pizzo Arera, 44 | 24060 Chiuduno
Bergamo - Italy

Telephone: +39 035 83 88 64 | Fax: +39 035 83 88 65
info@tespe.it | www.tespe.it