

Seedeer 

B2B  
SOURCING SERVICE





A modern living room interior featuring a white fireplace with a glass front, displaying a fire. Above the fireplace is a large abstract painting with warm colors. To the right, a white shelf holds a vase of flowers. In the foreground, a glass coffee table holds a stack of books. A large window on the right side of the room provides natural light. The floor is made of light-colored wood. The word "CAMERA" is overlaid in the center of the image.

**CAMERA**

## Y1A-WA(no RJ port)

PTZ Indoor IP WIFI camera

Lens: 3.6mm ,Pan/Tilt:Level 355° ,Vertical 90°

Storage:TF card: Maximum 64GB /Wireless cloud storage

Feature: IR-CUT Night vision, LED IR Automation on/off, Motion Detect, Two-way communication, Plug and Play ,Support Mobilephone/PC/Tablet monitor, Alarm Push, Support WIFI 2.4GHz

Power:AC/DC 5V 1.6A /1.5A(Micro USB)

Color: white,black

Pixels:720P

Chipset:GK7102

APP:YCC365PLUS

Certification: CE/RoHS/FCC



## Y2A-WA(no RJ port)

PTZ Indoor IP WIFI camera

Lens: 3.6mm ,Pan/Tilt: Level 355° ,Vertical 90°

Storage: TF card: Maximum 64GB /Wireless cloud storage

Feature: IR-CUT Night vision, LED IR Automation on/off, Motion Detect, Two-way communication ,Plug and Play ,Support Mobile phone/PC/Tablet

monitor ,Alarm Push , Support WIFI 2.4GHz

Power: AC/DC 5V 1.6A /1.5A(Micro USB)

Color: white , black

Pixels:720P

GK7102/2033 APP:YCC365PLUS

Certification: CE/RoHS/FCC



## Y2C-WA(no RJ port)

PTZ Indoor IP WIFI camera

Lens: 3.6mm ,Pan/Tilt: Level 355° ,Vertical 90°

Storage: TF card: Maximum 64GB /Wireless cloud storage

Feature: IR-CUT Night vision, LED IR Automation on/off, Motion Detect, Two-way communication , Plug and Play ,Support Mobile phone/PC/Tablet monitor ,

Alarm Push , Support WIFI 2.4GHz

Power :AC/DC 5V 1.6A /1.5A(Micro USB)

Color: white , black

Pixels:1080P

GK7102/2033 APP:YCC365PLUS

Certification: CE/RoHS/FCC



## Y4A-WA(no RJ port)

PTZ Indoor IP WIFI camera

Lens: 3.6mm ,Pan/Tilt : Level 355° ,Vertical 90°

Storage : TF card: Maximum 64GB /Wireless cloud storage

Feature: IR-CUT Night vision, LED IR Automation on/off, Motion Detect, Two-way communication, Plug and Play ,Support Mobile phone/PC/Tablet monitor, Alarm Push , Support WIFI 2.4GHz

Power : AC/DC 5V 1.6A /1.5A(Micro USB)

Pixels:720P

GK7102/GC1034 APP:YCC365PLUS

Certification: CE/RoHS/FCC



## Y4C-ZA(no RJ port)

PTZ Indoor IP WIFI camera

Lens: 3.6mm ,Pan/Tilt : Level 355° ,Vertical 90°

Storage : TF card: Maximum 64GB /Wireless cloud storage

Feature: IR-CUT Night vision, LED IR Automation on/off, Motion Detect, Two-way communication, Plug and Play ,Support Mobile phone/PC/Tablet monitor, Alarm Push , Support WIFI 2.4GHz

Power : AC/DC 5V 1.6A /1.5A(Micro USB)

Pixels:1080P

GK7102/2033 APP:YCC365PLUS

Certification: CE/RoHS/FCC



## Y6A-ZA (X) (no RJ port)

PTZ Indoor IP WIFI camera

Lens: 3.6mm ,Pan/Tilt : Level 355° ,Vertical 90°

Storage : TF card: Maximum 64GB /Wireless cloud storage

Feature: IR-CUT Night vision, LED IR Automation on/off, Motion Detect, Two-way communication , Plug and Play ,Support Mobile phone/PC/Tablet monitor ,

Alarm Push , Support WIFI 2.4GHz

Power : AC/DC 5V 1.6A /1.5A(Micro USB)

Color: white , black

Pixels:720P

GK7102/SC1245 APP:YCC365PLUS

Certification: CE/RoHS/FCC





## Y6C-ZA (X) (no RJ port)

PTZ Indoor IP WIFI camera

Lens: 3.6mm ,Pan/Tilt : Level 355° ,Vertical 90°

Storage : TF card: Maximum 64GB /Wireless cloud storage

Feature: IR-CUT Night vision, LED IR Automation on/off, Motion Detect, Two-way communication , Plug and Play ,Support Mobile phone/PC/Tablet monitor ,

Alarm Push , Support WIFI 2.4GHz

Power : AC/DC 5V 1.6A /1.5A(Micro USB)

Color: white , black

Pixels:1080P

GK7102/SC2235 APP:YCC365PLUS

Certification: CE/RoHS/FCC



## Y9A-WA(no RJ port)

PTZ Indoor IP WIFI camera

Lens: 3.6mm ,Pan/Tilt : Level 355° ,Vertical 90°

Storage : TF card: Maximum 64GB /Wireless cloud storage

Feature: IR-CUT Night vision, LED IR Automation on/off, Motion Detect, Two-way communication , Plug and Play ,Support Mobile phone/PC/Tablet monitor ,

Alarm Push, Support WIFI 2.4GHz

Power : AC/DC 5V 1.6A /1.5A(Micro USB)

Color: white , black

Pixels:720P

GK7102/GC1034 APP:YCC365PLUS

Certification: CE/RoHS/FCC



## Y9C-WA(no RJ port)

PTZ Indoor IP WIFI camera

Lens: 3.6mm ,Pan/Tilt : Level 355° ,Vertical 90°

Storage : TF card: Maximum 64GB /Wireless cloud storage

Feature: IR-CUT Night vision, LED IR Automation on/off, Motion Detect, Two-way communication , Plug and Play ,Support Mobile phone/PC/Tablet monitor ,

Alarm Push , Support WIFI 2.4GHz

Power : AC/DC 5V 1.6A /1.5A(Micro USB)

Color: white , black

Pixels:1080P

GK7102/2033 APP:YCC365PLUS

Certification: CE/RoHS/FCC



## Y10A-WA(no RJ port)

PTZ Indoor IP WIFI camera

Lens: 3.6mm ,Pan/Tilt : Level 355° ,Vertical 90°

Storage : TF card: Maximum 64GB /Wireless cloud storage

Feature: IR-CUT Night vision, LED IR Automation on/off, Motion Detect, Two-way communication , Plug and Play ,Support Mobile phone/PC/Tablet monitor ,

Alarm Push , Support WIFI 2.4GHz

Power : AC/DC 5V 1.6A /1.5A(Micro USB)

Color: white , black

Pixels:720P

GK7102/GC1034 APP:YCC365PLUS

Certification: CE/RoHS/FCC



## Y10C-WA(no RJ port)

PTZ Indoor IP WIFI camera

Lens: 3.6mm ,Pan/Tilt : Level 355° ,Vertical 90°

Storage : TF card: Maximum 64GB /Wireless cloud storage

Feature: IR-CUT Night vision, LED IR Automation on/off, Motion Detect, Two-way communication , Plug and Play ,Support Mobile phone/PC/Tablet monitor ,

Alarm Push , Support WIFI 2.4GHz

Power : AC/DC 5V 1.6A /1.5A(Micro USB)

Color: white , black

Pixels:1080P

GK7102/2033 APP:YCC365PLUS

Certification: CE/RoHS/FCC



## Y12A-WA(no RJ port)

PTZ Indoor IP WIFI camera

Lens: 3.6mm ,Pan/Tilt : Level 355° ,Vertical 90°

Storage : TF card: Maximum 64GB /Wireless cloud storage

Feature: IR-CUT Night vision, LED IR Automation on/off, Motion Detect, Two-way communication , Plug and Play ,Support Mobile phone/PC/Tablet monitor ,

Alarm Push , Support WIFI 2.4GHz

Power : AC/DC 5V 1.6A /1.5A(Micro USB)

Color: white , black

Pixels:720P

GK7102/GC1034 APP:YCC365PLUS

Certification: CE/RoHS/FCC



## Y12C-WA(no RJ port)

PTZ Indoor IP WIFI camera

Lens: 3.6mm ,Pan/Tilt : Level 355° ,Vertical 90°

Storage : TF card: Maximum 64GB /Wireless cloud storage

Feature: IR-CUT Night vision, LED IR Automation on/off, Motion Detect, Two-way communication , Plug and Play ,Support Mobile phone/PC/Tablet monitor ,

Alarm Push , Support WIFI 2.4GHz

Power : AC/DC 5V 1.6A /1.5A(Micro USB)

Color: white , black

Pixels:1080P

GK7102/2033 APP:YCC365PLUS

Certification: CE/RoHS/FCC



## Y13A-ZA(no RJ port)

PTZ Indoor IP WIFI camera

Lens: 3.6mm ,Pan/Tilt : Level 355° ,Vertical 90°

Storage : TF card: Maximum 64GB /Wireless cloud storage

Feature: IR-CUT Night vision, LED IR Automation on/off, Motion Detect, Two-way communication , Plug and Play ,Support Mobile phone/PC/Tablet monitor ,

Alarm Push , Support WIFI 2.4GHz

Power : AC/DC 5V 1.6A /1.5A(Micro USB)

Color: white , black

Pixels:720P

GK7102/GC1034 APP:YCC365PLUS

Certification: CE/RoHS/FCC





## Y13C-ZA(no RJ port)

PTZ Indoor IP WIFI camera

Lens: 3.6mm ,Pan/Tilt : Level 355° ,Vertical 90°

Storage : TF card: Maximum 64GB /Wireless cloud storage

Feature: IR-CUT Night vision, LED IR Automation on/off, Motion Detect, Two-way communication , Plug and Play ,Support Mobile phone/PC/Tablet monitor ,

Alarm Push , Support WIFI 2.4GHz

Power : AC/DC 5V 1.6A /1.5A(Micro USB)

Color: white , black

Pixels:1080P

GK7102/2033 APP:YCC365PLUS

Certification: CE/RoHS/FCC



## K1A-WA(no RJ port)

Denghong Wireless cloud service indoor camera

Lens: 3.6mm

Storage : TF card: Maximum 64GB /Wireless cloud storage

Feature: IR-CUT Night vision, LED IR Automation on/off, Motion Detect, Two-way communication , Plug and Play ,Support Mobile phone/PC/Tablet monitor , Alarm Push , Support WIFI 2.4GHz

Support TF card storage, maximum support mei played back at any time, video editing.

Pixels:720P

GK7102/GC1034 APP:YCC365PLUS

Certification: CE/RoHS/FCC



Available with bracket

## K1C-WA(no RJ port)

Denghong Wireless cloud service indoor camera

Lens: 3.6mm

Storage : TF card: Maximum 64GB /Wireless cloud storage

Feature: IR-CUT Night vision, LED IR Automation on/off, Motion Detect, Two-way communication , Plug and Play ,Support Mobile phone/PC/Tablet monitor , Alarm Push , Support WIFI 2.4GHz

Support TF card storage, maximum support mei played back at any time, video editing.

Pixels:1080P

GK7102/2033 APP:YCC365PLUS

Certification: CE/RoHS/FCC



Available with bracket

## K2A-WA(no RJ port)

Denghong Wireless cloud service indoor camera

Lens: 3.6mm

Storage :TF card: Maximum 64GB /Wireless cloud storage

Feature: IR-CUT Night vision, LED IR Automation on/off, Motion Detect, Two-way communication , Plug and Play ,Support Mobile phone/PC/Tablet monitor , Alarm Push , Support WIFI 2.4GHz

Support TF card storage, maximum support memory expansion to 64G, can be played back at any time, video editing.

Pixels:720P

GK7102/GC1034 APP:YCC365PLUS

Certification: CE/RoHS/FCC





## J1 Solar simulator camera

Solar panel power: Polycrystalline silicon 5.5V / 1.5W

Battery: 3.7V / 2200MAH

Lamp bead specification: SMD2835 gold wire, copper bracket

Number of lamp beads: 30

Color temperature: 6000-6500K positive white light

Luminous flux: 380LM

Use life:  $\geq 50000$ H

Material: high light transmission PC material, ABS material,

Sensing distance: 6-8 meters

Induction angle: 120 degrees

Lights: Method: 1 person will turn on the light and the person will walk slightly, 2 people will turn on the light and turn off

3. People come and flash people and go out.

Lighting delay: 15 seconds

Work rate: 3W

Control method: waterproof touch switch,

Applicable scenes: courtyard, garage, gate, villa fence and other landscape decoration

Certification: CE/RoHS/FCC



## **F6A-WA(with RJ port)**

Denghong Wireless cloud service

support 200W night vision, 1080P HD picture

lens 4mm/6mm/8mm, daytime visible distance 50 meters, night 30 meters,

Professional infrared IR fill light system, catch every movement

wireless smart connect wifi, plug and play

Feature : with 6pcs LED for starlight flooding white light

Gvoice Voice engine with clear two-way voice calls;

Motion detection, intelligent alarm, one-button arming;

Support Mobile phone/PC/Tablet monitor, real-time viewing by multiple users;

Support TF card storage, maximum support memory expansion to 64G, can be played back at any time, video editing

Pixels:720P

GK7102/GC1034 APP:YCC365PLUS

Certification: CE/RoHS/FCC





## **F6C-WA(with RJ port)**

Denghong Wireless cloud service

support 200W night vision, 1080P HD picture

lens 4mm/6mm/8mm, daytime visible distance 50 meters, night 30 meters,

Professional infrared IR fill light system, catch every movement

wireless smart connect wifi, plug and play

Feature : with 6pcs LED for starlight flooding white light

Gvoice Voice engine with clear two-way voice calls;

Motion detection, intelligent alarm, one-button arming;

Support Mobile phone/PC/Tablet monitor, real-time viewing by multiple users;

Support TF card storage, maximum support memory expansion to 64G, can be played back at any time, video editing

Pixels:1080P

GK7102/2033 APP:YCC365PLUS

Certification: CE/RoHS/FCC



### **Q1A-WA(with Rj45 port)**

PTZ outdoor camera , Denghong Wireless cloud service  
support 200W night vision, 1080P HD picture  
lens 4mm/6mm/8mm, daytime visible distance 50 meters, night  
30 Meter,

Professional infrared IR fill light system, catch every movement  
wireless smart connect wifi , plug and play

wired connect 2 method ,make steady video transport

Feature : with 4pcs LED for starlight flooding white light

Gvoice Voice engine with clear two-way voice calls;

Motion detection, intelligent alarm, one-button arming;

Support Mobile phone/PC/Tablet monitor, real-time viewing by  
multiple users

Support TF card storage, maximum support memory expansion to  
64G, can be played back at any time, video editing

Pixels:720P

GK7102/GC1034 APP:YCC365PLUS

Certification: CE/RoHS/FCC





## **Q1C-WA(with Rj45 port)**

PTZ outdoor camera , Denghong Wireless cloud service

support 200W night vision, 1080P HD picture

lens 4mm/6mm/8mm, daytime visible distance 50 meters, night 30 meters,

Professional infrared IR fill light system, catch every movement

wireless smart connect wifi , plug and play

wired connect 2 method ,make steady video transport

Feature : with 4pcs LED for starlight flooding white light

Gvoice Voice engine with clear two-way voice calls;

Motion detection, intelligent alarm, one-button arming;

Support Mobile phone/PC/Tablet monitor, real-time viewing by multiple users

Support TF card storage, maximum support memory expansion to 64G, can be played back at any time, video editing

Pixels:1080P

GK7102/2033 APP:YCC365PLUS

Certification: CE/RoHS/FCC



Seedeer (France) E-Commerce SAS

Phone: +33 6 51 80 88 50

E-Mail: [carina.chu@fr.seedeer.com](mailto:carina.chu@fr.seedeer.com)

Address: 1 Avenue du Fief 95310 Saint Ouen l'Aumône