

# BlueQQ Inc.

www.americaQQ.com

Start your well-being life with BlueQQ Adds Healthy minerals to your Diet



#### Purify & Alkaline Tap Water, Filtered Water & Spring Water with natural Minerals



- $\bigcirc$  Product : BlueQQ
- Manufacturer : BlueQQ.
- Package : Bottle (1EA) + Catridge (1EA)
- $\bigcirc$  Main Component :

Sophoricoside, AR/PA ceramic ball, Alkali Mineral, Anti Bacteria ceramic ball, etc.



- BlueQQ's natural minerals and its nutrient benefits purify the water with its PH balancing property as well as minerals including calcium, magnesium, and Zinc ion.
- Manufactured in BlueQQ,

there are valid research tests results from KEWWI, Japan FDA. and the U.S FDA.

- With its distinctive smooth and silky texture of the water, it also prevents
- bacteria with its disinfecting properties.
- It's unique cartridge system is activated by a F.I.R Far infrared rays, anion, ORP -600 (Active Oxygen), and Sophoricoside (body fat reducing effect)
- Maintain an optimal ph balance (Alkaline) with a variety of minerals (Ca, K, Mg, Zn, etc.)
- Filter cartridge can be used up to 1 year.

### Adds Healthy minerals to your Diet ERN-202 Anti-obesity Test Result





umeter (umi)



The present invention relates to a composition being safe and having superior body-fat reducing effect. The composition of the present invention comprises sophoricosideas effective agent.



lonized water is an excellent and convenient way to add alkaline minerals to your diet. Not only are calcium and magnesium needed to protect you from osteoporosis, but there is now strong evidence that magnesium in your drinking water prevents heart and cerebrovascular disease.

10 ug/mL insulin

### The 8 step Water Solution





### How to Use Use In Purifier \* Underground \* Tap Water











#### 500ml(Portable)

700ml(Portable)

#### 1000ml(Optimal)

1Liter

- 1. Do not non-drinkable or polluted water.
- 2. After you fill water in the bottle please drink the water within 2 days, then refill it with clean water.
- 3. It is recommended to clean the cartridge 3 times a week by filling up the bottle with 1/3 amount of water and rinsing the bottle by shaking it.
- 4. After you refill 1,200 times, a cartridge change is needed.
- 5. Do not use hot water (over 60 C)/ Do not put the bottle in the freezer.
- 6. The effectiveness and the duration of the cartridge depend on the type of water you use.
- 7. You may notice small particles in the water during use. They are natural minerals which are harmless. To clean the bottle, please pour about 20cc vinegar into the bottle filling up to 2/3 of the bottle and please shake it several times.

### Now You Can Enjoy Energeized, Healthy Water Anywhere





#### I can feel my abdomen fat shrink and my body feels lighter.

It has been a challenge to lose my belly fat through my aging years but drinking BlueQQ has helped me in losing my fat and I couldn't believe that drinking alkaline enriched mineral water would make such a difference in my life. My son also carries this portable BlueQQ everywhere he goes, (S. Korea, Hyun Suk Hwang, 53 yrs, Housekeeper)



Blue<sub>O</sub>,

#### The texture of the water is very smooth

I had blood circulation problem after giving birth and my hands and legs became numb often. Normally I do not drink water on a regular basis. But after drinking BlueQQ, I enjoy drinking water now.

(USA, Angela, 32 yrs, Housekeeper)



#### I overcame chronic constipation and I feel like a fighter!

I have indigestion problems and constipation due to my sensitive stomach, I have tried various remedies and nutrition treatments but all of it failed but Blue QQ has helped me get better. I thank the benefits from Sophoricoside, and other natural minerals that have kept me in a healthy condition, (Japan, Nazumi, 25 yrs, Office Clerk)



#### No more eye twitching and spasms!

My eyes got tired often and I had twitching problems but ever since I drank Blue QQ, the symptom lessened and disappeared. Due to the mineral magnesium I believe it helped lessen my eye spasms. An otorhinolaryngologist recommended that I drink healthy water and I believe so too, (S. Africa, Darnell, 35 yrs, Banker)



#### Skin Allergy problems

I was frustrated due to a skin rash complex on my face. After I drank two bottles of BlueQQ daily, my skin troubles lessened. I am thankful that I do not have to visit a doctor and my skin is clean and healthy looking. I really feel that it is important to drink good and healthy water. (Canada, Claire, 47 yrs, Teacher)

### **Microbac Laboratories Inc**



### (Test Result what is received by FDA in USA)

Division	Standard	After 1Hour	After 6Hours	Difference
рН	0.100	8.35	8.83	0.48
Calcium	0.050mg/L	0.47mg/L	0.71mg/L	0.24mg/L
Potassium	0.010mg/L	0.12mg/L	0.23mg/L	0.11mg/L
Magnesium	0.010mg/L	1.16mg/L	2.5mg/L	0.9mg/L
Zinc	0.0050mg/L	0.017mg/L	0.010mg/L	-0.007mg/L

# Microbac Laboratories, Inc.

2101 Van Deman Street • Baltimore, MD 21224 Baltimore Division

> Phone: 410-633-1800 www.microbac.com Fax: 410-633-6553

# COVER LETTER

Report No.: 13D1728

May 22, 2013

4231 Markham St., # 208 Annandale, VA 22003 J.S. Chem International Co Grace Kim

**RE**: Mineral Analysis

04/22/2013 10:00. The report of analyses contains test results for samples received at Microbac Laboratories, Inc., Baltimore Division on

are reported on an "as received" basis unless otherwise noted. The enclosed results were obtained from and applicable to the sample(s) as received at the laboratory. All sample results

unless otherwise noted. All data included in this report has been reviewed and meet the applicable project and certification specific requirements.

The data attached was not performed in strict accordance to GMP or GLP protocols.

Microbac Laboratories, Inc. This report has been paginated in its entirety and shall not be reproduced except in full, without the written approval of

We appreciate the opportunity to service your analytical needs. If you have any questions, please feel free to contact us

This Data Package contains the following:

- This Cover Page
- Sample Summary
- Test Results
- Notes and Definitions
- Cooler Receipt Log
- Chain of Custody

Final report reviewed by:

Mark B. Horan/Laboratory Director

Report issue date

5/22/2013

All samples received in proper condition and results conform to ISO 17025 and TNI NELAC standards unless otherwise noted.

If we have not met or exceeded your expectations, piease contact Mark Horan, Managing Director, at 410-633-1800 You may also contact Sean Hyde, Chief Operating Officer at <u>sean in de Omicrobac com</u> or James Nokes, President j<u>ames nokes@microbac.com</u>

# Microbac Laboratories, Inc.

**Baltimore** Division

2101 Van Deman Street • Baltimore, MD 21224

Phone: 410-633-1800 Fax: 410-633-6553 www.nicrobac.com

# CERTIFICATE OF ANALYSIS

America QQ 2500 West 8th, Suite 201 Los Angeles, CA 90057

Project Mineral Analysis Project Number: America QQ Client Contact: Jong Hoon, Lee

> Report 13D1728 Reported: 05/22/2013 16:50

# SAMPLE SUMMARY

Samp le ID	Laboratory ID	Matrix	Туре	Date Sampled	Date Received
Water in Blue QQ (1 Hour)	13D 1728-01	Water	Not Specified	04/19/2013 00:00	04/22/2013 10:00
Water in Blue QQ (6 Hours)	13D 1728-02	Water	Not Specified	04/19/2013 00:00	04/22/2013 10:00

Mark B. Horan, Laboratory Director

Microbac Laboratories, Inc., Baltimore Division

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirely.

# Microbac Laboratories, Inc.

**Baltimore** Division

Phone: 410-633-1800 www.microbac.com Fax: 410-633-6553

2101 Van Deman Street • Baltimore, MD 21224

CERTIFICATE OF ANALYSIS

Project Number: America QQ Client Contact: Jong Hoon, Lee Project: Mineral Analysis

Los Angeles, CA 90057 2500 West 8th, Suite 201 America QQ

> Reported: 05/22/2013 16:50 Report: 13D1728

# 13D1728-01 (Water) Sampled: 04/19/2013 00:00; Type: Not Specified Water in Blue QQ (1 Hour)

Analyte	
Nestiti	
Limit	Reporting
Units	
Prepared	
Analyzed	
Analyst	
Method	
Notes	

A14

# Wet Chemistry

z > -----÷. 2. 5 ~ 

Notes: Analysis was performed as per FDA guidelines.	lines.							
рH	8.35	0.100	pH Units	052113 1245	052113 1323	LCR	SM (20) 4500H B	
Metals, Total by EPA 200 Series Methods								A14
Notes: Analysis was performed as per FDA guidelines.	lines.							
						1		

Notes: Analysis was performed as per FDA guideline.	delines.						
Calcium	0.47	0.050	mg/L	052113 1624	052213 1201	APS	EPA 200.7
Potassium	0.12	0.010	mg/L	052113 1624	052213 1201	APS	EPA 200.7
Magnesium	1.6	0.010	mg/L	052113 1624	052213 1201	APS	EPA 200.7
Zinc	0.017	0.0050	mg/L	052113 1624	052213 1201	APS	EPA 200.7

Microbac Laboratories, Inc., Baltimore Division

Mark B. Horan, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirely.

# Microbac Laboratories, Inc.

**Baltimore** Division

Phone: 410-633-1800 www.microbac.com Fax: 410-633-6553

2101 Van Deman Street • Baltimore, MD 21224

# CERTIFICATE OF ANALYSIS

Los Angeles, CA 90057 2500 West 8th, Suite 201 America QQ

Project Number: America QQ Client Contact: Jong Hoon, Lee Project: Mineral Analysis

> Reported: 05/22/2013 16:50 Report: 13D1728

# Water in Blue QQ (6 Hours)

	13D1728-02
	(Water)
2000.00	13D1728-02 (Water) Sampled: 04/19/2013 00:00; Type: Not Specif
	0:00; Type: Not Specified

Wet Chemistry	Analyte
	Result
	Reporting Limit
	Units
	Prepared
	Analyzed
	Analyst
	Method
A14	Notes

# 

Notes: Analysis was performed as per FDA guidelines.

8.83

0.100

pH Units

052113 1245

052113 1323

LCR

SM (20) 4500H B

A14

# Metals, Total by EPA 200 Series Methods

pН

Magnesium	Potassium	Calcium	Notes: Analy
			ysis was performed as per FDA guic
2.5	0.23	0.71	guidelines.
0.010	0.010	0.050	
mg/L	mg/L	mg/L	
052113 1624	052113 1624	052113 1624	
052213 1204	052213 1204	052213 1204	
APS	APS	APS	
EPA 200.7	EPA 200.7	EPA 200.7	

Zinc

0.010

0.0050

mg/L

052113 1624

052213 1204

APS

EPA 200.7

Microbac Laboratories, Inc., Baltimore Division

Mark B. Horan, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirely.

Microba	
3	R

# Microbac Laboratories, Inc.

**Baltimore** Division

2101 Van Deman Street • Baltimore, MD 21224

Phone: 410-633-1800 Fax: 410-633-6553 www.microbac.com

# CERTIFICATE OF ANALYSIS

America QQ 2500 West 8th, Suite 201 Los Angeles, CA 90057

Project Mineral Analysis Project Number America QQ Client Contact Jong Hoon, Lee

> Report: 13D1728 Reported: 05/22/2013 16:50

# Certifications

Below is a list of certifications maintained by Microbac Laboratories, Inc. All data included in this report has been reviewed for and meets all project specific and quality control requirements of the applicable accreditation, unless otherwise noted. A complete list of

individual analy	individual analytes pursuant to each certification below is available upon request.		
Lab #	Description	Certification Number	Expires
Microbac Lab	Microbac Laboratories, Inc., Baltimore Division		
A2LA1	A2LA (Biology)	410.02	04/30/2013
A2LA2	A2LA (Environmental)	410.01	04/30/2013
VA-B	Commonwealth of Virginia (NELAC) - Baltimore	460170-1829	06/14/2013
CPSC	CPSC Testing of Childrens Products and Jewelry	1115	04/30/2013
Pb	Environmental Lead (ELLAP)	410.01	04/30/2013
Z	New Jersey	NLC120001	06/30/2013
MD	State of Maryland (Drinking Water)	109	06/30/2013
PA	State of Pennsylvania (NELAC)	68-00339	08/31/2013
USDA	US Department of Agriculture	P330-09-00021	02/19/2012
ŴV	West Virginia	054	08/31/2013
Microbac Lab	Microbac Laboratories, Inc., Richmond Division		
VA-R	Commonwealth of Virginia (NELAC) - Richmond	460022-1834	06/14/2013

1

Microbac Laboratories, Inc., Baltimore Division

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirely.

Mark B. Horan, Laboratory Director

# Microbac Laboratories, Inc.

**Baltimore** Division

2101 Van Deman Street • Baltimore, MD 21224

Phone: 410-633-1800 Fax: 410-633-6553 www.microbae.com

# CERTIFICATE OF ANALYSIS

America QQ 2500 West 8th, Suite 201 Los Angeles, CA 90057

Project Mineral Analysis Project Number: America QQ Client Contact Jong Hoon, Lee

> Report 13D1728 Reported: 05/22/2013 16:50

# Notes and Definitions

- A14 Analysis was performed as per FDA guidelines.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference



# Test Report

Trace Code: A130044 Date: March 7, 2013 Project No.: 100726.47798 Report No.: 100090579

CLIENT:

Korea Seoul, 135-100 901, 38, Dosan-daero98-gil Gangnam-gu America QQ

Myung Soon, Han

ATTENTION:

Samples Received: (02/25/2013)

1 BlueQQ

Analysis Requested:

V Extraction Studies done in accordance with FDA CFR 21 §177.1630(f),(g) and (h)

Analysis Performed On:

February 25, 2013 through February 27, 2013

RESULTS AND DISCUSSION:

sample pieces and nine screens, to give a total surface area of 100 square inches. The packages were then polyethylene phthalate polymers. The samples were prepared by cutting into 2.5 inch squares. The pieces were extracted with 300 mL of solvent. then placed between stainless steel screens and secured with stainless steel wire. Extraction studies were performed on the submitted sample in accordance with FDA CFR Title 21 §177.1630, The following conditions were employed: Each package contained eight

Purified water at 250°F for two hours

٣

- n-Heptane at 150°F for two hours
- ωN
- 50% ETOH at 120°F for 24 hours

\*Pressure cooker was used to reach this temperature

The results of this analysis are found on the attached table

quality/quantity of this delivery, nor does it prejudice clients' right to claim towards sellers/suppliers for compensation for any apparent and/or hidden defects not detected during our random inspection or testing. UL has not performed a complete analysis of the product. The results contained in this report indicate that the product has passed or failed the specific tests only. These test results, even if rated as "Passed," do not indicate or certify that the product is safe for commercial or consumer use. UL Verification Services, Inc., 1559 King Street, Enfield, CT 06082 USA Phone: (860) 749-8371 | Fax: (860) 749-0196 |Email: QAINFO@UL.COM |Website: www.ul.com/consumer-products LETTERS & REPORTS: UL Verification Services, inc. (UL) letters and reports are issued for the exclusive use of the clients to whom they are addressed. No quotations from reports or use of the UL name is permitted except as expressly authorized in writing. Letters and reports apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. The liability of UL with respect to services rendered shall be limited to the amount of consideration paid for such service and not include any consequential damages. This report or certificate does not relieve sellers/suppliers from their contractual responsibility with regard to the

Your satisfaction is very important to us; please participate in the following client satisfaction survey by visiting: www.ul.com/customers



**Test Report** 

Trace Code: A130044 Date: March 7, 2013 Project No.: 100726.47798 Report No.: 100090579

SUMMARY:

products and fatty food products as well as beverages containing no more than 50% alcohol. The submitted samples meets the criteria set forth in FDA 21 CFR 177.1630 (f), (g) and (h) for aqueous food

Please contact us if you have any questions regarding these results or if you require additional information.

eaver of Alath

Analytical Chemistry Senior Laboratory Operations Manager Judith V. Haber

Your satisfaction is very important to us; please participate in the following client satisfaction survey by visiting: www.ul.com/customers

Page 2 of 3

quality/quantity of this delivery, nor does it prejudice clients' right to claim towards sellers/suppliers for compensation for any apparent and/or hidden defects not detected during our random inspection or testing. UL has not performed a complete analysis of the product. The results contained in this report indicate that the product has passed or failed the specific tests only. These test results, even if rated as "Passed," do not indicate or certify that the product is safe for commercial or consumer use. UL Verification Services, Inc., 1559 King Street, Enfield, CT 06082 USA Phone: (860) 749-8371 | Fax: (860) 749-0196 |Email: QAINFO@UL.COM |Website: www.ul.com/consumer-products LETTERS & REPORTS: UL Verification Services, Inc. (UL) letters and reports are issued for the exclusive use of the clients to whom they are addressed. No quotations from reports or use of the UL name is permitted except as expressly authorized in writing. Letters and reports apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. The liability of UL with respect to services rendered shall be limited to the amount of consideration paid for such service and not include any consequential damages. This report or certificate does not relieve selfers/suppliers from their contractual responsibility with regard to the



Date: March 7, 2013 Report No.: 100090579 Trace Code: A130044 Project No.: 100726.47798

				the site site site and site site site site site site site site
Pass	0.5	N/A	0.000	50% ETOHB
Pass	0.5	N/A	0.000	50% ETOH A
Pass	0.5, 0.02	N/A	0.000	Heptane B
Pass	0.5, 0.02	N/A	0.000	Heptane A
Pass	0.5, 0.02	N/A	0.000	Water B
Pass	0.5, 0.02	N/A	0.000	Water A
Pass/Fail	Limits (mg/in²)	Chloroform Solubles (mg/in <sup>2</sup> )	Residue (mg/in²)	Sample ID
5	2Q 1630 (F), (G) AND (H)	test results for blueqq With FDA 21 CFR 177.163	TEST RESULTS FOR BLUEQQ IN ACCORDANCE WITH FDA 21 CFR 177.1630 (F), (G) AND (H)	

\*\*\*\*\* \*\*\* 

Your satisfaction is very important to us; please participate in the following client satisfaction survey by visiting: www.ul.com/customers Page 3 of 3

Phone: (860) 749-8371 | Fax: (860) 749-0196 |Email: QAINFO@UL.COM |Website: www.ul.com/consumer-products

LETTERS & REPORTS: UL Verification Services, Inc. (UL) letters and reports are issued for the exclusive use of the clients to whom they are addressed. No quotations from reports or use of the UL name is permitted except as expressly authorized in writing. Letters and reports apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. The liability of UL with respect to service rendered shall be limited to the amount of consideration paid for such service and not include any consequential damages. This report or certificate does not relieve sellers/suppliers from their contractual responsibility with regard to the quality/quantity of this delivery, nor does it prejudice clients right to claim towards sellers/suppliers for compensation for any apparentand/or hiden defects not lettered during our random inspection or testing. UL has not performed a complete analysis of the product. The results contained in this report indicate that the product has passed or failed the specific tests only. These test results, even if rated as "Passed," do not indicate or certify that the product is safe for commercial or consumer use. UL Verification Services, Inc., 1559 King Street, Enfield, CT 06082 USA

### US FDA(100090579)/JAPAN FDA/KEWWI TEST

U.S FDA(U.S Food and Drug Administration) Test/ KEVVVI(Korea Environment & Water Works Institute) Drinking Water quality Test / Japan FDA(Ministry of Health, Labour and Welfare) Test / KFIA(Korea Far Infrared Assocation) Anion & Far Infrared ray Emission Test / KOTRIC(Korea Testing & Research Institute for Chemical Industry) Cartridge Avirulent Test/FITI(FITI Testing & Research Institute) Antibucterial Test



CHEMICAL INFORMATION PROVIDED AND PROPERTIES AND THE ADDRESS OF THE PROPERTY OF OF THE P	Mic	robac	CTREES	I-D4, 43980		10	na koosesis Coly Pinton III falaa
COLORS ALTERALIZATION LINEON CONTRACTOR AND THE ALTERATION CONTRAC	2004	MESS, INTRODUC	AL PRIVILAL 200	LECULAR AND THO	CLUMPEN .	ANALTIN	
CLEARCHARTER DATE SCHWENG EITZ SAGE JEERSENALTE SCHWENG EITZ REFERENCE SCHWENGE SCHWENG EITZ REFERENCE SCHWENGE SCHWENG DO 2000 VATER (TELTER) Aufgeleit Aufgeleit 1 05 504 WATER (TELTER) 2 8 offer 2 8			CERTIFIC	ATE OF ANAL	YSIS		
Analysis Renall Units Medical DLR Data Fresh 9 Q65000 WATCH (PEOLOGY 1 2 2 2 2000 Acce WALLS 417/2016 540 100 Kingerbertz Libertikov derforment für allerer metalgen. 100 Kingerbertz Libertikov derforment für allerer metalgen.	COMPORATION 343-3 BOBELING BYPEONG BEOR BOBENOND-OL	CORPORATION NAS DEREINARE ROBENDING ELLP BYCONO SEDIX ELM BUCENNING STIN IEDELLAKAMAKHI RUBEN			DR- Date Reported \$120000 Data Records \$1550000 Odd Mander Statistics 6-DD RUREA Date \$ Foreit Parcine Foreit Parcine		9/23/2008 0022-00-w9 45915
Option WATCH (POLICE) 78	and the second se		Unin	Mediad			Insh
The Registered Libertion of portrained the inference mariped. In product is and to trace, found on the under south could copyregisally Southerine: ff: first copyregisal found to particular	OD SHE WATCH		SUCCON.	VODODA	5.500	200	-20.3 li
n pratul n and the sea, band in the last protocold operatively Switchistonic Affair Score							
	ວງກາວູໂອຢູ່: ວັນໂອເຈັນກ	Tutte Vegi	Nong Ingala Ditoritor				

#### 書

東南島道232-06581号 平成21月1月1日

#### 試験検査成績書 ■ < ●: 〒145-000 元656元017月17日

第二十109-002 美術店水台 分均合注 具了APAN 後642-035-2475

#### 民族上のとは、9日にキラウイオンウォーター ぼうり 潜い

年成立でなどおりまで加速に成成されたと言葉換正式は 取得についていったが発展性素の発展になり通りです。

会を増工がによることを入りための構成で 時間から、「新山県線線・3くくり」開発 デリアーのは、新山県線線・3くくり、開発 デリアーのは、新山県線線・3くくり、開発 「新しの」のように、「大山のの」のから20

# # # # # # # #	继续结束	6.95
A K S T A	11日午 11-11-11-11	$\log_{10} \mu/g_{\rm s}^{-1} T$
arara S	1840 (H + 1/4 - 810	Min and Y
TAN TAN	Elsi m	14 g041(719523(7))
NAME NAMESALAND	108/17-0 + 1/31. (SM)	Hardler
1905日 アンイ・モン	<b>新水台</b>	A.M. 65037
EMB Parcos	mat.	Linus 11/1
ANTINE CO	BBT > rest HOD	a prima da m
-37.149.0		
(第111)		

AN OTHER DESCRIPTION OF A DESCRIPTIONO OF A DESCRIPTION O

- - Howard Hands and the street to Mar. 2

	1997 A.	-	
	CENTIFICATE	H 중	
🐺 গ্রী 🧃 🧃	10-0796004 🕱	2555 2.5.8	4 0000 0000001 X 100004 07% 1070 20004 07% 1150
영영국영장(mulor)) 쇼3 문	< ********* 도리코사이드를 당성	하는 제국장소	또는 제지당감소용
再利意斗 penamo (件			
44	0 4/2/0/6 387 ##	412 104-1104	
알향수 1002000 월4	<u> *사람관</u> 에 기계		
위의 발명은 [] 되었음을 중영 (Hel 5 TO OSTRATIO #TOLECTUR, PROPER	합니다. AT THE PATENT IS NED		특원부에 등록 permin of The Kane
		3	006V£ 0148 1148
		E	1915

U.S FDA(U.S Food and Drug Administration) Test/KEVWI(Korea Environment & Water Works Institute) Drinking Water quality Test / Japan FDA(Ministry of Health, Labour and Welfare) Test / KFIA(Korea Far Infrared Assocation) Anion & Far Infrared ray Emission Test / KOTRIC(Korea Testing & Research Institute for Chemical Industry) Cartridge Avirulent Test / FITI(FITI Testing & Research Institute) Antibacterial Test





www.americaQQ.com



## 블루큐큐 천연 미네랄 알카리 이온수기

### ▷ 2014년 4월 17일 MBN 방송 "천기누설" 방송

-> 이규재 박사 출연/물학회 회장, 연세대학교 의과대학 박사













## 블루큐큐 천연 미네랄 알카리 이온수기



\* 알카리수의 물 입자가 작아 체내흡수가 빠르게 돼서 혈액순환을 돕는다.



## 블루큐큐 천연 미네랄 알카리 이온수기

### ▷ ETN 방송 출연 / 선우의 Feeling up 시즌 2 -> 건강한물 - premium water solution

㈜AmericaQQ 이복규 대표이사









< 생수 / 블루큐큐 미네랄수 알카리 TEST > 좌측 : 생수 – 산성 우측 : 블루큐큐 이온수 - 약알칼리성

### ▷ 이장호 감독 영화 시선 – 블루큐큐 이온수기 협찬



<u>시선 (God's Eye View, 2014)</u> / 개봉일 : 2014년 4월 6일

감 독 : 이 장 호 / 현재 상영중~~



#### World Wide BlueQQ Creative Well-Being Life Products \* Manufacture





## BlueQQ Inc.

- Korea, Tel: 82-2-514-1221/ 82-10-3375-7352
- 901, 31 Dosan-daero98-gil, Gangnam-gu, Seoul

www.americaQQ.com