





微信公众号

香港寰鼎有限公司 HK WORLDE CO.,LTD 广州市寰鼎包装机械有限公司 Guangzhou Worlde Packaging Machinery Co., Ltd

Mb:+8613660767956 Email:worldepack@gmai.com

Web:www.worldepack.com

地址: 广东省广州市番禺区番禺大道北1742号A座1/7楼

Add:1/7th floor No.1742 Block A Panyu Avenue North Panyu District. Guangzhou City.China

五金配件目目と定制化本

包装解决方案

广州市寰鼎包装机械有限公司

Guangzhou Worlde Packaging Machinery Co., Ltd

香港寰鼎有限公司

HK WORLDE CO.,LTD

Trouble?

包装问题太多

Too many packaging probler



CONTENTS



技术特点

hnical characteristics

01~06

B

产品中心 Product center

07~26



点数系列 P11

称重系列 P19 Weighing series

接盆系列 P24 Box packing series

配套设备 P29 Matching equipmer

合作伙伴 Partners

27~28





单包 单种物料分拣包装

Single bag:Sorting and packaging for single products









混包 多种物料分拣混合包装

Mix bag: Sorting and mix packaging for various products









子弹袋包装专利 ** 2 多种物料分拣分类包装

link bag: Sorting and sorting packing for various products





相似相近的物料可一定范围内兼容,不规则异型物料专盘专用。
Similar products could be compatible by one vibration plate within a certain range ,and irregular shaped materials use special customized vibration plate.



技术优势

TECHNICAL ADVANTAGES

- 一站式解决分拣包装难题(分拣.计数.称重.包装)
 - ———"解决方案专家"
- 精准高效的包装生产设备

 $One-stop\ solution\ to\ the\ problem\ of\ sorting\ and\ packaging (Sorting,\ counting,\ weighing,\ packaging)$

----"Solution Expert"

Accurate and efficient packaging equipment

















稳定/Stable

智能/Intelligence

技术特点 Technical advantage



V型震动盘:可兼容块状和圆柱型物料,实现一盘多用.

V-shaped vibrating plate: It could compatible with block and cylindrical products, achieve multi-purpose.



螺丝挂盘:直径相近,长度不一的多种物料兼容。

Flat track vibration plate for screw: Suitable for a variety of products with similar diameters and different lengths.



智能区域光纤:最小能检测到直径1MM物料。带有发光自动补偿功能,光纤粘有粉尘时也能正常工作,确保计数精准。

Smart Area Optical Fiber: A minimum of 1mm diameter product can be detected. With automatic light compensation function, the fiber can work normally even when it is dusty to ensuring accurate counting.



智能踢出装置: 计数数量及下料总重量于设定值不符合时, 把物料排到回收盒中计数归零重新下料, 确保数量精准。过程中不报警, 不停机, 无需人员复位。


Intelligent Reject device: When the count quantity and the total weight of the products are not meeting target number, the products is discharged into the recycling box and the count is reset to zero to re-feed, ensuring accurate quantity. There is no alarm during the process, no downtime, no need worker to reset.

www.worldepack.com PAGE 03/04

ERP 系统



FURNITURE HARDWARE SORTING SYSTEM



• 系统特点

可对接企业系统,根据生产订单要求进行包装,做到一单一码。并能过智能分拣系统,实现扫码后自动点数、自动分包、自动入盒、自动输送,多位协同工作,完成订制包装。

SYSTEM FEATURES

It can be docked to the enterprise system and packaged according to the production order requirements, one order for one code. It can realize automatic counting after scanning code, automatic sub-packing, automatic boxing, automatic conveying, multi-position work together, complete custom packaging through the intelligent sorting system .

www.worldepack.com



WE-LS1

Single vibration plate packing equipment

单盘包装设备

■点数系列 Counting series





标准物料可兼容,特殊物料专盘专用







技术参数 Technical Parameters

型号MODEL	WE-LS1	WE-LS2
生产能力 Speed	10-50bag/min	10-50bag/min
计量范围 Counting range	1-10000个	1-10000个
制袋尺寸 Pouch size	60主机L:40-160 W:20-110mm 388主	机 L:40-200 W30-150mm 420主机: L:50-300 W:80-200mm
膜宽尺寸 Film width	60主机220mm 388主机 320mm	420主机 420mm
封边形式 Sealing type	背封、三边封/Back sealing、Three s	ides sealing
电总功率 Power	2000W	2500W
电源电压 Voltage	220V、380V/50Hz/60Hz	
净 重 Net weight	250kg	300kg
包装材料 Packing material	OPP/PE/PET	
耗 气 量 Airconsumption		



称重分拣包装设备 WEIGHING AND PACKAGING EQUIPMENT 定制化装箱封盒设备 CUSTOMIZED BOX PACKING EQUIPMENT

WE-LS3 分拣设备

counting and packaging equipment







分拣设备 WE-LS4

counting and packaging equipment

■ 点数系列 Counting series

技术参数 Technical Parameters

型号MODEL	WE-LS3	WE-LS4	WE-LS5	WE-LS6
生产能力 Speed	10-50bag/min	10-50bag/min	10-30bag/min	10-30bag/min
计量范围 Counting range	1-10000个	1-10000个	1-10000个	1-10000个
制袋尺寸 Pouch size	60主机L:40-160、W:20	0-110mm 388主机L:40-20	0、W:30-150mm 420主机L	:50-300、W:80-200mm
膜宽尺寸 Film width	60主机220mm 388主)	
封边形式 Sealing type	背封、三边封/Back sea	lling、Three sides sealing		
电总功率 Power	3000W	3500W	4000W	4500W
电源电压 Voltage	220V、380V/50Hz/60H	tz		
净 重 Net weight	350kg	400kg	500kg	600kg
包装材料 Packing material	OPP/PE/PET			
耗 气 量 Airconsumption	0.4m³/min 0.6MPa			

产品优势 Product advantages

点数分拣设备,适合物料种类和单种数量较少的分拣包装,根据包装物料总重量配置选择相应主机配套。标准型相近相似的物料震动盘可实现一定程度的兼容,设备系统可做多种配方预存分拣,告别单一机器,实现一机多用。

Counting sorting equipment, suitable for sorting and packaging small variety and less quantities of products, and selecting the corresponding host according to the total weight of packaging products. Some similar products could using same vibrating plate to achieve compatibility. The equipment system can perform pre-storage sorting of various formulas, bid farewell to a single machine, and realize multi-purpose of one machine.

www.worldepack.com = PAGE 09/10



称重分拣包装设备 WEIGHING AND PACKAGING EQUIPMENT 定制化装箱封盒设备 CUSTOMIZED BOX PACKING EQUIPMENT

拖斗式 五金分拣包装设备

Trailer type hardware sorting and packaging equipment

▋点数系列

Counting series

WE-LS11



家具行业的最佳拍档 The best partner of furniture industry







物料探测器:精度速度的保障 Detector: to ensures accuracy and speed

. 特 殊 料

特殊物料手投平台 Platform for special products that feedingmanually

自主 灵活 方便 快捷

INDEPENDENT, FLEXIBLE, CONVENIENT AND FAST









产品优势 (product advantages)

拖斗式点数分拣包装设备,适合于种类多和单种数量较小的分拣包装,根据包装物料总重量配置选择相应主机配套。系统可以保存多种种组合配方,使用方便,告别单一机器,实现一机多用。

The bucket type sorting and packaging equipment is suitable for sorting and packaging large variety and small number products, and selecting the corresponding main machine according to the total weight of the packaging products. The system can store a variety of combinations of recipes, easy to use, bid farewell to a single machine, to achieve a multi-purpose machine.

技术参数 Technical Parameters

型号MODEL	WE-LS9	WE-LS10	WE-LS11
生产能力 Speed	10-50bag/min	10-50bag/min	10-30bag/min
计量范围 Counting range	1-10000个	1-10000个	1-10000个
制袋尺寸 Pouch size	60主机L:40-160 W:20-110	0mm 388主机 L:40-200 W30-150mm	n 420主机: L:50-300 W:80-200mm
膜宽尺寸 Film width	60主机220mm 388主机	320mm 420主机 420mm	
封边形式 Sealing type	背封/Back sealing		
电总功率 Power	6500W	7000W	7500W
电源电压 Voltage	220V、380V/50Hz/60Hz		
净 重 Net weight	1100kg	1200kg	1300kg
包装材料 Packing material	OPP/PE/PET		
耗 气 量 Airconsumption	0.4m³/min 0.6MPa		

www.worldepack.com = PAGE 11/12



称重分拣包装设备 WEIGHING AND PACKAGING EQUIPMENT 定制化装箱封盒设备 CUSTOMIZED BOX PACKING EQUIPMENT

拖斗式 分拣包装设备

Trailer type sorting and packaging equipment

■点数系列 Counting series

WE-LS6



产品优势 product advantages

拖斗式点数分拣包装设备,适合于种类多和单种数量较小的分拣包装,此款拖斗有利于保护物料防刮伤,根据包装物料总重量配置选择相应主机配套。系统可以保存多种组合配方,使用方便,告别单一机器,实现一机多用。

Trailer type counting and packaging equipment is suitable for sorting and packaging with various items and small items. It will protect the material from scratches well . The main machine and more devices will be fitted according to the total weight of the products . Its system can hold variety of combined formulas, and easy to use and help us to achieve a multi-purpose machine.

技术参数 Technical Parameters

型号MODEL	WE-LS6	WE-LS7	WE-LS8	
生产能力 Speed	10-50bag/min	10-50bag/min	10-30bag/min	
计量范围 Counting range	1-10000个	1-10000个	1-10000个	
制袋尺寸 Pouch size	60主机L:40-160 W:20-11	.0mm 388主机 L:40-200 W30-15	50mm 420主机: L:50-300 W:80-200	mm
膜宽尺寸 Film width	60主机220mm 388主机	l 320mm 420主机 420mm		
封边形式 Sealing type	背封/Back sealing			
电总功率 Power	5000W	5500W	6000W	
电源电压 Voltage	220V、380V/50Hz/60Hz			
净 重 Net weight	800kg	900kg	1000kg	
包装材料 Packing material	OPP/PE/PET			
耗气量 Airconsumption	0.4m³/min 0.6MPa			



称重系列 Weighing series

精度保障

称重设备适合物料种类少,单个数量多的分拣包装,设备速度快,对物料要求不高,兼容性强,根据包装物料总重量配置选择相应主机配套。

Weighing equipment is suitable for sorting and packaging with fewer kinds of materials but with more single units. It has high speed, low requirements for materials and strong compatibility. The main machine and more devices will be fitted according to the total weight of the products.



包装设备 线性秤

Linear scale packaging equipment

■ 称重系列 Weighing Series

WE-420E





技术参数 Technical Parameters

型号MODEL	/ WE-60E /	WE-388E	WE-420E
生产能力 Speed	10-50bag/min	10-50bag/min	10-30bag/min
计量范围 Weighing range	1-1000g	1-2000g	1-5000g
制袋尺寸 Pouch size	L:40-160、W:20-110mm	L:40-200、W:30-150mm	L:50-300、W:80-200mm
膜宽尺寸 Film width	220mm	320mm	420mm
封边形式 Sealing type	背封/Back sealing		
电总功率 Power	3000W	3500W	4000W
电源电压 Voltage	220V、380V/50Hz/60Hz		
争 重 Net weight	350kg	450kg	550kg
包装材料 Packing material	OPP/PE/PET		
耗气量 Airconsumption	0.4m³/min 0.6MPa		

www.worldepack.com PAGE 15/16



称重分拣包装设备 WEIGHING AND PACKAGING EQUIPMENT

定制化装箱封盒设备 CUSTOMIZED BOX PACKING EQUIPMENT

盘+秤组合设备

Vibration plate combines with scale packing equipment

称重式 包装设备

Weighing packing equipment

产品优势 product advantages

盘和秤组合型称重设备适合物料种类少,单个数量多的分拣包装,设备速度 快,对物料要求不高,兼容性强,根据包装总重量配置选择相应主机配套。

The Combination of vibration plate and weighing equipment is suitable for sorting and packing with less items but with more single units. It has high speed, low requirements for materials and strong compatibility. The main machine and more devices will be fitted according to the total weight of the products.









MK-60-LSE



MK-420-LSE

技术参数 Technical Parameters


型号MODEL	WE-60-LSE	WE-388-LSE	WE-420-LSE
生产能力 Speed	10-50bag/min	10-50bag/min	10-30bag/min
计量范围 Weighing range	1-1000g	1-2000g	1-5000g
制袋尺寸 Pouch size	L:40-160、W:20-110mm	L:40 -200、W:30-150mm	L:50-300、W:80-200mm
膜宽尺寸 Film width	220mm	320mm	420mm
封边形式 Sealing type	背封/Back sealing		
电总功率 Power	3000W	3500W	4000W
电源电压 Voltage	220V、380V/50Hz/60Hz		
净 重 Net weight	200kg	350kg	550kg
包装材料 Packing material	OPP/PE/PET		
耗气量 Air consumption	0.4m³/min 0.6MPa		



称重分拣包装设备 WEIGHING AND PACKAGING EQUIPMENT 定制化装箱封盒设备 CUSTOMIZED BOX PACKING EQUIPMENT

组合秤 包装设备

Combination weighers packing equipment





产品优势 product advantages

大型立式称重设备,适合物料种类少和单种数量较多的分拣包装, 电子称兼容性强,对物料要求不高,使用范围广,一机多用。

Large vertical weighing equipment suitable for less items but with more single units. The weigher with strong compatibility and low requirements for materials . It is used widely and achieve a multi-purpose machine.





技术参数 Technical Parameters

型号MODEL	WE-388A	WE-420A	WE-520A	WE-720A
生产能力 Speed	10-30bag/min	10-30bag/min	10-30bag/min	10-30bag/min
计量范围 Weighing range	1-500g	1-1000g	1-2000g	1-3000g
制袋尺寸 Pouch size	L:40-200 W:40-150mm	L:50-300、W:80-200mm	L:80-350、W:90-250mm	L:100-420、W:110-350mm
膜宽尺寸 Film width	320mm	420mm	520mm	720mm
封边形式 Sealing type	背封/Back sealing			
电总功率 Power	2000W	2500W	3000W	4000W
电源电压 Voltage	220V、380V/50Hz/60Hz	220V、380V/50Hz/60Hz	220V、380V/50Hz/60Hz	220V、380V/50Hz/60Hz
净 重 Net weight	250kg	450kg	650kg	800kg
包装材料 Packing material	OPP/PE/PET	OPP/PE/PET		
耗 气 量 Airconsumption	0.6m³/min 0.8MPa	0.6m³/min 0.8MPa	0.8m³/min 0.8MPa	0.8m³/min 0.8MPa

www.worldepack.com PAGE 19/20

w 3 ride pack

点数分拣包装设备 SORTING AND PACKAGING EQUIPMENT

称重分拣包装设备 WEIGHING AND PACKAGING EQUIPMENT

定制化装箱封盒设备 CUSTOMIZED
BOX PACKING EQUIPMENT

称重 WEIGHING

拆箱 UNPACKING

封箱 SEALING

打包 Bale



称重装箱封箱设备

CUSTOMIZATION WEIGHING PACKING SEALING EQUIPMENT

对家具行业,电器行业、紧固件行业,汽车行业,五金行业,汽配件行业,塑 料玩具等行业的不规则、少种类、多数量的配件物料进行称重入箱。适应 性、匹配度、灵活性更高,是企业定制化设备的首选。

Application in furniture industry, electrical industry, fastener industry, automobile industry, hardware industry, auto parts industry, plastic toys and other industries of irregular, less items but more units of material packing and weighing then into the box. It has higher adaptability, suitability and flexibility. It is the first choice of enterprise customized equipment.



技术参数 Technical Parameters

型号MODEL	<i>。</i> 称重装箱封箱一体机
生产能力 Speed	1-20箱/分 Cartons/Min
计量范围 Weighing range	1-10000g
箱子尺寸 Carton size	L:250-500、W:150-400、H:150-400mm
封边型式 Sealing style	入箱打包/Feeding and pack
电总功率 Power	8000W
电源电压 Voltage	220V、380V/50Hz/60Hz
净 重 Net weight	4800kg
包装材料 Packing material	箱子/box
外形尺寸 Dimension	L5400×W6000×H3800mm
耗气量 Air consumption	0.4m³/min 0.6MPa

, 排料入箱 ırrange into the bo 封箱 Sealing

PAGE 21/22

称重分拣包装设备 WEIGHING AND PACKAGING EQUIPMENT 定制化装箱封盒设备 CUSTOMIZED BOX PACKING EQUIPMENT



产品优势 Product advantages

制定化机械根据每个不同需求适实设计方案制作设备,最大话的满足特殊物料及效果。适应性、匹配度、灵活性更高,是企业定制化设备的首选。

According to each different demands the equipment, the customized equipment is designed and made to maximize satisfaction of special materials and effects. It has higher adaptability, high meeting accuracy and flexibility. It is the first choice of enterprise customized equipment.

技术参数 Technical Parameters

型号N	IODEL /	<i>,</i>
生产能力	Speed	10-30 Box/min
计量范围	Weighing range	50-1000g
单盒公差	Box tolerance	0.2-0.5g
盒子尺寸	Box size	L250-500、W4000、H2000mm
装盒型式	Packing style	排列装盒/Pillow box
电总功率	Power	5000W
电源电压	Voltage	220V、380V/50Hz/60Hz
净 重	Net weight	2000kg
包装材料	Packing material	纸盒 /Box
预设编号	Preset number	99种/ kind
外形尺寸	Dimension	L5400×W6000×H3800mm

www.worldepack.com PAGE 23/24

O P T I O N A L D E V I C E

<mark>可选装置</mark> Optional device

配套>

MATCHING CHOOSE ACCORDING TO YOUR REQUIREMENT





【V型盘个体】 V type Vibration plate



【挂盘个体】 Hanging Vibration plate





【五金配件专用组合秤】 Special combination weigher for hardware accessories





工作平台 Platform



功能:可印字母数字、日期、编码 Function: It can print letters, numbers, dates, codes



重控机 Weight detector



上料机(Z/倾斜) Feeder(Z/zobliqu



热转印 (Thermal Transfer Print

功能:可印中英文字、图案、二维码、条码、编码 Function: It can print Chinese and English words patterns, two-dimensional code, bar code, code.



成品绘送机 Finish products convey

www.worldepack.com PAGE 25/26





Case

经典客户案例

磁派 **OPPEIN**

欧派集团

合作10余年,集团钦定供应商。广州,天津、无 锡、成都,江苏等基地陆续采购设备70多套。

We have been cooperated with Oppein for more than 10 years, the group authorized suppliers. Guangzhou, Tianjin, Wuxi, Chengdu, Jiangsu and other factories of Oppein have purchased more than 70 sets of



TCL集团

合作8年,与中山,惠州,武汉,九江等基 地均有长期合作,先后购买设备20余套。 Partner for more than 8 years . And keep a long-term

cooperative relationship with Zhongshan, Huizhou Wuhan, Jiujiang and other factoies. They purchased more than 20 sets of machines.



金牌橱柜

合作4年,厦门、江苏等基地有合作,先后购买 了多台家具五金分拣设备。

Partner for more than 4 years . They purchased more than sets of hardware sorting equipment in Xiamen, Jiangsu and other factories.



美的集团

合作3年,芜湖基地五金螺丝包装机

Partner for more than 3 years . Focus on hardware screw packaging machine in Wuhu factories .



好莱客衣柜

合作5年,广州、惠州等基地先后购买了几套4 盘家具配件五金包装设备。

Partner for more than 5 years . They purchased more than severa sets of hardware sorting equipment in in Guangzhou, Huizhou and other factories .



长虹集团

合作6年,先后购买多套设备并保持长期

Long-term partner for more than 6 years . And purchased several sets of equipments.

LONG-TERM PARTNER 长期战略合作 STRATEGIC 伙伴



RIVET NUTS 裕丰