



**BEST
SOLUTIONS
FOR YOUR IDEAS**



IPRIS-PROFIL

Ukraine, Kharkiv, 61106, 12, Plytkova street,
tel.: +38 (057) 744-10-00, e-mail: info@ipris-profil.com
www.ipris-profil.com



**FROM
STANDARD SOLUTIONS**

**TO
INDIVIDUAL PROJECTS**





ABOUT US

Ipris-Profil LTD was founded in 2003 as a manufacturer of electrowelded tubes and storage equipment. The closed cycle of production allows us to provide high quality products and to achieve stable and timely deliveries.

OUR ADVANTAGES



CLOSED PRODUCTION
CYCLE



INDIVIDUAL
APPROACH



INNOVATIVE
TECHNOLOGIES



MORE THAN 20 YEARS
OF EXPERIENCE



QUALITY CONTROL
SYSTEM



PRODUCTION IN
SHORT TERMS




The key factor of success is our own full production line, with a set of modern and automatic equipment.

OUR PRODUCTION EQUIPMENT

- ◆ 2 automatic powder-paint lines
- ◆ Cold galvanizing workshop
- ◆ 2 Steel Pipe Production Lines
- ◆ 3D bending machine
- ◆ more than 400 highly skilled employees
- ◆ CNC milling machines
- ◆ CNC laser cutting machines
- ◆ Own tool workshop

We are ready to manufacture metal solutions for product transportation considering your business needs. We develop, plan and execute customized and cost-effective solutions that serve the interest of your business.

NESTABLE ROLL CONTAINER ARK.01




Dimensions
800 x 680 x 1805 mm



Container load
capacity 550 kg



Shelf load capacity
150 kg




Electroplating



Castors 125 mm

NESTABLE ROLL CONTAINER ARK.17



Dimensions
790 x 700 x 1585 mm



Container load
capacity 550 kg



Shelf load capacity
150 kg




Electroplating




Castors 125 mm

NESTABLE ROLL CONTAINER ARK.22



Dimensions
830 x 695 x 1825 mm



Mesh
50x50 mm



Container load capacity
550 kg



Can be completed with
up to 4 shelves




Electroplating



Polyurethane wheels
125 mm



NESTABLE ROLL CONTAINER FFR.03



Dimensions
790 x 700 x 1740 mm



Container load
capacity 550 kg




Electroplating
or powder coating



Castors 125 mm

NESTABLE ROLL CONTAINER FFR.05



Dimensions
790 x 700 x 1740 mm



Container load
capacity 500 kg



Electroplating
or powder coating



Castors 125 mm

DEMOUNTABLE ROLL CONTAINER RKM.01




2-sided




3-sided



4-sided



Height:
 RKM.01 - 1830 mm
 RKM.02 - 1630 mm
 RKM.03 - 1530 mm




Base dimension
 700 x 790 mm



Container load capacity 550 kg



Shelf load capacity
 150 kg



Electroplating
 or powder coating




Castors 100 mm

ANTI-THEFT ROLL CONTAINER RKM.06



Dimensions
 860 x 750 x 1800 mm



Mesh
 50x50 mm



Container load capacity 600 kg






Electroplating
 or powder coating



Castors 100 mm

MAXI ROLL CONTAINER RKM.13



Dimensions
1200 x 790 x 1833 mm



Container load
capacity 550 kg



Electroplating
or powder coating



Castors 125 mm

MAXI+ ROLL CONTAINER RKM.14



Dimensions
1200 x 790 x 1833 mm



Container load
capacity 550 kg




Electroplating
or powder coating



Castors 125 mm

MESH ROLL CONTAINER RKM.15



Dimensions
1200 x 790 x 1677 mm



Container load
capacity 550 kg





Electroplating
or powder coating




Castors 125 mm

TRANSPORT CONTAINER KM.06



Dimensions
1200 x 800 x 2200 mm



Mesh
50 x 50 mm



Container load
capacity 600 kg




Shelf load capacity
100 kg




Castors 200 mm



CONTAINER KM.15



Dimensions
1200 x 800 x 1920 mm



Mesh
50 x 50 mm



Container load
capacity 500 kg



Shelf load capacity
150 kg




Electroplating
or powder coating




Castors 125 mm



ORDER PICKING TROLLEY TDS.01



Dimensions
1240 x 840 x 1935 mm



Mesh
50 x 50 mm



Container load capacity
250 kg




Shelf load capacity
80 kg




Castors 160 mm

ORDER PICKING TROLLEY TDS.02



Dimensions
1200 x 800 x 2000 mm



Mesh
50 x 50 mm



Container load capacity
400 kg




Shelf load capacity
150 kg



Castors 160 mm

TROLLEY FOR THE PLASTIC EURO CONTAINERS TDK.02



Dimensions
1300 x 650 x 1225 mm



Container load
capacity 200 kg



Shelf load capacity
100 kg



Fixed shelves with
dividers



Electroplating
or powder coating



Castors 100 mm

TROLLEY FOR THE PLASTIC EURO CONTAINERS TDK.03



Dimensions
1300 x 650 x 1895 mm



Container load
capacity 400 kg



Shelf load capacity
100 kg



Fixed shelves with
dividers




Electroplating
or powder coating



Castors 100 mm

TROLLEY FOR THE PLASTIC EURO CONTAINERS TDK.07



Dimensions
1295 x 645 x 1890 mm



Container load capacity
360 kg



Shelf load capacity
120 kg



Electroplating or powder coating




Castors 100 mm

E-COMMERCE TROLLEY



Dimensions
1200 x 400 x 1800 mm



Container load capacity
500 kg



Shelf load capacity
100 kg




Powder coating



Castors 100 mm

PICKING TROLLEY OZO.01



Dimensions
870 x 440 x 1160 mm



Top shelf load
40 kg



Bottom shelf load
60 kg




Hinged ladder
390 mm high



Castors 125 mm



TROLLEY VDK.01



Dimensions
615 x 380 x 1120 mm



Load capacity
150 kg



Powder coating



Castors 75 mm



ORDER PICKING TROLLEY TKZ.01



Dimensions
700 x 400 x 1565 mm



Load capacity
200 kg



Shelf load capacity
max 40 kg



The shelves can be hung
in 50 mm intervals




Electroplating
or powder coating



Castors 100 mm



PRODUCT PLACEMENT TROLLEY TDR.02




Dimensions
1365 x 500 x 1140 mm



Load capacity
250 kg



Shelf load capacity
max 100 kg



Hinged ladder
500 mm high



Trolley has
a PDT holder




Castors 125 mm

PRODUCT PLACEMENT TROLLEY TDR NON SORT



Dimensions
2000 x 580 x 1805 mm



Mesh
50 x 50 mm



Container load
capacity 400 kg



Shelf load capacity
max 100 kg




Powder coating




Castors 125 mm

MESH CONTAINER THZ.01



Dimensions
1000 x 800 x 1850 mm



Mesh
75 x 75 mm



Container load capacity
400 kg



Hinged ladder
605 mm high



Powder coating




Castors 160 mm



PLATFORM TROLLEY CCW.01



Handle height
1065 mm



Usable length x width
1000 x 700 mm



Container load
capacity 600 kg



Powder coated



Castors 200 mm

PLATFORM TROLLEY BC.17



Dimensions
1100 x 650 x 1200 mm



Container load
capacity 300 kg




Powder coated




Castors 160 mm

MESH CONTAINER with shelf and lid



Dimensions
1200 x 800 x 1800 mm



Mesh
50 x 50 mm




Shelf capacity
150 kg




Powder coated

- ◆ Mesh containers of other heights can be produced.


MESH CONTAINER



Dimensions
1200 x 800 mm



Height 800/1000/1200
/1600/1800 mm



Mesh 50 x 50 mm,
100 x 100 mm




Load capacity per tier:
1 – 750 kg; 2 – 750 kg
3 – 750 kg; 4 – 500 kg




Powder coated

PACKING TABLE OZO.06




Dimensions
1400 x 900 x 900 mm



Upper shelf height
550 mm



Load on the tabletop
100 kg



Adjustable height of
table legs 50 mm



Powder coated

PACKING TABLE OZO.03





Table height
1100 mm




Tabletop dimensions
800x600 mm




Load on the tabletop
70 kg



Shelf load capacity
max 30 kg



Adjustable height of
table legs 50 mm



Powder coated

FRAMES FOR FLOOR STORAGE

Frames are used for storing of various loads. The frames are made in accordance with individual technical assignments depending on the load length and height (pipes, silicate cotton, tyres, etc.) At this, an opportunity for tier-wise installation is considered, number of tiers and per-tier load.

FRAMES WITH DISTANCE



FRAMES WITH DISTANCE OF TWO LEVELS




MOBILE PALLETS

Mobile pallets are used for storing and transportation of different industrial products of various purposes.



Dimensions
2400 x 1240 x 2000 mm



Height when assembled
362 mm



Weight 100 kg

- ◆ Empty mobile pallets can be stored 20 units in the stack.
- ◆ Production on the basis of the customer's technical assignment is possible.
- ◆ The product structure is made with a flat base, two folding sides and straps for rising the loaded mobile pallet with a forklift for its further stacking in three levels.



EXPORT GEOGRAPHY

- ◆ Austria
- ◆ Azerbaijan
- ◆ Bulgaria
- ◆ Denmark
- ◆ Estonia
- ◆ Finland
- ◆ France
- ◆ Georgia
- ◆ Germany
- ◆ United King
- ◆ Kazakhstan
- ◆ Kyrgyzstan
- ◆ Latvia
- ◆ Lebanon
- ◆ Lithuania
- ◆ Netherlands
- ◆ Poland
- ◆ Romania
- ◆ Spain
- ◆ UAE

Ukraine, Kharkiv, 61106, 12, Plytkova street,
tel.: +38 (057) 744-10-00, e-mail: info@ipris-profil.com
www.ipris-profil.com