













Valves, Actuators & Hydraulic Components

HYDRAULIC COMPONENTS











+44 (0) 1384 411 888 sales@ultravalve.co.uk



Bonomi Group

The Bonomi Group, with corporate headquarters in Italy and technical sales offices in the United Kingdom, Germany, Russia, North America and India is a global organisation specialising in the production of valves and actuators.




Bonomi (UK) Ltd

Bonomi (UK) Ltd, established in 1999, offer a complete range of products and complementary services for the flow control industry.

This brochure offers just an overview; if you cannot find what you are looking for please contact the sales office for our complete product catalogue.



Contents








FREEDOM STATE



700000



Full bore stainless steel AISI 316-CF8M ball valve, F/F threading. ISO Mounting Pad.









Now available with V-notch ball

703000

Full bore stainless steel

AISI 316-CF8M ball valve, F/F threading,

ISO 5211 Direct Mount, Antistatic Device.

Three piece stainless steel AISI 316-CF8M, full bore ball valve. ISO Mounting Pad.

600105



Butterfly valve Wafer type PN16, body in cast iron G250+Epoxy painting, EPDM seat. (NBR and VITON available).

730003



Full bore flanged ball valve, PN16 in cast iron, according to EN 558 basic series 14 (DN 200 basic series 27).



713000

600204



Butterfly valve LUG type PN16, body in ductile iron GGG40+Epoxy painting, EPDM seat. (NBR and VITON available).



Three way reduced bore, in stainless steel AISI 316-CF8M ball valve, four seats, female threads.



Full bore flanged ball valve PN16, in stainless steel AISI 316-CF8M.



Full bore flanged valve PN16 in carbon steel ASTM A105 - WCB.

PROCESS VALVES



Stainless steel AISI 316-CF8M ball valve, full bore, Fire Safe, Antistatic Device.

680000-2

Available with flanged ends,

welded ends or customized ends Available welded body FIRE SAFE ISO 10497



Stainless steel AISI316 - CF8M ball valve, full bore, Fire Safe, Antistatic Device with ISO 5211 Direct Mount. Flanged PN16 / PN40 Stainless Steel AISI 316-CF8M ball valve, full bore, Fire Safe, Antistatic Device.

DBB

FIRE SAFE ISO 10497


OIL & GAS DIVISION

This is just a small selection from our oil and gas division - Please contact the Bonomi sales office for support.



Trunnion mounted ball valve Split Body to API6D/ BS6364.

Double Block and Bleed Valve, Floating ball valve Split Body or Top Entry to API6D/API608/ISO17292-BS6364 or Trunnion Split Body API6D/BS6364.



Walpre



Trunnion mounted ball valve, Split Body

to API6D/API 6A.



TRUE OF



0390000097



NA34 Series



3/2 and 5/2 way Namur Solenoid Valves Ex options available.



Compact corrosion resistant limit Switch Box.

0

Θ

Explosion proof Limit Switch Box according to

Other Ex options are available (including I.S.).

EExd IIB T4/T5/T6 standards.

0390000034

De-clutchable gear operator for the manual override of double and single acting Pneumatic Actuators.

Special Executions

Manual Valve with

Limit Switch Box.

Ex options available Rotary 1/4 turn positioners for proportional control of Pneumatic Actuators.



.....

Locking Handle.







POSITIONER - 3-15psi 3160000004 POSITIONER - 4-20mA Ex options available

4

ACTUATORS



Pneumatic Actuators 0° - 90°. C € 🐼 II 2 G/D c T6 APPROVED.



Pneumatic Actuators 0° - 180°. C € 🐼 II 2 G/D c T6 APPROVED.



PTFE Coated Pneumatic Actuators. $C \in \odot$ II 2 G/D c T6 APPROVED.



Stainless Steel Pneumatic Actuators. C € ⊕ II 2 G/D c T6 APPROVED.



Mini Electric Actuators.



Electric Actuators with Technopolymer Housing.



Electric Actuators with Die Cast Aluminium Housing.









Pneumatically Actuated Wafer Ball Valves,

Electrically Actuated Wafer and Lugged

Butterfly Valves.

Stainless Steel and Carbon Steel.







Electrically and Pneumatically Actuated Ball Valves, Full Bore, Split Body Type.



Pneumatically Actuated Wafer and Lugged Butterfly Valves.



Pneumatically Actuated Three-Piece Stainless Steel Ball Valves.



Pneumatically Actuated Two-Way Ball Valves in Brass and Stainless Steel.



Electrically Actuated Three-Way High Pressure Ball Valves.



Electrically Actuated Two-Way Ball Valves in Stainless Steel.



Electrically Actuated Three-Way Ball Valves in Brass.



Electrically and Pneumatically Actuated Stainless Steel Ball Valves, Full Bore, Split Body Type. Direct Mount.



ACTUATED SYSTEMS

THE ACTUATED VALVE WORKSHOP

- Pneumatic and Electric Actuators
- Single and Double Acting
- Comprehensive Range of Valves (Ex-Stock)
- Fully Assembled and Tested











Full bore brass ball valve. Aluminium Handle - F/F. WRAS Approved.

1600



Full bore ball valve, F/F threaded, with ISO 5211 pad for actuator.





Three way full bore valve. Female threaded. T/L Port, with steel handle and ISO 5211 pad for actuator.

4504



Full bore ball valve, female threaded and male union tail for manifold, with aluminium T-handle.



Full bore check valve, F/F ISO 7/1 threaded.








8001

9001 - 150

"SHO

Full bore ball valve for gas, F/F threaded, with yellow steel handle. BSEN331 1998.

6273





Diverter full bore valve. Female threaded. T/L Port,with steel handle and ISO 5211 pad for actuator.

3730/3731





Chrome plated, with handle, F/F.

Chrome plated, with handle, M/F.



Full bore ball valve, F/F threaded, with drain hole and steel handle.



Pressure reducing and regulating valve with balanced seat from ISO 7/1.

BRASS BALL VALVES



Various lever colours available.









HYDRAULIC COMPONENTS



CAM FF (F/M)

PLTX





Flat Face Couplings Stainless Steel ISO 16028.

PAVX



Quick Release Couplings

Flat Face Couplings

ISO 16028.



CAM IA (F/M)



Quick Release Couplings

ISO B Norm.

ISO B Norm.



Quick Release Couplings Stainless Steel ISO A Norm.

PBV1

PBVX



ISO A Norm.



PPV3

Push-Pull Quick Release Couplings Premier ISO A Norm.

PBVM



Quick Release Couplings - Brass ISO B Norm.

TGW



Screw Couplings Gromelle Interchange.



PVV3

Quick Release Couplings - Stainless Steel

Quick Release Screw Couplings.



If what you are looking for is not shown please contact the Ultravalve sales office.

🐼 01384 411 888 👰 sales@ultravalve.co.uk 醥 www.bonomi.co.uk



🕿 01384 411 888 🔘 sales@ultravalve.co.uk

Exclusive Official UK distributor for



Valves for district heating and cooling applications.

- Steel Ball Valves
- Stainless Steel Ball Valves
- Steel Balancing Valves
- Stainless Steel Balancing Valves
- Butterfly Valves PN25
- Hot Tapping Valves

Exclusive UK distributor for

M MONDEO



Stainless Steel Suction and Discharge Manifolds, 2 Pump, 3 Pump and 4 Pump.



Stainless Steel Flanges.



IDRJA Check Valves 304 and 316 Stainless Steel, WRAS Approved.



INDUSTRIAL VALVES





Packaged Plate Heat Exchanger Set.



Triple Offset Metallic Seated Butterfly Valves.



Safety Valves ASME Code Section VIII -Division 1 UV - Stamp NB - Stamp to AP1526.





Metal and plastic measurement, control and regulation valves.

Honeywell

Ultravalve specialise in the testing of RPZ valves. Every engineer is WTI certified, CSCS approved, hold water hygiene cards and have been DBS (Disclosure & Barring Service) previously called CRB. Ultravalve are Constructionline, Safe Contractor and Achilles approved.







Flanged Stainless Steel RPZ Valves. Self Cleaning Filters.



Pressure Reducing Valves.



Ultravalve offer all makes of RP2 backflow prevention devices to suit all systems and pipe sizes, stainless steel options are also available. RP2 valves can be fitted to prevent backflow from up to and including catagory 4 risks in the water system.

Ultravalve also offer a testing & commissioning service Nationwide and we carry spares for all available makes and models of valves. We will always attempt to rectify failures in the testing visit if it is possible to do so.

All our engineers are WRAS approved testers and have CSCS cards, National Water Hygeine cards and have been CRB checked. We are also part of the Safe contractor scheme.

Our engineers have the below accreditations:



We supply and stock values and spares for all available values from manufacturers. such as:













To book a test or for RPZ valve sales please contact either: TEL: 01384 411888 E-Mail: sales@ultravalve.co.uk



UK Locations

ULTRAVALVE LTD Dliamond Works, Units 11,13 and 2A Maple Tree Lane, Halesowen, West Midlands, B63 2BN Tel: 01384 411888 Fax: 01384 411114 sales@ultravalve www.ultravalve.co.uk

