

STOLZ Application List (Rear)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
AUDI	A4 (B7/B8)	2005	2016	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2005	2016	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2005	2016	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2005	2016	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	A5 (8T3/8TA/8F7/B8)	2007	2016	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2007	2016	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2007	2016	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2007	2016	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	A6	2012	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2012	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2012	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2012	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	A7	2011	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2011	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2011	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2011	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	R8	2006	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2006	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2006	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2006	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	RS6	2002	2004	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2002	2004	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2002	2004	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2002	2004	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	

STOLZ Application List (Rear)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
BMW	E46 3series	1998	2006	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		1998	2006	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		1998	2006	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		1998	2006	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	E90 3series	2005	2013	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2005	2013	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2005	2013	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2005	2013	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	F30 3series	2012	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2012	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2012	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2012	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	E60 5series	2005	2009	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2005	2009	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2005	2009	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2005	2009	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	F10 5series	2010	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2010	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2010	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2010	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	G30 5series	2010	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2010	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2010	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2010	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	

STOLZ Application List (Rear)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
BMW	E63 6series	2010	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2010	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2010	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2010	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	F12 6series	2010	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2010	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2010	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2010	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	E46 M3	2001	2006	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2001	2006	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2001	2006	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2001	2006	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	E90 M3	2001	2006	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2001	2006	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2001	2006	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2001	2006	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	E92 M3	2001	2006	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2001	2006	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2001	2006	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2001	2006	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	E89 Z4	2001	2006	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2001	2006	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2001	2006	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2001	2006	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	

STOLZ Application List (Rear)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
BMW	X5	2013	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2013	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2013	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2013	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	X6	2015	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2015	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2015	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2015	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
MERCEDES-BENZ	CLA-Class (C117)	2014	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2014	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2014	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2014	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	C-Class (W204)	2008	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2008	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2008	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2008	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	E-Class (W211/W212)	2002	2017	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2002	2017	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2002	2017	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2002	2017	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	CLS-Class (W219)	2004	2011	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2004	2011	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2004	2011	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2004	2011	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	

STOLZ Application List (Rear)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
MERCEDES-BENZ	S-Class (W221)	2005	2013	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2005	2013	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2005	2013	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2005	2013	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	GLK-Class (X204)	2010	2015	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2010	2015	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2010	2015	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2010	2015	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	G-Class (W463)	2012	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2012	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2012	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2012	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
INFINITI	Q30	2017	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2017	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2017	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2017	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	Q50	2014	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2014	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2014	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2014	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	G35	2003	2008	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2003	2008	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2003	2008	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2003	2008	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	

STOLZ Application List (Rear)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
INFINITI	M35	2003	2010	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2003	2010	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2003	2010	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2003	2010	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	M37	2010	2013	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2010	2013	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2010	2013	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2010	2013	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	M56	2010	2013	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2010	2013	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2010	2013	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2010	2013	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	FX	2008	2013	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2008	2013	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2008	2013	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2008	2013	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
MASERATI	GHIBLI	2013	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2013	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2013	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2013	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	QUATTROPORTE	2013	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2013	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2013	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2013	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	

STOLZ Application List (Rear)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
FORD	MUSTANG	2008	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2008	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2008	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2008	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	TAURUS	2009	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2009	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2009	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2009	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	EXPLORER	2011	2016	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2011	2016	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2011	2016	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2011	2016	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
HONDA	ACCORD	2007	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2007	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2007	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2007	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
NISSAN	350Z	2003	2008	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2003	2008	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2003	2008	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2003	2008	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	ALTIMA	2012	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2012	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2012	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2012	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	

STOLZ Application List (Rear)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
NISSAN	MAXIMA	2015	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2015	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2015	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2015	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	ROGUE	2008	2014	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2008	2014	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2008	2014	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2008	2014	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
PORSCHÉ	997 CARRERA S	2005	2011	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2005	2011	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2005	2011	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
SUBARU	IMPREZA WRX STI	2007	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2007	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2007	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2007	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	IMPREZA WRX	2008	2014	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2008	2014	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2008	2014	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
VOLKSWAGEN	GOLF GTI	2007	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2007	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2007	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2007	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	

STOLZ Application List (Rear)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
VOLKSWAGEN	JETTA A5	2005	2010	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2005	2010	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2005	2010	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2005	2010	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
HYUNDAI	AVANTE	2006	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2006	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2006	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2006	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	Grand Starex	2007	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2007	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2007	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2007	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	Genesis	2008	2013	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2008	2013	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2008	2013	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2008	2013	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	Genesis Coupe	2008	2015	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2008	2015	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2008	2015	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2008	2015	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	Genesis DH	2014	2015	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2014	2015	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2014	2015	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2014	2015	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	

STOLZ Application List (Rear)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
HYUNDAI	Grandeur HG	2011	2016	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2011	2016	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2011	2016	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2011	2016	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	Grandeur XG	2001	2005	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2001	2005	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2001	2005	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2001	2005	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	I30	2012	2015	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2012	2015	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2012	2015	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2012	2015	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	I40	2011	2015	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2011	2015	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2011	2015	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2011	2015	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	Maxcruz	2013	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2013	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2013	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2013	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	Santafe CM	2006	2012	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2006	2012	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2006	2012	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2006	2012	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	

STOLZ Application List (Rear)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
HYUNDAI	Santafe DM	2013	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2013	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2013	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2013	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	Sonata LF	2015	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2015	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2015	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2015	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	Sonata NF	2005	2009	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2005	2009	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2005	2009	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2005	2009	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	Sonata YF	2010	2014	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2010	2014	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2010	2014	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2010	2014	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	Tucson Ix	2010	2015	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2010	2015	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2010	2015	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2010	2015	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	Veloster	2011	2015	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2011	2015	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2011	2015	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2011	2015	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	

STOLZ Application List (Rear)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
HYUNDAI	Veracruz	2007	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2007	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2007	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2007	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
							350x31(2-Piece)	33	121	205	18	
							380x31(2-Piece)	33	136	220	19	
KIA	All New Carnival	2014	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2014	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2014	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2014	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	All New Pride	2012	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2012	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2012	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2012	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	Forte	2008	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2008	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2008	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2008	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	Grand Carnival	2006	2013	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2006	2013	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2006	2013	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2006	2013	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	K3	2013	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2013	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2013	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2013	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	

STOLZ Application List (Rear)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
KIA	K5	2010	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2010	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2010	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2010	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	K7	2010	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2010	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2010	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2010	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	K9	2013	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2013	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2013	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2013	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	Mohave	2008	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2008	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2008	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2008	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	Opirus	2004	2011	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2004	2011	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2004	2011	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2004	2011	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	Sorento	2009	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2009	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2009	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2009	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	

STOLZ Application List (Rear)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
KIA	Sportage	2010	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2010	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2010	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2010	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
CHEVROLET	Cruze	2011	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2011	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2011	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2011	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	Impala	2014	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2014	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2014	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2014	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	Malibu	2012	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2012	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2012	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2012	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	Tosca	2006	2009	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2006	2009	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2006	2009	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2006	2009	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
RENAULT	QM5	2008	2015	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2008	2015	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2008	2015	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2008	2015	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	

STOLZ Application List (Rear)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
RENAULT	SM5	2013	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2013	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2013	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2013	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	SM5 520D	2001	2004	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2001	2004	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2001	2004	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2001	2004	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	SM5 IMPRESSION	2008	2010	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2008	2010	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2008	2010	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2008	2010	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	SM5 L43	2010	2012	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2010	2012	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2010	2012	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2010	2012	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	SM6	2016	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2016	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2016	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2016	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	SM7	2011	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2011	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2011	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2011	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	

STOLZ Application List (Rear)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
SSANGYONG	Chairman	2002	2016	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2002	2016	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2002	2016	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2002	2016	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	Korando	2000	2005	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2000	2005	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2000	2005	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2000	2005	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	Korando C	2012	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2012	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2012	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2012	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	Korando Sports	2012	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2012	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2012	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2012	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	Rexton (Musso)	2008	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2008	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2008	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2008	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
	Tivoli	2016	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2016	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2016	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2016	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	

STOLZ Application List (Rear)												
Manufacturer	Model	Year From	Year To	Caliper POT	STOLZ Model	Color	Disc Size and Type(mm)	Caliper Clearance(mm)			Recommended Wheel Size(up to ~inch)	Note
								A	B	C		
SSANGYONG	Tivoli Air	2016	>	4	SFZ-4	G, S, GB, B	350x31(2-Piece)	33	121	205	18	1
							380x31(2-Piece)	33	136	220	19	
		2016	>	6	SFZ-6	G, S, GB, B	350x31(2-Piece)	33	121	204	18	1
							380x31(2-Piece)	33	136	219	19	
		2016	>	4	FEX-4	G, S, GB, B	350x31(2-Piece)	35	125	202	18	1
							380x31(2-Piece)	35	140	217	19	
		2016	>	6	FEX-6	G, S, GB, B	350x31(2-Piece)	35	124	205	18	1
							380x31(2-Piece)	35	139	220	19	
Note Legend	Explanation											
1	Cannot be used for a vehicle which has EPB(Electronic parking brake). If you want to use our products, the EPB cannot be used.											
2												
General Notes												
- The caliper colors are G=Gold, S=Original Silver, GB=Gunmetal, B=Black. - All discs are basically drilled discs												