

#6, 25, Beodeuanru-ro 14-gil, Yeongdeungpo-gu, Seoul, KOREA T.+82-2-2181-6500 F.+82-02-2181-6555 www.debc.or.kr



2

R

ß

2020 **Export Disable's Enterprise** Directory



Established as in incorporated foundation affiliated to the Ministry of SMEs and Startups in accordance with Article 13 of ACT ON THE FACILITATION OF ENTREPRENEURIAL ACTIVITIES OF PERSONS WITH DISABILITIES, the **Disabled Enterprise Business Center(DEBC)** pledges to foster competitive disabled enterprises by promoting business start-up of disabled people and the activities of disabled enterprises, and to contribute to national economic development through the establishment of economic foundation and improved awareness for disabled enterprises.

Company List

2

2000rg _ 4 Aromaville Coffee _ 6 BASECAMPKOREA.,LTD _ 8 BERDRY CO., LTD _ 10 BLUE CO.,LTD _ 12 BLUE ENERGY _ 14 BYUL FOOD CO.,LTD _ 16 Candyspeedkorea Co.,Ltd _ 18 Chamgil co.,Ltd _ 20 DawonCompany Co., Ltd. _ 22 DONG BANG TECH CO., LTD. _ 24 EL Tech Co., Ltd. _ 26 FIELDMASTER CO.,LTD. _ 28 Gotgan _ 30 GREEN TECHROLL _ 32 H&F _ 34 Hitech Lnh _ 36 HION technology Co., Ltd _ 38 HYUNWOO Co _ 40 JOYLIFE _ 42 Mfam Co., Ltd. _ 44 MOKSORI _ 46 mpacplus _ 48 Neo LFN Corp. _ 50 NEXT PUMP _ 52 OSANG M&ET _ 54 PEACE COREA Inc. _ 56 PUSHPULL SYSTEM CO., LTD _ 58 REV-MED _ 60 RNS Inc. _ 62 SAMSUNG CONTROL VALVE _ 64 SEJONGMALL Co., Ltd. _ 66 Spina Systems Co., Ltd. _ 68 SUNG GUN CAP _ 70 Talmode _ 72 TL-Industry Co.,Ltd. _ 74

DEBC

TOV KOREA _ 76 True Light Power Tech Co., LTD. _ 78 VOASTECH _ 80 With Beauty Co., Ltd. _ 82 WoojinID Co.,Ltd _ 84 Yelim comfurni. Inc. _ 86 YESKOREA CO., LTD _ 88 YOUNGWOO WATERLINE CO., LTD. _ 90 ZEOFILTECH Co., Ltd _ 92

2000rg

Company Name	2000rg	Contact Point	CEO / BAE SUN SIK
President	BAE SUN SIK	TEL	+82-10-6355-6633
Address	15 Iseobdaecheon-ro 691st Street,		+82-31-633-0250
	Hobeop-myeon, Icheon-si,	E-mail	alwa1@naver.com
	Gyeonggi-do	Website	www.2000rg.co.kr

U	Brand name	2000rg
	Certificate	FSSC 22000, ISO 22000:2005
	Company Introduction	Icheon Rice Gangjeong is made of traditional Korean and brown rice and rice puffs, which are supplied with rice from Icheon Agricultural Cooperative Federation and are made from 100% grains without adding any additives. All processes are hand-crafted manufacturers. We will make the best raw materials and the most demanding processes that appeal to the public. Thank you.
	Product Name	Icheon Brown Rice pop Gangjung, Gangwondo waxy corn pop, Icheon Brown Rice pop, Icheon White Rice pop
	Product Information	Attached separately. Icheon premium pop rice is a brand that is producing a safe food enjoyed by everyone from the young to the elderly using rice and rice syrup produced at Icheon, Korea that is famous for its good quality rice. Icheon rice pop is fully committed to using only good ingredients and traditional Korean recipes. We always try to make sure that our production facilities maintain the required hygiene standard, and adhere to the no sugar, coloring, additives policy.

Icheon Brown Rice pop Gangjung

શુધ

쌅강정



Brown rice(Icheon rice) 48%, Korean rice syrup 52% We do not use sugar and other chemicals, and we just use Korean brown rice syrup as a natural s weetener and it is safe for you to eat without worrying.





Carefully select ingredients

Eliminate Steam

Premium Rice Pop Far tastier Icheon brown rice pop





Icheon King's Rice Uses High quality King's Icheon Rice

- Rice syrup is mixed into the brown rice pop with hands to give it a softer texture.
- the elderly.

Brown rice left with the bran layer and the rice germ intact, is full of protein, sugars, fats, minerals, fiber and vitamin B1,B2 and almost all nutrients. Brown rice is known to contain 4 times more fiber, vitamin B1, and 2 times more vitamin B2, fats, phosphorus than white rice.



Preserving a traditional flavor passed down through 2 generations.

Traditional handmade rice pop recipes using 100% brown rice+ rice syrup

Only brown rice and rice syrup are used for the authentic

Korean traditional recipe Fresh ly milled Icheon King's rice

It is made of Icheon King's Rice milled by Icheon Hobeop National Agricultural Cooperative Federati on, Gyunggi that is well-known for its best quality rice.



Create puffed rice



No sugar or artificial chemicals added.



Mix brown rice

with rice syrup



Finish up with a rolling pin



Only brown rice and rice syrup! Brown rice (Icheon Rice) 48% Korean rice syrup 52%



Traditional Korean Handmade **Rice Pop Recipe** Processed and puffed by authentic Korean recipes

- We do not use sugar or corn syrup so that the rice puff does not stick to the teeth.

- Freshly milled brown rice that is more nutritious than regular rice, will be an ideal snack for the young children and

Aromaville Coffee

Company Name	Aromaville Coffee
President	Hwan Girl Roh
Address	23, Seohae-ro 987beon-gil,
	Paltan-myeon Hwaseong-si

	Contact Point	Ki Bae
		Head of
	TEL	+82-3
18530	E-mail	aroma
10000	Website	www.ł

Ki Baek Song, Head of Communication and Marketing
+82-31-8059-8141
aromaville7@gmail.com
www.handrip.com

5

AROMAVILLE

	Brand name	Handrip		
	Certificate	HACCP, ISO 22000, Certificate of patent		
Product Information	Company Introduction	Aromaville Coffee was established in 2001 to produce coffee and coffee related products. We, the company, have a reputation for producing quality coffee, which comes from careful selection of raw material, coffee roasting skills, systematic production process and manufacturing facility with hygiene. We are committed to food safety and hygiene by obtaining HACCP and ISO 22000 certification. In addition, through years of R&D, we have obtained couple of patents such as disposable coffee extractors and are leading the market by launching products using the patents. Our efforts to make quality products have resulted in supplying products to domestic mega mart chains such as E-Mart and Lotte Mart. In addition, our OEM products are currently being exported to China. We will continue to research and endeavor to advance our products into the global market so that more people can access and enjoy our products.		
	Product Name 1	Handrip Original 5T/ 10T/ 30T/ 50T - Brewed coffee / Drip coffee		
	Product Information	 Handrip Original Colombia / Kenya / Ethiopia / Kilimanjaro Esay brew! what you need is just hot water! All products consist of a disposable coffee extractor/dripper (patented) and individually packaged ground coffee (single serving). However, the 5T includes additional 13oz paper cups. 10T/30T/50T = 7g/stick, 5T = 10g/stick Patented coffee dripper can be mounted on any type of cups. Nitrogen-filled packaging prevents loss of aroma of the ground coffee 2 years of long shelf life Carefully selected 100% arabica coffee beans: Premium quality coffee 		
	Product Name 2	Handrip Specialty 10T/ 30T - Brewed coffee / Drip coffee		
	Product Information	 Kenya Kericho AA TOP / Ethiopia Kochere Kedida G1 / Tanzania Kilimanjaro AAA Consist of a disposable coffee extractor/dripper(patented) and individually packaged ground coffee (single serving) 100% single origin Specialty coffee beans carefully selected by Q graders 80 above SCAA Cup scores 10T/30T = 10g/stick Nitrogen-filled packaging prevents loss of aroma of the ground coffee 2 years of long shelf life 		
	Product Name 3	Rainbow 3 in 1 20T/ 100T/ 160T - Coffee Mix		
	Product Information	Rainbow Mocha Gold Coffee Mix Smooth and deep taste with high-quality coffee beans. Blended with a golden ratio of coffee, Creamer, and sugar to give it a luxurious flavor and a clear taste.Fresh and savory products using Arabica beans. Stick shape with 7 colors, convenient for drinking.The proceeds of sales will be donated to the needy		

#1 (S), #2 (L) PATENTED DRIPPER Handrip and the The easiest way of enjoying brewed(drip) coffee.

What you need is just hot water!

Any cup, glass, paper cup, etc -Easy to brew anywhere, at anytime -Made of Eco-friendly materials (HACCP, ISO22000) -



Handrip Specialty 10T/ 30T

Specialty coffee carefully selected by Q- graders -100% single origin arabica coffee beans -80+ SCAA cup scores -Kenya Kericho AA TOP, Ethiopia Kochere Kedida G1, Tanzania Kilimanjaro AAA

10g per stick -



AROMAVILLE



'Handrip' is our registered brand and Handrip products are using our pateded disposable dripper.





Individually packaged ground coffee stick is nvented for single serving purpose. Its nitrogen-filled packaging method keeps coffee fresh, and prevents loss of taste and aroma.

- Easy cut applied/ 2 years of shelf life



Handrip Original

5T/ 10T/ 30T/ 50T

- Easy to brew anytime, anywhere!
- Cup-type disposable coffee dripper
- Carefully selected premium coffee Flavorful Selected Premium Coffee
- 100% arabica coffee beans
- : Colombia, Ethiopia, Kenya, Kilimanjaro





Rainbow Mocha Gold Coffee

20T/ 100T/ 160T

- Smooth and deep taste with high-quality coffee beans Blended with a golden ratio of coffee, Creamer, and sugar to give it a luxurious flavor and a clear taste
- Fresh and savory products using Arabica beans
- Stick shape with 7 colors, convenient for drinking
- The proceeds of sales will be donated to the needy

BASECAMPKOREA.,LTD

Company Name	BASECAMPKOREA.,LTD
President	Lee gi-ung

Lee gi-ung 83 Sangjidae-gil, wonju-si, Gangwon-do, Republic of Korea, Dasan-gwan, No 210

Contact Point
TEL
E-mail
Website

Han eun-hye +82-70-4352-3815 umulteo@naver.com

(주)베이스캠프코리아

www.basecampkorea.co.kr

Brand r	name	Basecampkorea
Certifi	icate	Dr.Su (Ionic Silver Solution): Test reports showing 99.9% sterilization of Staphylococcus aureus and E. coli. Retention of Test Report of Sterilization BANGTAN MASK (Fine dust protection mask): Patent retention of mask that can be voice trans- mission
Comp Introdu		Base Camp Korea has been developing products through steady R&D while conducting rainwater utilization facility constructions as its main business in local governments nationwide. In 2018, we registered Gunggeumi Band, a scar-preventive band, and rainwater container with storage system (prefabricated water container) on Venture Nara(online shopping mall operated by Public Procurement Service of Korea) as a venture start-up innovation procurement product. In December 2018, Fine Dust Protection Mask was recognized for its technology by Korea Technol- ogy Finance Corporation. As a company values environment, Base Camp Korea will grow into a company that contributes to social development with the efforts of new technology, products for human beings, and customer happiness services.
Product	Name	1. Dr.su 2. BANGTAN MASK
Prod Inform		 Dr.Su: A sterilizing wash water made from ionized silver in purified water. Can be carried around and used for disinfecting hands and frequently used things such as smartphones, glasses, and clothing. BANGTAN MASK: A semi-permanent mask that uses a wet filter. Replaceable filter mask. Blocks fine dust by making water absorb find dust particles.

Silver ionic water, Dr. Su.



2. Dr. Su (For exhibitions.) Capacity 500ml / plastic container

The 'BangTan mask' (fine dust protecting mask)



Address

It is the best natural wash water, ionizing high-purity silver with purified water, and has sterilizing and antibacterial power.

Silver ionic water is safe.

Even if you pour silver ionic water into an aquarium, the fish won't die. Silver was a widely used material in tableware(dinnerware) in ancient Egypt or the Eastern royal family.

1. Dr. Su (portable) Capacity 120ml / Aluminium container It is very portable to use by carrying it in your bag.

- Use the product by keeping it in a house or car, and so on.

We, 'Base camp korea' as a social enterprise considering environment, will guarantee your life through decreasing the disposable product rate and accurate blocking of fine dust and ultrafine particle.





The solution between confinement and breathing

1. Improving the sealing structure Using silicon pad to minimize the chink between face and mask



2. Smoothing air permeability



3. Implementing wet filter Almost certain protection by exploiting wet filter

BERDRY CO., LTD

Company Name	BERDRY CO., LTD
President	WI SEUNG YONG
Address	ZIP13503, 214ho, Seongnar Complex, 26 Yatap-ro 205bo Bundang-gu, Seongnam-si, Gyeonggi-do, South Korea

D Contact Point G TEL no, Seongnam Senior E-mail tap-ro 205beon-gil, Website

CEO / WI SEUNG YONG +82-31-707-2777 berdry@naver.com

 \bigotimes

www.berdry.com

J	Brand name	BERDRY
roduc	Certificate	ISO9001, ISO14001
t Information	Company Introduction	BERDRY Co., Ltd., has developed high-performance water-soluble platinum nano compounds and applied it to products in various fields. It is manufacturing and selling mold-free transparent coating agents, mold removal agents, anti-slip agents, antibacterial coating agents, tile joint repair agents, and multi-purpose cleaners as the own products of BERDRY.
	Product Name	BERDRY DIAMOND MOLD REMOVER
	Product Information	BERDRY mold remover contains a new nano-diamond material that has high chemical stability and excellent cleaning ability. It has excellent sterilization and super strong cleaning power, killing 99.9% of germs.

The superiority of nano-diamonds





Super-strong cleaning using super-strong nano-diamonds

It removes even the hyphae of mold cleanly owing to high-density adhesive function.

Great cleaning power with only certified ingredients

No surfactants, fragrances, and coloring / Reduced chlorine gas emissions and improved adhesion

Company Information

oduct Information



Containing super-strong nano-diamonds that remove mold





Excellent 99.9% sterilization



A new material with high stability



Super strong detergency



Safety confirmation conformity certification

Safety confirmation conformity certification and IOS certification / Reliable remover

This product has been certified as ISO9001, ISO14001, and is trusted.



Products that can be used in various places

BERDY offers practical products in the form of sprays and gels.



BLUE CO.,LTD

Company Name BLUE CO.,LTD President MI KYOUNG LEE Address

103, Blue Company, 338, Sinheung-ro, Bucheon-si, Gyeonggi-do, Republic of Korea

Contact Point
TEL
E-mail
Website

Junwhee Choi / staff +82-32-653-8885 sny1018s@naver.com www.8884.co.kr

3	Brand name	Blue Company
roduct Info	Certificate	Business Registration / Outdoor Advertising Business Registration Certificate / Small and Medium Business Certificate / Mail order business / Industrial Design Company / Certificate of R&D Team / Female-owned business certificate / The Disabled Enterprise certificate / Direct Production Confirmation Certificate / Direct Production Confirmation Certificate / Printing company certificate
	Company Introduction	BLUE CO.,LTD has been working together based on the trust of all public institutions by providing services in various signage fields such as indoor and outdoor advertisements. In addition, we pursue social values and builds competitiveness through various social-economic enterprise certifications. BLUE CO.,LTD will not settle for the present, but set continuous technology R&D as a top priority, and will do its best for dealing with accurate and quick work to the end.
	Product Name	bLED channel signage
	Product Information	LED channel sign is a three-dimensional type of sign with light. The panels such as Galba/aluminum/steen are constructed by forming channels in the form of letters and inserting LEDs inside. Light promotional materials can be produced with low electricity consumption, and they can be used semi-permanent due to their durability. It is also made in the form of a body, providing excellent visibility and aesthetic effects.

only a company having priority over public institutions' procurement a registered company in KONEPS(Korea ON-line E-Procurement System) Signage | Printing | Design | Office Supplies Promotional Products | Industrial Safety Supplies



Signboard signage

The electronic display board is a signboard that can present graphic or text in various standards, shapes, and colors using the principle of self-luminescence. Due to the high degree of visual attention, it is a communication tool useful for individuals or groups to form or enhance images by stimulating people in a specific outdoor place for a certain period of time. It is difficult to maintain signboards on the road because of driving and walking. However, Blue Company improved the structure of it, so it can be moved horizontally and vertically. It is a patented product that provides easier maintenance.

Information board signage High durability Effective information

Information boards are signage for delivering information or providing location information. It can be made by various materials such as PC, acrylic, galvanized steel, wood, stainless steel, and aluminum, and it is manufactured by inserting LED lights inside of it. It acts as a supplementary means for other information media and it delivers accurate information within a short period of time. It allows a very wide range of access to the majority of users owing to the high exposure frequency.

LED channel signage



The LED channel signboard is a signboard in which each text is illuminated separately. It can be made by various materials such as galvanized steel, aluminum, and stainless steel, and it is manufactured by inserting LED lights inside of it.

It is possible to produce a bright promotional material because it uses a small amount of electricity. It can be used semi-permanently due to its good durability. In addition, it is manufactured in a three-dimensional form, so that it has excellent visibility and aesthetic effects.











BLUE ENERGY

Company Name	BLUE ENERGY	
President	Byeongho Kang	
Address	21-3, Jang-gil, Hwawon-eup,	
	Dalseong-gun, Daegu, Korea	

Contact Point
TEL
E-mail
Website

Chanho Bae/Director		
+82-53-294-3927		
baechanho@naver.com		
www.d-heating.com		

Blue



I Blue Energy's Direct Heating System (Whirl Convection Heating Technology)



Advantages of the Technology

We have realized no-wind space heating without any air-conditioning equipment by eliminating the heat storage process and integrating removal and air-conditioning. Even by optimizing the humidity, we have olved due condensation, which is an endemic problem of vinyl greenhouse, from origin.







Product Information	Brand name	Tashmi
	Certificate	KC & CE
	Company Introduction	Blue Energy is the only company in the world that produces 5th-generation greenhouse heating systems. Blue Energy produces all the products needed for greenhouse heating, including space and floor heating products and fluid heaters for water tank water temperature control. In particular, the temperature deviation of the floor and ceiling in the space was completely resolved, which modern science in the 21st century could not overcome in the energy use field. By utilizing its own direct heat technology, it is now able to create an optimal environment such as 50% reduction in energy use, 20% reduction in humidity, and ±1 °C.
	1)Product Name	Direct heating tube-for space heating
	Product Information	It is an agricultural heating system that does not require media and air conditioning facilities instead of conventional indirect heating boilers and heaters. It keeps the temperature deviation between the world's highest energy efficiency and greenhouse majors within 1°C and optimizes humidity.
	2)Product Name	Immersion heater -for large water tank
	Product Information	It is an input cable heater that only needs to be immersed in the fluid. It is applicable to various fluids using silicon cables. The temperature inside the water tank is kept the same without a separate fluid mixture.
	3)Product Name	Heating cable-for floor heating
	Product Information	It is a cable that can control the amount of heat generated. Therefore, it is also possible to change the amount of heat generated by different sections with the same heating line.

Company Information

roduct Informatio

14



Controlling automatically through the control box

Needing no air conditioner such as agitator, etc.

Turning on/off power automatically at the control box depending on the set temperature

Direct heating tube-for space heating





· Circulation of heat is clear.



· Heat continuously spreads sideways.



· Heat is accumulated from the bottom.



 \cdot Temperature deviation disappears in the entire space.

Immersion heater -for large water tank



Heating cable-for floor heating



BYUL FOOD CO., LTD



Company Name BYUL FOOD CO., LTD President LEE JAE BU Address 360 Chungseo-ro Gwangcheon-eur Hongseong-gun Chungcheongnam do, Korea

tact Point
ail
osite

LEE SU MIN +82-41-642-3750 stella@byulfood.com www.starkim.co.kr(kor) www.byulfood.com(eng) www.byulfood.cn(chn)

Pro	Brand name	Gwangcheon BYUL MAT Seasoned Laver / Ongaae Gwangcheon Seasoned Laver SEA CRUNCHY	
Product Information	Certificate	HACCP, FSSC22000, FDA, HALAL, USDA, MAIN-BIZ	
	Company Introduction	Please allow me introduce myself as Lee, Jae-bu, CEO of Byul Food producing the "My Family's Favorite Laver." I would like to express sincere appreciation to all the customers repeatedly calling for Byul Food products with interest. The Byul Food, located at Gwangcheon.	
	Product Name	Gwangcheon BYUL MAT Seasoned Laver / Ongaae Gwangcheon Seasoned Laver SEA CRUNCHY / Roasted Laver for Sushi and Roll	
	Product Information	 Gwangcheon BYUL MAT Seasoned Laver 1. This product is made of carefully selected raw seaweeds that traditional laver and stone laver(sea lettuce laver), collected from clean region of western sea, are mixed. 2. It is seasoned 2 times, roasted 2 times and cut. 3. It has cut type and non cut type. cut type has various serving size 15g (4g-3pack, 12pack, 16pack) Ongaae Gwangcheon Seasoned Laver 1. This product is made of carefully selected raw seaweeds that traditional laver and stone laver, collected from clean region of western sea, are mixed. 2. It is seasoned 2 times, roasted 2 times and cut. 3. It is smaller packed product than table laver. (4g-3packs, 9packs, 16packs) 4. It has excellent taste and flavor since olive oil is added. Sea crunchy with green tea / olive oil / teriyaki / wasabi 	
		Natural healthy seaweed snack Dried Roasted Laver Special laver (dried laver) with original sea flavor of the season!! 1. This laver is made of carefully selected traditional laver which is collected from clean region of western coast. 2. Good for making sushi rolls. 3. Crispy and delicious Barbecue Seaweed 1. Barbecue taste with byulfood's unique roasting technic 2. Selected as 2019 innovation product at SIAL FOOD FAIR	

Gwangcheon BYUL MAT Seasoned Laver

(Small Size Traditional Laver 3/12/16 Bundle Packing)





Small Size Laver Bundle (3/12/16 pack)

Dried Roasted Laver

Ongaae Gwangcheon Seasoned Laver

(Small Size Traditional Laver 3/9/16 Bundle Packing)





Ongaae Small Size Laver (3/9/16 pack)

Sea Crunchy

MASTER BOX







Sea Crunchy Olive Oil

Sea Crunchy Green Tea

Sea Crunchy Wasabi

Company Information







Dried Laver



Roasted Laver



Ongaae Full Size Laver (60g)



Ongaae Full Size Laver (20g)



Ongaae Mini Size Laver (Bundle)

Charcoal Barbecue Seaweed



It's charcoal-grilled seaweed, and it has a barbecue- flavored seaweed flavor.



Sea Crunchy Teriyaki



Company Information

Candyspeedkorea Co.,Ltd

Company Name	Candyspeedkorea Co.,Ltd	
President	Youngchoon Jeon	
Address	104 High Tech Center, 56,	
	Munemi-ro 448beon-gil,	
	Bupyeong-gu, Incheon, South Korea	

Contact Point
TEL
E-mail
Website

Minhee Han / Manager +82-32-362-9938 kulu56@naver.com http://www.candyspeed.kr

J	Brand name	Candy speed	
roduc	Certificate	ISO 9001 , ISO14001	
Product Information	Company Introduction	Since 2015, we have been working on research and development to reach consumers with the best quality and service of hair dyeing products. Candy Speedkhora's ideology is a promise to take responsibility for your healthy and beautiful hair. It's a Candy Speed 1 dye that dyes in 1 to 3 minutes, gives out color, has no smell, and feels soft hair. Candy Speed Korea is a leading company in hair course, and will do its best to promote its excellent product brand in both domestic and overseas markets.	
	Product Name	Candyspeed 1minute Hair Color	
	Product Information	CandySpeed 1 minute hair dye is a new concept hair dye that minimizes hair damage by super-speeding dye and strengthening trimming function after dyeing. No ammonia, no mild and no irritation. You can feel a refreshing aroma after coloring. Natural oils and vegetable ingredients make your hair soft and glossy after dyeing.	



Apply evenly to hair and finish in 1 minute! CANDYSPEED 1 minute hair dye

Made with a soft, mild hair dye concept, the 1-minute CANDYSPEED hair dye is not a special dye. However, the quality of it is special.

The moment the hair dye touches your head, it feels gentle and soft, and the dyeing speed is very fast. It contains natural extracts of no damage to hair and no scalp irritation. It is a hair dye that does not smell and does not cause dandruff in people. We have a patent that allows hair penetration promoters to penetrate deep into cuticle layers and evenly settle down, enabling natural colors in a short period of time.

In addition, the ammonia-free hair dye does not have any irritating odor and no eye irritation, so you can feel soft, glossy hair when you rinse your hair after dyeing.





INDY

CANDYSPEED's key ingredients to complete your shiny hairstyle

Enhancing volume, gloss and elasticity in hair

- Acorus Calamus Root Extract Cleansing excess sebum, dandruff and exfoliation of the scalp
 - Olive Oil Soothing scalp and transferring rich colors
 - Polyquternium-7 Caring hair for more glossy and soft feeling
 - DL-Panthenol Treating problematic scalps
- L-Arginine Caring for hair wounded by a basic amino acid

Aloe Barbadensis Leaf Juice

Soothing skin and preventing dryness through its converging effect



Soft and mild hair dye CANDYSPEED



Chamgil co.,Ltd

Company Name	Chamgil co.,Ltd
President	PARK SUL MOK
Address	30, Annam-ro
	369beongil,Bupyeonggu,
	Republic of Korea

	Contact Point	PARK SUL MOK - CEO
	TEL	+82-1577-2707
		+82-10-3729-4990
Incheon,	E-mail	psulmok@hanmail.net
	Website	www.ccroad.co.kr www.croad.co.kr

ł

Brand n	name	(1)NURMI / (2)ACTIVA707 / (3)ECOCELLA
Certific	cate	patent No 10-0416480 / Registered trademark 'Nermi' (No 40-0746054) / patent No 10-0917739 / patent No 10-1805161
Compa Introduc		Chamgil began in 1987 as 'Eden Interior' and 'Chamsali', showing our competence in various fields like apartments, villas, mansions and others to have grown up with Korean environment industry. We have grown bigger and bigger with our cherish relations with each and every customer of ours to establish our name as a professional corporation, the world only eradicator of New Home syndrome with our natural liquid charcoal applier and brand- new laundry hanger.
1)Product	t Name	CHI-101 (Introduction of CHI-101 handle functional composition)
Produ Informa		As a product representing laundry nermi, this is a universal laundry drying rack able to Resolve all kinds of big laundry, clothes hanger laundry, small laundry etc. It can hang out bedclothes laundry as it is fitted with bedclothes ventilation bar.
2)Product	t Name	ACTIVA707 (eco-friendly liquid charcoal paint)
Produ Informa		 Unity of the New House Syndrome Liquid activated charcoal applied with raw light wave energy Birdhouse Syndrome Blocker Newer with Natural Plant Binder house syndrome/live radiation/radon blockage/atopic relaxation /mosquito larval form inhibitor
3)Product	t Name	ECOCELLA (eco-friendly insulating paint)
		Insulation, cut off heat, nonflammables, dew condensation, waterproof, anions, far-infrared radiation, sick house syndrome, ability to change color with room temperature, pest control, 600 different patterns = Everything is solved at once. "ECOCELLA" Energy savings are average from 30% to 70%. Insulation Paint 15 Colors (Strawberry Clorella, Cypress, Cape Jasmine, Paprika, Green bamboo, Cactus, Cochineal, Pearl, Pine needle, Green tea, Chestnut shell ,Charcoal-grilled, Tumeric, Raspberry Wine)
4)Product	t Name	CHA-101 Automatic drying rack luxury type
Produ Informa		As it works by remote controller, It can extend a drying bar to both sides, convenient to hang out becclothes laundry as a separate bedclothes bar is fitted in the lower part It is possible to dry by natural wind due to FAN function



Even more upgraded sick house syndrome prevention materials with natural binders



Sick house syndrome / daily life radioactivity / insulation of radon/ releasing atopy symptoms / restraint of a number of mosquito larvae electromagnetic blocking, far infrared emission effect





New concept smart drying rack of Laundry Nermi

New concept premium drying rack entirely different from the existing drying rack so far, laundry Nermi is the patented product through a long search of developer. Laundry Nermi is installed by installating specialist and it is possible to install in any place such as high place, narrow place, gypsum board, ruba, tex, dry beat, sandwich panel etc. It has the function of five birds with one stone that can take in a lot of laundry within one second only. We are proud that laundry nermi is the best product even compared with any product in the world.

Shining idea of laundry nermi Function of killing 5 birds with! one stone

First: Clothes hanger laundry! Second: small laundry! Third: bedclothes laundry!









A newer sick house syndrome preventer by using natural plant binders Liquid charcoal with a light wave for living organisms

Functional charcoal paint



DawonCompany Co., Ltd.

Company Information

oduct Information

Company Name DawonCompany Co., Ltd. President Wang Sung-Ju 57-8, Oryu-ro, Jung-gu, Daejeon, E-mail Address South Korea

Contact Point TEL Website

×

Kang Sonjoo / Overseas Business Director +82-42-285-1096 dwcompany1096@hanmail.net merebe-shop.com, merebe.co.kr, en.bamiblanc.co.kr, bamiblanc.com

Brand name	MEREBE, BAMIBLANC
Certificate	KC Certification
Company Introduction	Dawoncompany is baby clothing and bedding manufacture and distribution company in South Korea. We have ap- proached to every detail with the greatest care and devotion to create excellent product that ensures to bring a bright smile to both babies and moms since our foundation in 1996. We have launched two brands, one of them is MEREBE for baby clothing and the other one is BAMIBLANC for baby bedding. Both are professional baby brands based on baby- centered philosophy for the babies from newborn to age 3. All products are directly designed and manufactured in safety certified production lines in Korea after a great deal of research. The most products are made with 100% pure cotton and completely non-fluorescent fabrics. They are also produced under stringent quality and process control that is proven by Korean government. All of them have the KC safety certification to ensure the safe use. As a result of these efforts, we continue to rank one of top 10 baby bands in Korea online market. MEREBE is a compound word of French 'Mere' (mom) and 'BeBe' (baby), which means the best baby clothes for babies and moms. BAMIBLANC is also a com- pound word of Korean 'Night' and French 'Blanc', which means good night sleep for precious babies. We will try to make our products presenting the feeling of serenity like being in mom's arms to our babies continuously. We guarantee MEREBE and BAMIBLANC will be the best gift for your most precious baby with our unique design and superior quality.
1) Product Name	House Clothes
Product Information	 Comfortable and soft made with high-quality 100% cotton · 2-piece set includes top & bottom Easy to dress and undress with front top button · Elastic waistband pants for comfortable fit Simple & unique designs by Merebe · Good to wear in spring and summer 4 size from XS to L: XS(0~6m), S(6~12m), M(12~24m), L(24~36m)
2) Product Name	Sleep Vest
Product Information	 Comfortable and breathable made with high-quality 100% cotton. Help to keep baby warm even without blanket during sleep Easy to dress and undress with front snap closures. Good for newborn to toddler with its sufficient size Cozy feeling & cute design with the combination of bright colors and various characters Only one Free size: 0~36m
3) Product Name	3D Air-Mesh Cool Mat
Product Information	 Made with chemical free 100% polyester and no glues are used Cool in summer and warm in winter with the feature of superb breathability Safe from harmful insects and danger of suffocation Coated slip-resistance material at the back for safe use Simply wash and dry fast 7 different gorgeous designs Wide enough that is used for up to 36-month old baby (135x90cm)
4) Product Name	3D Air-Mesh Head Shaping Pillow
Product Information	 100% polyester 3D air-mesh can draw heat and remove moisture Keep baby' s head dry and cool due to cooling effect of 3D air-mesh. Durability and comfort cushioning Protect baby's gentle and sensitive skin covered by 100% cotton Prevent baby Flat Head Syndrome and support baby's neck due to concave Wider and thicker design than usual for from newborn to 24-month old baby(38x23cm, 4.5cm thick)
5) Product Name	Knee Protection Pads
Product Information	 High-quality EVA Foam cushion protects baby's knees perfectly Use absorbable & breathable soft cotton for baby's sensitive skin Reduce tightness as using polyester elastomer fiber band Uniquely designed by Merebe which is holding a design patent Good for babies who start crawling and learning to walk (6~36m)



Guarantee excellent quality and unique design

to bring bright smile on baby's face

- > Use 100% pure cotton made in Korea
- > Obtained the KC safety certification, guaranteeing the safe and convenient use.
- > Design uniquely with





Features

- Help baby warm even without blanket during sleep
- Good for newborn to toddler with its sufficient size

3D Air-Mesh Cool Mat



Features

- · 3D air mesh technology developed in Germany
- Reduce baby's sweat and keep baby cool in hot, humid weather
- Designed for all babies from newborn to age 4
- Exceptional resilience and adequate cushion with its 1.5cm thickness
- · Hazardous free polyester and added non-slip material at the back for safety use
- · Long-time use due to double padded edge and easy washable



> Made under stringent quality and process control proven by Korea government

✓ Combination of sophisticated color and various patterns that babies are love to (MEREBE) ✓ Calm and relaxed colors that help babies have a good night's sleep (BAMIBLANC)



Features

- Consisting of Tops and Bottoms
- Feel comfort with its super softness • Easy to dress and undress while
- preventing from disarray

3D Air-Mesh Head Shaping Pillow



Features

- Stuffed with 100% Polyester and covered with 100% cotton
- Concave at the center to prevent from Flat Head Syndrome
- Concave also helps to support neck properly



Knee Protection Pads



Features

- High quality EVA Foam protects baby's knees perfectly
- Use breathable and soft cotton for the part touches skin
- Elastomer fiber band minimizes tightness but not coming off easily
- · Good for babies who crawling and learning to walk

23



BAMI BLANC

....

DONG BANG TECH CO., LTD.

Company Information

Company NameDONG BANG TECH CO., LTD.PresidentKim Dong-JoAddress80, Hakgam-daero 178beon

80, Hakgam-daero 178beon-gil, Sasang-gu, Busan, Republic of Korea

Contact Point TEL gil, E-mail of Website

- Choi Jae-Yun / Senior Researcher +82-51-323-2693
- dbtech@dbtech.kr www.dbtech.kr

Brand name	DB-Lok
Certificate	VCA, TUV, IATF 16949:2016, ISO 9001:2015, SEA-Tier2, QSB
Company Introduction	Dong Bang Tech assures customer satisfaction through finest quality products. Greetings! Dong Bang Tech, specializing in automotive precision parts, was established in 1982, and has become a trusted producer thanks to our customers. We consider trust to be our most valuable policy. We would like to be a business trusted by our customers by providing products of the finest quality, best prices, and by keeping a punctual supply date. To do so, we invest a lot of resources into developing new, advanced technologies and processes. Our ethical policy also prioritizes the environment, safety, and human rights to fulfill our responsibility to society. Our staff will work as a single entity to ensure that our efforts will provide a better experience for our customers. Thank you for your continued support.
Product Name	One Touch Fitting, Precision parts, Insert Nut, Bushing, Shaft & Bolt, Hydraulic, CNG Bi-Fuel System, Tube fitting
Product Information	 Nipple, Fitting Development of the world's first Seamless Pipe forged fitting Automate Chucking with Auto Feeder Development Improving competitiveness through production efficiency Insert/Nut Increased use of engineering plastics in the lightening trend of automobiles, increasing the use of heat-fusing post-pressure insert nuts with high frequency heating method Development of High-Torque Type with High Rotation Torque Over 6,300 N tensile force Obtaining various standard models according to quantitative data Injector Nominal Operating Voltage: 12V Peak Current: 5.6A, Hold Current: 1.7A Temp. Range: -40 ~ 140°C Working Pressure: 7 bar, Max. Flow: 267 LPM Filter Pressure sensor integral Inline Gas Filter Temp. Range: -40 ~ 120°C Working Pressure: 7 bar

One Touch Fitting Features Features • Easily attached by pushing in the tube • Smaller size and diameter compared to normal types, but same flow rate Made of SUS and brass, shows high corrosion resistance • Can be equipped Air systems for carse **Hydraulic Fitting** Features · Seamless Pipe type design (Patent Registered) Steel, Stainless Steel. Brass • Easy assembly without socket · Simple replaced with hosesHydraulic system, Automotive industry **CNG Bi-Fuel System**

Gas Injector

Gas Filter



Beyond Limits, We make fine technology

-

DONGBANG TECH

~~~

### Insert Nut, Bushing, Shaft & Bolt



1.241

Increasing use of engineering plastics in line with the trend towards lighter weight of automobiles increases the use of high frequency heat-sealed post-insert insert nuts
Completed development of Hi-Torque type with high rotational torque
Tensile force over 6,300N

· Diverse standard models according to quantitative data

- Material: Steel Nut, Brass Nut
- Size: M4 ~ M12, length 6-20mm
- · Application: Automotive Plastic AIM, CHC Air Cleaner, Seat Back Frame
- Hyundai Motors, Kia Motors, Renault Samsung Motors, GM Daewoo Motors, Ssangyong Motors



#### Features

- Double ferrule design (Compression type)
- Leak-free sealing on high pressure gas, vacuum, impulse, thermal shock, heavy vibration and many other stringent applications

**Precision parts** 

# 000

#### Characteristics of INCOLOY

- A heat resistant alloy mainly composed of nickel, 15 chromium, 6–7 iron, 2.5 titanium, 1 aluminum or less manganese and silicon.
- Good heat resistance, does not oxidize in oxidizing air flow of 900 °C or higher, and does not immerse in the atmosphere containing sulfur
- Various properties such as elongation, tensile strength, and yield point do not change mostly up to around 600°C, and are excellent in mechanical properties. They also have good resistance to corrosion against organic substances and salt solutions.

## EL Tech Co., Ltd.

| Company Name | EL Tech Co., Ltd.      |
|--------------|------------------------|
| President    | Jonathan Yun           |
| Address      | #513, Hanshin-S-Meca   |
|              | Techno 3-ro, Yuseong-g |
|              | Republic of Korea      |

| h Co., Ltd.                  |
|------------------------------|
| nan Yun                      |
| Hanshin-S-Meca 65,           |
| o 3-ro, Yuseong-gu, Daejeon, |
| lic of Korea                 |
|                              |



Contact Point TEL E-mail www.E-L.co.kr Website

Jonathan Yun , CEO +82-10-5423-9511 f15226@naver.com

| J | Brand name              | Eliot™                                                                                                                                                                                                                                                                                                                                                                                 |
|---|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|   | Certificate             | ISO9001 / ISO14001                                                                                                                                                                                                                                                                                                                                                                     |
|   | Company<br>Introduction | L Tech Co., Ltd. is aiming to be a leader in the big data sharing platform business.<br>Related to it, it is currently conducting IoT sensor-based structure safety monitoring business.<br>L Tech provides turn-key solutions including customized HW and SW (e.g., system operation<br>systems) by using PCB circuit design technologies, which is the generic technology of L Tech. |
|   | Product Name            | Eliot™, Eliot-CSxxx, Eliot-Isxxx, Eliot-VSxxx, Eliot-HTSxxx                                                                                                                                                                                                                                                                                                                            |
|   |                         | Eliot™ : Structure Health Monitoring (SHM) Systems based on smart IoT sensors executing Safety diagnosis and prediction via Big data analysis                                                                                                                                                                                                                                          |
|   |                         | <b>Eliot-CSxxx</b> : ELTech's Eliot-CSxxx is a series of Crack sensor module using Bosch's BMM150<br>3- axis geomagnetic sensor [ Feature : 3-axis geomagnetic sensor, Data ready interrupt available,<br>Threshold interrupt available ]                                                                                                                                              |
|   | Product<br>Information  | <b>Eliot-Isxxx</b> : ELTech's Eliot-ISxxx is an series of Inclinometer sensor module using Murata's SCA100T dual axis (X and Y) Inclinometer sensor [ Feature : Dual axis Inclinometer sensor, High resolution sensing available ]                                                                                                                                                     |
|   |                         | Eliot-VSxxx : ELTech's Eliot-VSxxx is a series of Vibration sensor module using Omron's D7S Seismic sensor [ Feature : Earthquake interrupt available, Data ready interrupt available ]                                                                                                                                                                                                |
|   |                         | Eliot-HTSxxx : ELTech's Eliot-HTSxxx is a series of combo sensor module for Humidity and Temperature sensing                                                                                                                                                                                                                                                                           |

## **SERVICE OVERVIEW**

Real time notification and data checking through mobile app.



**Risk situation** 



**Message notification** 

## SERVICE FEATURES



## SERVICE FEATURES

**Structural Health Monitoring System** based on IoT Sensors



### Securing safety prediction through big data





Using clockwise data



Utilization of accumulated data in emergency

Real time unmanned measurements reduce maintenance cost

Efficient automation of structural health management

Data collection linked with various sensor types

## High reliability

- Guaranteed operation under temperature conditions up to - 30 degrees Celsius and +70 degrees Celsius
- Guaranteed battery life up to 2 years

## High economics and expandability

- No additional cost due to operation of own network
- Possible to operate repeaters using public Wi-Fi networks
- Free configuration of server and network, security can be maintained using VPN



## FIELDMASTER CO., LTD.

| Company Name  | FIELDMASTER CO.,LTD.               | TEL  |
|---------------|------------------------------------|------|
| President     | TAE-SIK CHOI                       | E-ma |
| Address       | 144 YONGDEOK-RO HALIM-MYEON        |      |
|               | GIMHAE GYEONGNAM KOREA (50853)     | Webs |
| Contact Point | GWANG-SEOK OH ( ASSISTANT MANAGER) |      |
|               |                                    |      |

# nail site

+82-55-521-9461 fm87448@hanmail.net (oksid@hanmail.net) www.fieldmaster.co.kr fieldmaster.co.kr/eng

master.

| Ð                   | Brand name              | MASTER19, NF35, MASTER55, INFILLMASTER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |
|---------------------|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| roduc               | Certificate             | ITF, KS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |
| Product Information | Company<br>Introduction | Fieldmaster is Korea's leading manufacturer of artificial turf.<br>We are able to offer a complete range of artificial turf for the sports and landscape.<br>Our representative products are Master19, NF35, Master55.<br>Sports - Soccer field, Baseball field, Football field, Rugby field, Futsal field, School playground,<br>Tennis field, Hockey field, Foot volleyball field, Ground golf field, Gateball field<br>Landscape - Rooftop, Recreation, Terrace, Interiors, Gardens, City parks, Boundary line of road etc.                        |  |
|                     | Product Name            | Artificial turf(MASTER19, NF35, MASTER55) and rubber granules (INFILLMASTER)                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |
|                     | Product<br>Information  | <ul> <li>Advantage Technology</li> <li>Heat reflective technology for<br/>the artificial turf system is an<br/>important technological<br/>breakthrough. These advanced<br/>technology offer new advantages<br/>and opportunities in artificial turf<br/>system.</li> <li>Our product reflects and emits<br/>heat from the sun back into the<br/>atmosphere instead of absorbing<br/>it into the artificial turf surface.</li> <li>The amount of our product is<br/>measured by both reflection<br/>coefficient and thermal<br/>emittance.</li> </ul> |  |
|                     |                         | G Honova 65 120 190 240 300 380 420 480 540                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |

## Artificial turf Systems

Our long pile artificial turfs are specifically designed to set a new standard in sports fields. After much innovation work, Our R&D department has produced this next generation turf:

New raw material : Polyethylene is well-known raw material, but in a different blend the way for higher resilience and a softer touch. And also improved sports performances like ball roll, bound behaviour, more comfortable sliding tackles, speed, and etc.

Soft feeling, but strong : each grass yarn monofilament has a high density of more than 2.200 Dtex. The grass yarn is composed of six of those filaments, resulting in an overall density of 13.200 Dtex. This further improves the product's life expectancy.



## Key benefits

### Reflects radiation, lessens heat

Traditional artificial turfs absorb large amounts of solar radiation which can in-turn transmit heat into occupancy zones. MasterCool reflect light energy in the first instance - before heat is absorbed.

### · Can improve sports activities comfort

In lower temperatured sports fields such as soccer and baseball, MasterCool can translate to cooler sports playing and recreation facilities.

### · Can help reduce cooling costs

Less heat penetration can lower water and cooling energy demands. Comparative studies identify significant cooking energy savings are possible using MasterCool.

### Heat island reduction

Heat island effect refers to artificial turf pitchs areas that have higher temperatures than their surroundings largely due to the concentration of heat absorbing chemical materials. MasterCool can help reduce the negative effects of heat islands.



#### Reduced artificial turf maintenance

Extreme daily cycles of ultraviolet (UV) radiation, infrared (IR) radiation, and moisture penetration tend to wear out materials. MasterCool slow down the rate of degradation by reflecting the UV and IR radiation. Extending artificial turl life helps out maintenance costs and reduces the creation of unnecessary waste.

## TPE rubber granules

The infill materials for artificial turf require high shock absorption property for safety of players. Our TPE granules (here in after "Infill Master") are used as an infill material higher cushioning effect can be obtained.

Infill Master is prepared in granules form by mixing high proportion of paraffinic oil in SEBS. Infill Master is non-toxic. So allergic effects of crumb rubber infill can be avoided. Due to higher shock absorption of Infill Master knee and ligament problems can be minimized.

# **Company Information**

## Gotgan

| Company Name | Gotgan                         |
|--------------|--------------------------------|
| President    | Chun BongWoo                   |
| Address      | 165, Uijeong-ro, Uijeongbu-si, |
|              | Gyeonggi-do, Republic of Korea |
|              |                                |

| Contact Point |
|---------------|
| TEL           |
| E-mail        |
| Website       |
|               |

Chun BongWoo / Director +82-10-2834-1330 car3427@daum.net https://smartstore.naver.com/ life\_zone/products/4790066769

白头心

| P             | Brand name              | Fan Plus                                                                                                                                                                                                                                                                                           |
|---------------|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product       | Certificate             | Patent No. 10-2085855, Design Registration No. 30-1060757 by KIPO                                                                                                                                                                                                                                  |
| t Information | Company<br>Introduction | We have several Patents by KIPO, in energy conservation, environmental protection.<br>Just we save indoor air clean on the cooking food, and keep your health from polluted indoor air.                                                                                                            |
|               | Product Name            | Range Hood Aid "Fan Plus"                                                                                                                                                                                                                                                                          |
|               | Product<br>Information  | Excellent for removing food odors and fine dust "Fan Plus"<br>When we make food on a range, there are many dangerous substances in the human body.<br>It attaches under hood to the existing range hood to fail to discharge and everyone is discharged.<br>D.I.Y Assembly / Installation Required |

## # Range Hood Installation Type



## What kind of product is Fanplus?

Place under kitchen range hood to release all food odors and indoors High ventilation to remove fine dust and economic convenience if's a new essential kitchen accessory,



## Three Features of Kitchen Supplies Fanplus







3, Smell & Fine Dust Emissions









FanPLUS the best kitchen accessory

for a range hood







For Energy Efficiency

improvement of

indoor air quality



Air purifier in the living room and "FanPlus",

a hood assist device, in the kitchen









Kitchen Accessory

Your Family Health

## **GREEN TECHROLL**

Company Name GREEN TECHROLL President LEE IL JOO

Gamasan-ro 27-gil, Guro-gu, Seoul Address

Contact Point TEL E-mail Website

CEO /LEE IL JOO +82-2-813-0250 da5161@naver.com 360efons.co.kr

G구 그린테크를 Green Tech Roll

| J                   | Brand name              | 360efons Toothbrush                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|---------------------|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| roduc               | Certificate             | _                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Product Information | Company<br>Introduction | Non-powered 360° Revolving Piece<br>360° functional revolving toothbrush developed only with advantages of normal toothbrushes<br>and electric toothbrushes.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| ă                   | Product Name            | 360efons Toothbrush adult / Baby / child / entry-level / Implant                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                     | Product<br>Information  | Fones Toothbrush Optimized for Fones Method What is Fones?<br>In the cheek(outside), softly bite upper and lower teeth, touch the brush end to teeth and move it<br>forward drawing a circle.<br>In your tongue(inside), touch a toothbrush to teeth and vibrate it forward and backward.<br>Non-powered 360° Revolving Piece<br>360° functional revolving toothbrush developed only with advantages of normal toothbrushes and<br>electric toothbrushes.<br>3mm Space between Brushes<br>This toothbrush has an excellent effect on cleaning between irregular teeth and foreign<br>substances are not attached to this toothbrush. (Excellent Whitening Effect)<br>Comfortable Grip Considering a Wrist<br>Ergonomic design that your wrist is considered.<br>Revolving Assist Piece<br>Assist piece for 360° revolving<br>Interdental Brush Holder<br>Holder for interdental brushes<br>Interdental brush that your convenience is considered<br>For you to use an interdental brush right after brushing your teeth, a space for holding interdental<br>brushes is equipped on this toothbrush handle. |



## 360° eFons Care Toothbrush

360° eFons Toothbrush is a non-electric product, ideal combination of an ordinary and an electric toothbrush with a detachable rotating head.

Through two round heads with dual bristle - microfibers and ordinary one- rotating, dual function bristle deeply penetrates between the teeth, helping clean teeth and massaging gums. When using ordinary toothbrush, you could cause damages on your teeth by excessive pressure. However, eFons Toothbrush is rotated by your hand movement with a reasonable pressure, protecting your teeth. If you use this toothbrush on your teeth, you will have an excellent satisfaction even more than you expect.

## eFons Toothbrush Optimized for the Fones Method

#### What is the Fones Method?

A tooth brushing technique that uses large, sweeping, scrubbing circles over occluded teeth, with the toothbrush held at right angles to the tooth surfaces. With the jaws parted, the palatal and lingual surfaces of the teeth are scrubbed in smaller circles. Occlusal surfaces of the teeth are scrubbed in an anteroposterior direction.



#### Non-electric 360° Rotating Head Piece

360° functional rotating toothbrush that takes only advantages from both ordinary and electric toothbrushes.



**Comfortable Grip for a Wrist** 

Ergonomic design suitable for your wrist.



**Interdental Brush Holder** 

Holder for interdental brush on this toothbrush handle.



www.dwfons.com

## An ordinary tooth brushing could cause serious dental attrition With eFons Toothbrush, keep the healthy teeth without worrying about any dental attritions

360° eFons Care Toothbrush



### **3mm Gap between Two Round Heads**

This toothbrush has an excellent effect on cleaning between uneven teeth, and foreign substances are not attached to this toothbrush. (Excellent Whitening Effect)





#### **Assisting Piece for Rotating Head**

Assisting piece for 360° rotation.





For you to use an interdental brush right after brushing your teeth, this brush is in the bottom of toothbrush handle.



## H&F

## withshyan

| Company Name | H&F                                   | Contact Point | Sun Hye Kang / MANAGER   |
|--------------|---------------------------------------|---------------|--------------------------|
| President    | YoonSuk Kim                           | TEL           | +82-70-7882-1454         |
| Address      | 708, Testa Tower, Misagangbyeonseo-ro | E-mail        | withshyan@naver.com      |
|              | 25, Hanam-si, Gyeonggi-do,            | Website       | http://www.withshyan.net |
|              | Republic of Korea                     |               |                          |

| P                   | Brand name              | WITHSHYAN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|---------------------|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| roduc               | Certificate             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Product Information | Company<br>Introduction | withshyan® started from online content "Shyan's Nail School" before producing<br>our actual products.<br>Through our social media channels, we deliver creative designs and easy-to-follow tutorials<br>to out customers.<br>Afterwards, we gather and incorporate customers' responses and feedbacks before launching<br>our products.<br>Therefore, withshyan's products are fully developed by customers' genuine wants and needs.<br>The trustworthy Koreaqn nail brand, "withshyan" offers sincere services and qualities for<br>customers. |
|                     | Product Name            | 60s Nail Lacquer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                     | Product<br>Information  | <b>60</b> Seconds Nails, the product beyond such a stereotype<br>This product gets dry perfectly 60 sceconds after its application.<br>Therefore, it provides a sense of freedom for users.<br>Unlike gel nail, it can be cleared off with general nail remover.<br>Therefore, there is no damage to nails. Experience this 60 senconds magic.                                                                                                                                                                                                   |

## withshyan 60s Nail Lacquer

### 60 Seconds Nails, the product beyond such a stereotype

This product gets dry perfectly 60 seconds after its application. Therefore, it provides a sense of freedom for users.

Unlike gel nail, it can be cleared off with general nail remover.

Therefore, there is no damage to nails. Experience this 60 seconds magic.



In 60 seconds after applying it, it is dried completely!

# Dries in 60 seconds!

Withshyan 60S Nail Polish uses a new self-developed formula to dry quickly in a mattel finish and minimizes the inconvenience of using nail polish in a rush. Boasts excellent color formation, soft application, and a clear color sensation







Code : 6809492993614

[No.28 Rasin] Code : 8809492995434

[No-10 Make up] Code : 8806402994321





## withshyan



## **HOW TO USE**



1. Apply a base coat.

2. Apply a color.

## 2concept Two features

The charm that is revealed when the top coat is applied





## 1coat

Complete with just one coat! Dewy matt color



3. Dries quickly with a matte 4. Apply a top coat if you want to produce glittering texture.

## 60s

Just 60 seconds In 60 seconds after applying it, it is dried completely!











Code: 8809492994352





[No.17 Sea air] Code : 6809492894390





(No.21 Tertle) Code : 8809492994437





(No.25 suk-dok-suk-dok) Code : 8809492995403





(No.M17 Bubble Bubble) Code : 8809492996530



## Hitech Lnh

| Com   | Hite     |
|-------|----------|
| ipany | Company  |
| Info  | Presiden |
| orma  | Address  |
| ation |          |

#### ny Name Hitech Lnh Park Se Fhan nt Address

A-204, 142-10, Saneop-ro 156beon-gil, Gwonseon-gu, Suwon-si, Gyeonggi-do, Republic of Korea

| Contact Point | Kev  |
|---------------|------|
| TEL           | +82  |
| E-mail        | kevi |
| Website       | WW   |
|               |      |

| Kevin Park (General Manager) |
|------------------------------|
| +82-10-3458-2367             |
| kevin@oehappy.com            |
| www.oehappy.com              |

Hi-Tech LnH www.oehappy.com 하이택생활건강

| Brand name              | Derma                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Certificate             | CE, FCC, KC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Company<br>Introduction | Our company is a professional manufacturer of beauty device.<br>Since its foundation in 2010, We has been exporting to more than 15 countries around the work<br>including the United States, Japan, China, Russia, Europe, and the Middle East.<br>Currently, the main export item is ultrasonic beauty device. Recently,<br>we developed the world's first ultrasonic peeling machine to be used with a smartphone and<br>registered a patent.<br>We plan to participate in the ioT industry in the future and are currently researching and<br>developing ioT technology.                                                                                                                                                                                                                                                                                                                                                              |
| Product Name            | Derma Wi                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Product<br>Information  | <ul> <li>Derma-Wi has three basic functions for skin care.</li> <li>1.ultrasonic skin scrub-Cleansing &amp; Soft peeling,</li> <li>2.negative ion massage for freckle care-Nutrition,</li> <li>3.positive ion massage for wrinkle care-Firming Up.</li> <li>And also has Skin Analysis functions</li> <li>1. Moisture level test</li> <li>2. Image test for Pore, Pigment, Wrinkle.</li> <li>The Device can be connected with the App "Derma Manager" on the smart phone and analyze the skin condition. And the analyzed result can be saved on the phone.</li> <li>So, the skin condition and skin history can be checked continuously, and skin care can also be focused on the skin condition of each time. The skin care can be done with the device in the shor and the analyzed skin condition result can be saved each customer's phone, so this device Derma-Wi is good for aesthetic shop to manage their customers.</li> </ul> |





Massage your skin along the skin texture with the wide side of the blade.

STEP

01

STEP 03



## 1 Soft peeling & Cleansing





When water meets ultrasonic waves, water explodes. The explosive power of water effectively removes dead skin cells and blackheads without irritating the skin.



Wash your face and spray water on the face. With the edge of blade, slide on your face along the arrow like above image

#### Skin Moisture Check



After connected with the care device, Tab the start test button in Measuring Skin Moisture tab.



Put on your fingre on the finger terminal.



Push the skin with the end of blade vertically.



Tab the start test button.



When measuring is finished, the result will came out like above image





be shown like above image. (Pore, Pigmentation, Wrinkle)

## HION technology Co., Ltd

sign registration

1. High frequency fan heater

2. Eco-Friendly wet air heater

3. Iconic Electric Air-Conditioner

comparedtoexistingheaters;

The advantages of this new product are:

thermal warm air method.

ture level.

ment:

Company Name HION ted President Lee Kwa Address 17-31.5 Paju-si, Korea

| chnology Co., Ltd         |  |
|---------------------------|--|
| an Hyung                  |  |
| Sageunjeol-gil, Jori-eup, |  |
| Gyeonggi-do, Republic of  |  |
|                           |  |

nology, high-frequency boilers, and eco-friendly heaters.

IKONIC fan through continuous technology development.

ciency over time after installation due to zero scale).

| Contact F | Point |
|-----------|-------|
| TEL       |       |
| E-mail    |       |
| Website   |       |
|           |       |

HION

Gyeonggi-do Promising SME Certification, Technology Competency Excellent Enterprise Certification, Quality

competitive bidding by the Public Procurement Service, acquisition of Comprehensive Agricultural Machinery Certification, and other various electrical safety certifications. 5 patents, 1 trademark registration, and 1 de-

Established in December 2014, HION is a company that produces heaters for its facilities such as high-fre-

In addition to the world's first high-frequency hot air fan using the world's first new technology, High-Fre-

HiON High frequency fan heater / HION Eco-Friendly wet air heater / HiON Iconic Electric Air- Conditioner

It is a product that dramatically reduces installation time and cost because it does not require heating piping and heating equipment. It is used as a heating device for the greenhouse farms. It increases quality and harvest amount because of light transmittance to the greenhouse owing to the condensation prevention effect and insect and disease prevention. It greatly helps greenhouse space utilization because the product is compact (size of an outdoor air-conditioning unit) and does not require plumbing equipment. It is a wet heating system using high-frequency instead of burning oxygen. This system is operated/maintained individually for each fan heater with simple management and low maintenance cost (Although other products decrease their heating efficiency after 1~2 years due to scale and other reasons, this product does not decrease energy effi-

As a new product in 2019, the existing air heater was improved using a compact and new design. It is an ecofriendly product. This wet air heater does not burn air unlike conventional heater with excellent thermal effi-

ciency spreading low and far and minimal temperature differences between up and down. It was developed as

It is a new product in 2019 developed by Hy-On. It was newly developed after supplementing the shortcomings

of carbon and sheath heater by using a high-tech heating element. It was developed by adopting the direct

1) A specially processed product imported from Japanese with specialized silver attached to the heating ele-

3) Zero CO2generationwithnosmokeandodorbecauseitdoesnotburninternaloxygen.ltsaves10~20%offuelcost-

5) An eco-friendly product using electric energy. It can increase temperature immediately without the need of

Others: 100% heat maintenance, excellent marketability. The product can be used for various purposes includ-

4) Generated anions offer excellent air purification, antibacterial effects, and deodorizing effects;

2) Excellent durability by using high-quality stainless steel, an eco-friendly material;

preheating and operation. It can be used as a fan during the day or summer; and

ing livestock farms, warehouses, heater for businesses, and industrial and drying purposes.

6) Light (10kg) and compact. It is easy to install and use by anyone.

an eco-friendly product that allows cultivating crops in a pleasant environment because it maintains a mois-

quency hot air fans, high-frequency boilers, and eco-friendly hot air balloons using the world's first new tech-

quency Heating System, High-Frequency Heating System, High-Frequency Air-Conditioner is an eco-friendly

company that leads the energy industry by developing a number of new products such as eco-friendly fan and

Management System Certification (ISO 9001), and Venture Business Certification, Eligibility for participation in

Lee Kwan Hyung, CEO +82-31-947-0343 lekh2559@hanmail.net www.hion.kr

CHION

## High frequency fan heater



## Advantages of High-Frequency Hot Air Ventilator

Stability Safe systems using eco-friendly energy electricity Economic efficiency Systems that can achieve 100% efficiency without consumption Pleasantness High-frequency induction heat-free system

## **Eco-Friendly wet air heater**

soot from combustion, no smell

Cleanliness



- Focusing on convenience / Developing eco-friendly and highly ef
- Compact and easy to move
- Buzzer attached, prompt response is possible in case of abnorma
- Dedicated controller attachment, precise operation
- Added ability to know the period

## Advantages of eco-friendly fan

- 1. Economic efficiency -Superior thermal efficiency, fast and affe
- 2. Safety Safely with the three-stage anti-heating sensor
- 3. Convenience Easy and easy with automatic temperature con
- 4. Pleasantness Healthy with non-dry wet heating
- 5. Merchantability Warm corners with unbiased space heating

**Company Information** 

oduct Information

Brand name

Certificate

Company

Introduction

Product Name

Product

Information

38







## ► Application field



Agricultural facilities House and garden, mushrooms, mushrooms, specialty crops.

Sports Facilities Indoor Stadium, Gateball Field, Badminton Field



Vegetable cultivation bean sprouts, host greens, sprouts

⚠

Educational religious facilities school, church, training center, prayer center, academy, kindergarten

## Iconic Electric Air-Conditioner



| fficient<br>ality | <ul> <li>Zero CO2 emissions / use of advanced heaters</li> <li>25% to 40% reduction in fuel costs / low cost, high efficiency</li> <li>Air purification function / negative ion generation</li> <li>Available with a fan and excellent deodorizing effects, antimicrobial</li> <li>Instantaneous heating, no preheating</li> </ul> |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ordable<br>htrol  | <ol> <li>Advanced pyrolyte use</li> <li>Special machining</li> <li>High durability, advanced sten material use</li> <li>CO2 emission volume ZERO!</li> <li>Reduced fuel costs</li> <li>Anionic generation</li> <li>Can also be used as a ventilator</li> </ol>                                                                     |

## HYUNWOO Co

| Company Name  | HYUNWOO Co                          | TEL     |
|---------------|-------------------------------------|---------|
| President     | Sungchul Kim                        | E-mail  |
| Address       | 4-7, Baekjegobun-ro 40-gil,         |         |
|               | Songpa-gu, Seoul, Republic of Korea | Website |
| Contact Point | Sungchul Kim (CEO)                  |         |
|               | Jaegoo Lee (General Manager)        |         |

+82-2-431-1145 kimgaram7@naver.com , jkdatanet@gmail.com

Al Energy Saver

www.hyun-woo.co.kr , www.현우.com

| Brand name              | Al Energy Saver                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Certificate             | Venture registration, Patent registration, CE cert, RoHS cert, KC cert, SGS cert                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Company<br>Introduction | It is a company that produces and sells industrial power loss reduction devices and commercial artificial intelligence (AI) electricity savers for "creating an eco-friendly energy culture." Under the slogan "Creating an Environmentally Friendly Energy Culture," we are committed to manufacturing and distributing state-of-the-art industrial power loss reduction devices and commercial artificial intelligence (AI) electricity savers. We are making every effort to realize energy saving, which is a long-cherished desire in all countries around the world, and we are creating the best power saving system that can reliably improve power efficiency by applying remote management based on artificial intelligence (AI) technology. In particular, by intensively developing solutions for supply to domestic small and medium-sized enterprises and developing countries abroad, the company considers the interests of its customers as the highest value and does its best to achieve the public interest as a social organization. |
| Product Name            | F1, AI-300, AI-F1000, AI-FS150, AI-FS300                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Product<br>Information  | Al energy saver is an innovative product that saves electricity by stabilizing voltage and reducing power usage.<br>Al energy savers are state-of-the-art and are especially rated as hybrid power accumulation systems.<br>In Korea, we received technical patent certification and CE certification, and it is registered on the government purchase site, so government officials can purchase it as if they were buying it at a regular shopping mall.<br>The amount of electricity (current) is often suddenly increasing everywhere in houses, shopping malls, and factories.<br>This sudden rise in current heats up and consumes more electricity, shortening the lifespan of all electrical appliances or, in the worst case, causing fires or power outages.<br>Don't invest too much in equipment used to increase the efficiency of building power systems. It can be complicated.<br>Al energy saver will stabilize the voltage, save electricity use and increase efficiency throughout the building.                                       |

## Background

The electricity bill is too high. It is more burdensome to replace high-efficiency equipment.

## Product Overview

Al Energy Saver is a device that uses existing systems (home, commercial, and industrial) while securely and reliably improving energy efficiency.

## Product advantages

Cheap Maintenance is simple, Small, compact, space-consuming Simple construction

## Case of Korean

60 Schools of Education in Korea Application of Changwon Smart City CU Convenience Store



Information





You can save 10 to 30% based on the current rate you use. Of course it does not affect the electrical system you are using.

## JOYLIFE

#### Company Name JOYLIFE President Nan-Hee Jung / Sung-min Kwor Address 232, Beotkkot-ro, Geumcheon-Seoul, (08513) Rep Of Korea

|      | Contact Point |
|------|---------------|
| n    |               |
| -gu, | TEL           |
|      | E-mail        |
|      | Website       |

Jackson. Park Overseas Department Assistant Manager +82-2-858-0105 peacekoki@jlife1.com www.joylifekorea.com

|                     | Brand name              | JUNGNANI / JNN-II                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|---------------------|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Information | Certificate             | JUNGNANI HYPER FACIAL - Certificated NMPA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                     | Company<br>Introduction | Joylife Co., Ltd. is an OEM/ODM specialized company producing cosmetics and healthy food and<br>has own factory in Gasan-dong, Geumcheon-gu, Seoul.<br>Joylife is a reliable company that strives to develop products suitable for skin based on ceaseless<br>cosmetics raw material research and professional manufacturing technology through R&D center.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| rma                 | Product Name            | JUNGNANI & JNN-II Skin Care                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| mation              |                         | <ul> <li>JUNGNANI &amp; JNN-II Skin Care</li> <li>Hyper Facial [Skin-lightening · Anti-wrinkle functions]: This high-quality skin care provides elastic skin because it strongly aids anti-aging owing to the synergic effects between anti-aging and antioxidant ingredients.</li> <li>24K Gold Expert [Anti-wrinkle function]: Owing to the benefits of 24K gold and snail, it makes the saggy and stretched skin elastic and firm. Volumizing RX [Wrinkle improvement function]: Contains natural Botox ingredients and 8 peptide types to suppress wrinkles and protect young skin.</li> <li>Vital Lightning [Skin-lightening Function]: Possible to care for blemishes without worrying about irritation and create moist and clear skin.</li> <li>24K Gold Sparkling Essence [Anti-wrinkle Function]: Delivers concentrated nutrients to the skin. It is absorbed gently and the peptide component creates firm skin.</li> <li>24K Gold Halo Ampoule [Skin-lightening · Anti-wrinkle functions]: Synergy of 24K gold and callus culture extract is absorbed to make skin radiant.</li> </ul> |
|                     | Product<br>Information  | <ul> <li>JUNGNANI &amp; JNN-II Mask Pack &amp; Peel-off Pack</li> <li>Medi-Capsule 10 types [Skin-lightening · Anti-wrinkle]: Premium microfiber fabric enhances absorption. It offers customized skin care with a wide selection so it can be used according to the skin condition that changes every day.</li> <li>Urban Daily &amp; Cream 4 types [Skin-lightening · Anti-wrinkle Functions]: It uses a cellulose sheet made by natural ingredients and provides the nutritional feeling of a bottle of cream and the nutritional feeling of a bottle of essence. It effectively delivers the active ingredients of each formulation.</li> <li>Real Fresh Tropical 5 types [Anti-wrinkle Function]: Reasonable price. It delivers the freshness of 5</li> </ul>                                                                                                                                                                                                                                                                                                                                 |

tropical fruits as is to maintain shinier skin. Spider Web Peel-Off Pack 3 types: Helps with dead skin cells + blackheads + waste removal + excess sebum + lifting care at once.

#### JNN-II Sun Cream & BB Cream & Foam Cleanser & Hand Cream

- · Daily Velvet Sun Cream [Skin-lightening · Anti-wrinkle · UV protection]: SPF50+ PA+++ Strong UV protection and natural tone correction without oily and sticky feelings! Gives you a casual finish.
- · Complete BB Cream [Skin-lightening · Anti-wrinkle · UV protection]: Creates flawless skin with a smooth & bright base like my original skin owing to strong adhesion without clumping.
- · Color Cleansing Foam Cleanser: Contains the powerful nutrients of color food, the 7th nutrient, to cleanly remove wastes and maintain moist skin after cleansing.
- · Daily Mood Hand Cream [Skin-lightening · Anti-wrinkle Functions]: Moisturizing and nourishing hands that can be aged easily. You may select formulation and scent according to the mood of the day due to the unique formulation and scent of each.

# JÚNGNANI

## Skin Care



JUNGNANI

## Mask Pack & Peel Off Pack



JUNGNANI

## Sun Cream & BB Cream & Foam Cleanser & Hand Cream











JNN-II



JNN-II

## Mfam Co., Ltd.

**Company Information** 

Company Name Mfam Co., Ltd. President MUN ILHAN Address Korea

114-1, Namsan 2-gil, Jiksan-eup, Seobuk-gu, Cheonan-si, Chungcheongnam-do, Republic of

## Contact Point TEL E-mail Website

KANG KIMIN / S. Researcher +82-41-588-1400 office@mfam.kr http://mfam.kr

| Brand name              | Mcoat                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                         | · Certificate Acquisition of 'Glass Barrier' safety confirmation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Certificate             | $\cdot$ Certificate Acquisition of 'Blizzard' safety confirmation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | $\cdot$ Certificate Acquisition of 'Wheel cleaner' safety confirmation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Company<br>Introduction | Mfam introduce various products related to automobiles, including coating, with outstanding technology.<br>Mfam coating are own company, from direct development, production, distribution and service. Customer<br>satisfaction is our top priority through new technology and thorough customer trust. Compelling reasons<br>to choose the Mfam Co.,Ltd.<br>1. While the existing difficult work methods and long working hours, There is no difficulty with easy work<br>and shortened working time<br>2. It boasts a more excellent oh the difference in composition and technology<br>3. Since the duration is more than '2years' More Ensures excellent sustainability<br>4. Needs of various customers from professional to consumer You can meet<br>5. Unlike existing products, you can improve your satisfaction with the pre/post effect Mfam Co., Ltd.<br>regards customer impression as its top priority, Detailing Pro-shop to produce the best results.<br>We manufacture products with state-of-the-art technology and optimized raw materials. We will reach<br>you with the best result. We always strive to meet your various needs and develop new products and<br>services. We will strive to be a company that anyone can use conveniently. We will be the leading company<br>in the field of product and customer satisfaction |
| 1) Product Name         | Glass coat_Black Barrier 50ml                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Product<br>Information  | The most powerful and effective glass coat. This is the most powerful and effective glass coat(forms a coating layer of 16um when coated twice) with specialized antifouling, durability, chemical resistance, heat resistance. Unlike the existing products, the wet type work leaves no stain, so you can always keep it clean and new car.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 2) Product Name         | Glass coat_Blue Barrier 50ml                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Product<br>Information  | Premium glass coat that offer greater durability and hardness No.1 Although it is a common glass coat like other products, it is a less cost-effective glass coat that shows strong durability and strength due to its high SiO2 content.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 3) Product Name         | Water repellent coat_Glass Barrier 50ml                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Product<br>Information  | Glass water repellent coating that can be used by consumers No.1 Higher SiO2 content and better water repellency than other company's products. It also has excellent maintenance period and improves thickness.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 4) Product Name         | Water repellent coat_Blizzard 100ml                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Product<br>Information  | Water repellent coating that anyone can use easily No.1<br>It is a water repellent coating that can be used regardless of the car surface and glass, and is a<br>coating that boasts a easy way of working with excellent water repellency.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 5) Product Name         | Wheel cleaner 500ml                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Product                 | Cleaner that can be used safely in brake systems.     Effectively removes brake dust, dirt and grime                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

· It boasts strong cleaning power with an improved foam component and cleans cleanly.





**BLACK BARRIER** 

#### Glass coating agent for Professionals 50 ml



(forms a coating layer of 16um when coated twice) with specialized durability, water-repellency, pollution-repellency, chemical-resistance, and heat-resistance. Wet type work

Products that can shorten working time ✓ 3~5 medium cars can be work Maintenance period 2 years or more

## **BLUE BARRIER**



Advanced glass coating agent 50 ml BLUE BARRIER is superior in durability and hardness than conventional products. Also less than other products price.

It is dry type work from like other glass coating agent ✓ 3~5 medium cars can be work Maintenance period 1 years or more

## WHEEL CLEANER

### 500 ml

Cleaner that can be used safely in brake systems. Effectively removes brake dust, dirt and grime

Information

Information

Neutral type cleaner for all wheels.



## Automobile surface protective coating agent production technology No.1

Introduce various products related to automobiles, including coating agent, with outstanding technology



# Solar Panels coating agent

This is the most powerful and effective coating agent



## Solar Panels coating agent 50 ml

Coating agent for solar panels that can be easily work for maximum electric power. It is a coating agent that can prevent the surface caused by various pollutants and stain such as caused to its excellent durability and water repellency.

## **GLASS BARRIER**



### BLIZZARD



#### Glass water-repellent coatings available to consumers 50 ml

It is a water-repellent coating for glass that has excellent water repellency and improves its thickness over other products.

- Easy work method
- $\blacksquare$  Excellent maintenance period (6 ~ 12 months)
- ✓ 10~15 medium cars front glass can be work

#### Water-repellent coating for owners (Anyone can use) 100 ml

It has higher SiO2 content than other companies products and has excellent water repellent effect.

- Can be used even when wet
- Excellent maintenance period (6months)
- Has can be used regardless of car surface and glass
- 5 medium cars can be work

## **MOKSORI**

## Company Name MOKSORI

Kim Hanju Unit-203, 37, Deongnam-gil, Nam-gu Gwangju, 61748, Rep, of Korea

| Contact Point |
|---------------|
| TEL           |
| E-mail        |
| Website       |
|               |

Jung Hwasuk +82-62-265-0990 khj480202@naver.com http://www.moksori.net

noksor

| Brand name              | ARTIFICIAL LARYNX                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Certificate             | ISO-9001, CE, RoHS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Company<br>Introduction | <ul> <li>People who have received total laryngectomy due to laryngeal cancer, pharynx cancer, laryngopharyngeal cancer, thyroid cancer or esophagus cancer loses their voice and are unable to breathe through their nose or mouth. Moksori products are related to artificial larynx that enables people who have received total laryngectomy to communicate verbally.</li> <li>O History</li> <li>2014. Established MOKSORI</li> <li>2014. Received Grand Prize in the Startup Item Division at the 8th Disabled Startup Contest</li> <li>2017. Received Silver Prize at the Gwangju Civic Invention Competition (Functional artificial nose)</li> <li>2017. Received Bronze Prize at the Gwangju Civic Invention Competition (New artificial larynx)</li> <li>2018. Received Minister of Health and Welfare Award at the 13th Korea Disabled Entrepreneurs Convention</li> <li>O Patent</li> <li>2005. Patent Registration in Korea, No. 10-0528390, Artificial larynx</li> <li>2017. Patent Registration in Korea, No. 10-1778499, Electronic artificial larynx device</li> <li>2017. Patent Registration in Korea, No. 10-1999204, Artificial larynx</li> <li>O Academic papers, presentations, etc.</li> <li>The 14th Korean Society of Speech Sciences Conference</li> <li>The 14th Korean Society of Laryngology, Phoniatrics and Logopedics Conference</li> <li>International Conference Commemorating the 30th Anniversary of College of Rehabilitation Science at Daegu University (June 4, 2018): Presentation on functional artificial nose</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Product Name            | RT-15, RT-17, VOICE UP, Functional Artificial Nose                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Product<br>Information  | <ol> <li>Reed-type Artificial Larynx         About 70% of patients who had a total laryngectomy receive radiation treatment for relapse prevention. The skin tissue even in the unaffected area hardens due to sequela in the neck area after radiotherapy. Dependii on radiation dosage and the constitution, patients gradually recover normal tissue between 7 months and 2 years. During this period, it is difficult for patients to verbally communicate. The reed type artificial larynx enables patients to speak at ease.     </li> <li>Electronic Artificial Larynx         Electrolarynx is used most commonly because it is simple to use. However, it is inconvenient because users have to hold the device with one hand and press it against the area below the chin to speak. This product wa developed as a solution to this inconvenience in the form of a hands-free device mounted under the chin, allowing the users to speak just by moving the head.     </li> <li>Functional artificial nose         Patients who had a total laryngectomy breathes through an opening called stoma in the lower neck connect to the bronchus. This product is a functional device that addresses issues related to exposed respiratory trates the benefits of using functional artificial nose     <ul> <li>Easy to discharge phlegm by controlling the bronchial humidity (wear moistened filter).</li> <li>Filters fine dust to reduce amount of phlegm discharge and prevent various diseases</li> <li>Prevents water from entering stoma when taking a shower or washing hair</li> <li>Maintains comfortable breathing by covering and protecting the stoma during hiking or exercising</li> <li>Provox users had to lift up the neck cover and block the stoma with a hand to speak. This device eliminates the inconvenience of having to remove the neck cover to block the stoma, offering a hygienic condition for easier speech communication.</li> </ul></li></ol> |





0





### **Reed Tone**

#### Features

- Patant ragistration. Reed type artificial larynx.
- · Can be trained in one hour for pratical use.
- · Pronaunce high and low tone like normal human voice. · Idealiy used for a patlant who has aftereffects of radiotherapy
- that the lower part of the chin skin is hardened. · Non-electronic device. Operated without battery and used semi
- permanently.

### Spec

New reed type artificial larynx 'Moksori' --an experimental study and initial clinical results Seong Hee Chok, Han-ju Kim, Sung-Eun Lim, Sung- Eun Lee, Hong-Shik Choi









## voiceup

Features

- You can use our electrolarynx without using hands.
- Built-in charger with Lithium-ion polymer battery.
- Battery lasts up to a month long once fully charged.
- Need to make product Attach the posterior to the chin with one handandpresstheswitchbutton
- $\cdot$  There is a restriction on the use of the hand type to communicate by pressing
- · Conventional products have a difficulty in using both hands because they need to keep the artificial posterior put on the chin with one hand.
- · In our company, body and vibration part are made separately, It is possible to derive the optimum state through instrument design and design. Move jaw on / off Made to communicate by jaw

#### Spec

· Patent of electrical artificial larynx





## **Functional Artificial Nose**

Features

- $\cdot$  Functional Artificial Nose and Neck Cover with water soaked filter will help patients to expectorate sputum easily because they control humidity of Bronchus. (Patients can breathe comfortably because the sputum becomes thinner and does not dry up around respiratoryareas.)
- · Functional Artificial Nose and Neck Cover will reduce the sputum by filtering micro dusts and prevent various diseases.
- · Functional Artificial Nose and Neck Cover will prevent water from entering respiratory areas when patients take a shower and wash hairs.
- · Functional Artificial Nose and Neck Cover will help patients to maintain a comfortable breathing because they protect the respiratory area when patients hike or work out.
- · Functional Artificial Nose and Neck Cover will help Probox(Human bodyinsert type) patients to stay sanitary and speak easily by covering respiratory areas. Probox patients do not need to remove Neck Cover to block the respiratory area with hands to speak.

# **Company Information**

## mpacplus

Address

## Company Name mpacplus President

Kwang-oh, Son #102, 55, Wangsan-ro 28, Dongdaemun-ku, Seoul, Korea 02565

## Contact Point TEL E-mail Website

Sangki Lee, Director +82-10-5640-2227 korea@mpacplus.com http://mpacplus.com

| J             | Brand name              | mpac+, Jellyfarm+                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|---------------|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Produc        | Certificate             | ISO9001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| t Information | Company<br>Introduction | Founded in 1985, mpacplus manufactures Cosmetics Makeup Puff, Foot smell deodorant Patches,<br>Dry bags, Smartphones Underwater Touchable Waterproof cases, Air fresheners or Anti-misquito,<br>and Neck cooling tubes based on the know-how of High-Frequency bonding and charging tech-<br>nologies and 110 patented technologies.                                                                                                                                                                                                                                                                                                           |
|               | Product Name            | 1) Face Mask<br>2) Microcell Makeup Puff<br>3) Shoe(Foot) Deodorant Patch                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|               | Product<br>Information  | <ol> <li>Face Mask         <ul> <li>Light, soft, stylish fashion mask</li> <li>Reusable &amp; Washable</li> </ul> </li> <li>Microcell Makeup Puff         <ul> <li>100% silicone, Korea development success, Microcell helps uniform adhesion, Retouch makeup is possible, Hygienic, Skin-friendly, Economical</li> </ul> </li> <li>Shoe(Foot) Deodorant Patch         <ul> <li>Easily remove the smell from your shoes for 90 days</li> <li>The effect of removing odors from the shoes and removing fungi             <ul> <li>Available for all shoes, including sneakers, work shoes, sports shoes, boots</li> </ul> </li> </ul></li></ol> |

## mpact\*

## SF6 Soft Fit mask Light, soft, stylish fashion mask







D500 Microcell makeup puff 8,100 microcells help fast adhesion and good coverage

## Jelly farm<sup>+</sup> Microcell puff





- Embossing microcells spread foundation thinly on skin and help fast adhesion
- Hygienic because cosmetics are not absorbed into the puff
- Simply washable with a wet tissue or running water
- Cosmetics consumption: About 1/3 of sponge puffs
- Available for all creamy cosmetics
- Can be used for a relatively long time
- Retouch-makeup is possible
- Includes a storage case for storing the product







- For all kinds of indoors & outdoors activities
- Washable by water and Reusable multiple times
- Eco-friendly TPU materials soft, strong and comfortable no irritation to the skin
- Slim, light and great elastic- comfortable to your face
- Excellent UV Protection effect(99.9%)
- Excellent Deodorizing(86%) effect, Anti-dust effect
- Anti-bacteria effects(Staphylococcus aureus, Pneumoniae)



## FL90 Shoe deodorant Easily remove the smell from your shoes for 90 days

## Jelly farm<sup>+</sup> Foot patch



- The effect of removing odors from the shoes and removing fungi
- There is no foreign material because it attaches to the upper part of the shoe
- Available for all shoes, including sneakers, work shoes, sports shoes, boots, etc.
- 100% natural and safe to use
- Duration time of effect: 90 day
- Component Effects and Safety Certification

## Neo LFN Corp.

Company Name Neo LFN Corp. President Kim Hae Seop Address Republic of Korea

F318, Misagangbyeonseo-ro, Hanam-si, Gyeonggi-do, 12918,

| Contact Point | Da-young Kim / Assist Manager |
|---------------|-------------------------------|
| TEL           | +82-31-5175-6069              |
| E-mail        | info@neolfn.co.kr             |
| Website       | https://www.servekid.co.kr    |

| J                   | Brand name              | SERVEKID                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|---------------------|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Information | Certificate             | KC / CE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                     | Company<br>Introduction | Our company's CEO began working on development of a motorization universal kit for his own manual wheelchair in 2011.<br>After six years of hard-work and devotion, a new motorization universal kit for manual wheelchair called SERVEKID was finally released in 2015.<br>SERVEKID is the fruit of our long and ceaseless research and development, which enables physically challenged people to travel in a safer and more convenient way.<br>Now we are preparing to export our products to overseas markets.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                     | Product Name            | SERVEKID                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                     | Product<br>Information  | <ul> <li>Use<br/>Attaching this power unit at the front of the wheelchair helps prevent secondary physical injury of the disabled person using the wheelchair. It also reduces the role of a guardian, which boost the self-esteem of the wheelchair user by enabling his/her independent activity and leisure activities</li> <li>Features: <ol> <li>Has a compact structure that can be easily taken apart into three parts for reduced weight and easy handling and storage in the car trunk by disabled people</li> <li>Adopts a locking system that simplifies the front wheel lift of the wheelchair for driving after assembly and attachment to the wheelchair.</li> <li>Has a variable width adjustment device and clamp type mechanism that respond to almost all kinds of wheelchair in different size (seat width), height, and frame type (old types and other types)</li> </ol> </li> <li>Adopts a foldable support fixture for temporary support during use (foldable to prevent collision with the ground during driving)</li> <li>Does not require a separate device to connect the power unit to the wheelchair frame</li> </ul> |
|                     |                         | (5) Does not require a separate device to connect the power unit to the wheelchair frame                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |



### Adjustable angle & width



The angle, width and spacing of the frame part can be adjusted so that it can be attached to wheelchairs of various shapes. (However, it is not possible to attach SERVEKID to a wheelchair where the footrest can berotated or separated





Motorization kit for Manual Wheelchair

### About SERVEKID

- · No Change in appearance of your wheelchair
- Compatible with all types of wheelchair
- · No brackets or devices are necessary
- Easily attachable / detachable
- Available to put your kit into car trunk for yourself
- Possible for independent living of the disabled
- Safe driving
- Smooth ride
- Easy handling

#### Patented docking system



Our patented double-docking system ensures a secure connection of the frame part with motor part. It is specifically designed to assure a safe driving without the two parts separated and comfortable posture of the user.

#### Attachment - Clamp system



The way of attachment is to grab the wheelchair frame by utilizing the principle of a clamp, which makes it easy to attach and detach the product and does not require a bracket or device to it. In addition, when the product is removed, the original appearance of the wheelchair can be maintained and the silicone material cover is covered on the tongue, further enhancing the bonding strength with the wheelchair frame.

## **NEXT PUMP**

## Company Name NEXT PUMP

President Jonghwan, Park Address 10, Yeongdangan-ro 7beon-gil, Gwangmyeong-si, Gyeonggi-do, Republic of Korea

| Contact Po |
|------------|
| TEL        |
| E-mail     |
| Website    |
|            |

oint Jihyeon. Park +82-2-2277-6379 nextpump@naver.com www.shellpia.com www.saxopiece.com

700

ΠΕΧΤ

| P                   | Brand name              | NEXT PUMP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------------------|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| roduc               | Certificate             | CE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Product Information | Company<br>Introduction | We handle all kinds of pumps. The pump is basically an interlocking pump, which is used to transport liquids. It is also used to discharge liquids repeatedly.Performance is comparable to that of other competitors, but it's affordable.<br>NEXT PUMP produces our brand. The production items are metering pumps, metering dispensers, two phase dispensers, medicine metering pumps, etc. Medicine&chemical metering pumps are produced very rare in world wide. PLC and RS485 communication is possible and it can be used for approximate all chemical liquids. Because it is made of ceramic, teflon, and steel. If you transfer or discharge any quantity of liquid, you need our product. |
|                     | Product Name            | NEXT 300FJ                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                     | Product<br>Information  | This is the pump used to transfer or discharge liquids repeatedly.<br>You can control the amount of liquids by using buttons or by using the accessory pedal.<br>Silicon tubes suck in the liquid, spit it out.In Korea, the pump is used in various fields.<br>There are many different areas of the enterprise that you actually purchased. Cosmetics,<br>pharmaceuticals, water research institutes, university research institutes, etc.This enables PLC<br>communication and RS485 communication. It is also used to surpport automation machines.<br>The pump comprises a drive and head.                                                                                                    |

# NEXT 100FJ 300FJ 600FJ

## NEXT 100FC 300FC 600FC





## NEXT 600-1F

NEXT 600-4FC









Drive mo Pump he Speed Flow ran Power su Drive din

Display

**Company Information** 



## O TECHNICAL PARAMETERS

| Drive model      | NEXT 100FJ, NEXT 300FJ, NEXT 600FJ                                                                                      |
|------------------|-------------------------------------------------------------------------------------------------------------------------|
| Pump head        | YZ1515x, YZ2515x, DG series, ZN25                                                                                       |
| Speed            | 0.1-600rpm                                                                                                              |
| Flow range       | 0.0015-2280ml/min                                                                                                       |
| Power supply     | AC220V±10%(standard) or AC110V±10%(optional)                                                                            |
| Drive dimension  | 234×154×144(mm) 87600FJ: 254×184×150(mm)                                                                                |
| Display          | 4-LED display                                                                                                           |
| External control | Start & stop, direction control, speed control (0-5v, 0-10v, 4-20mA optional ) RS232 and RS485, support MODBUS protocol |

## O TECHNICAL PARAMETERS

| Drive model      | NEXT 100FC, NEXT 300FC, NEXT 800FC                                                                                      |
|------------------|-------------------------------------------------------------------------------------------------------------------------|
| Pump head        | YZ1515x, YZ2515x, DG series, ZN25                                                                                       |
| Speed            | 0.1-600rpm                                                                                                              |
| Flow range       | 0.0015-2280ml/min                                                                                                       |
| Power supply     | AC220V±10%(standard) or AC110V±10%(optional)                                                                            |
| Drive dimension  | 212×135×240(mm)                                                                                                         |
| Display          | LCD screen                                                                                                              |
| External control | Start & stop, direction control, speed control( 0.5v, 0-10v, 4-20mA optional ) RS232 and RS485, support MODBUS protocol |

## O TECHNICAL PARAMETERS

| Drive model      | NEXT 600-1F                                                                                                             |
|------------------|-------------------------------------------------------------------------------------------------------------------------|
| bille model      | ALX1 000-11                                                                                                             |
| Pump head        | YZ1515x, YZ2515x, KZ25, ZN25                                                                                            |
| Speed            | 30-600rpm                                                                                                               |
| Flow range       | 2.1-6000ml/min                                                                                                          |
| Power supply     | AC220V±10%(standard) or AC110V±10%(optional)                                                                            |
| Drive dimension  | 264*177*153(mm)                                                                                                         |
| Display          | 4-LED display                                                                                                           |
| External control | Start & stop. direction control, speed control( 0 5v. 0 10v. 4 20mA optional ) RS232 and RS485, support MODBUS protocol |

## O TECHNICALIPARAMETERS

| odel      | NEXT 600-4FG                                                                                                            |
|-----------|-------------------------------------------------------------------------------------------------------------------------|
| ead       | YZ35, YZ35-13                                                                                                           |
|           | 0.1-600rpm                                                                                                              |
| 1ge       | 1.3-12000ml/min                                                                                                         |
| upply     | AC220V±10%(standard) or AC110V±10%(optional)                                                                            |
| mension   | 305*236*302 (mm)                                                                                                        |
|           | LCD screen                                                                                                              |
| i control | Start & stop, direction control, speed control( 0 5v. 0 10v, 4 20mA optional ) RS232 and RS485, support MODBUS protocol |
|           |                                                                                                                         |

## **OSANG M&ET**

| Company Name | OSANG M&ET      |
|--------------|-----------------|
| President    | Kim sung ki     |
| Address      | 361 Road, Noksa |

361 Road, Noksan Industrial plex, Gangseo-gu, Busan

|      | Contact P |
|------|-----------|
|      | TEL       |
| Com- | E-mail    |
|      | Website   |
|      |           |

Point Yoon Han Geun / deputy chief +82-51-623-0268 lionpapa@naver.com www.oscio.co.kr

**OSANG M&ET** 

| Brand name              | OSANG M&ET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Certificate             | G-PASS / ISO 9001:2015 / KS Q ISO 9001:2015, ISO 14001:2015/KS I ISO 14001:2015<br>CE Declaration Of Conformity (LED LAMP) / CE Declaration Of Conformity (LED STREET LIGHTING)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Company<br>Introduction | Osang Material and Electrical Technology was established in 2006 and has become an LED specialized lighting development com-<br>pany. It has been supplying various products to the LED lighting market based on the best technology. It has been doing its best<br>to produce the best products, starting with being selected as the excellent procurement products (street lights, security lights, in-<br>door lights, and downlights) in the 1st Public Procurement Service in 2014 and as the excellent procurement products (street<br>lights, security lights, tunnellights,floodlights,indoorlights, and downlights) in the 3rd Public Procurement Service in 2018.<br>It has been striving to continuously produce stable and high-quality products by receiving KS certification in all fields of LED lighting<br>including street lighting, security lighting, tunnel lighting, floodlight, indoor lighting, downlight, landscape lighting, sensor lighting,<br>and converter.<br>Osang Material and Electrical Technology has established and operated an affiliated research institute and an affiliated design re-<br>search institute. It has developed, designed, produced, and assembly products independently while prioritizing technologies through<br>patent application and registration, design registration, trademark registration, utility model registration, high-efficiency certifi-<br>cation, environmental labeling certification, and KS & Q mark acquisition. Osang Material and Electrical Technology is trying its<br>best to stabilize the post-sale product quality by improving the completeness of the product through directly designing and pro-<br>ducing products such as a converter.<br>Additionally, Osang Material and Electrical Technology acquired ISO 9001 and ISO 14001 and was selected as an Inno-Biz and an<br>excellent company by the Public Procurement Service to prove its production and technology will contribute to the development of<br>the domestic industry through exports. As such, Osang Material and Electrical Technology will contribute to the development of<br>the domestic industry through export |
| Product Name            | LED downlight/LED indoor lighting/LED Street Lights/LED Security Lights/LED Tunnel Lights/LED Flood Lights/LED lamp                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <patent 10-1496707:="" a="" and="" can="" control="" converter="" current="" dimming="" improve="" inrush="" led="" lighting="" that="" with=""> <b>※ Inrush current</b> Inrush current means the residual voltage remaining after the power is turned off. When the current is combined with the voltage-current applied when the power is turned on, the abnormal current and voltage over tens or hundreds A are instantaneously applied.</patent>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

Therefore, it can cause the failure of the product and other peripheral equipment or computers. Ex) When 20 streetlights are connected in series, the instantaneous applied current can reach 1000A. It may cause the failure of the

product and peripheral precision equipment (e.g., CCTV, surveillance camera, and traffic light).

## LED down light/LED indoor lights/LED street light/LED security lights/LED tunnel lights/LED floodlight

1. Owing to the application of the zero-cross detection circuit technology, it increases the stability of LED lights by preventing the damage of the LED module, because it senses the AC voltage supplied from the power supply unit and starts the SMPS converter when it has a value near OV to limit the inrush current within 5A.

2. It increases the economical efficiency when using LED lighting by applying the 1-10V dimming method, which allows efficient dimmina.

3. It has excellent temperature characteristics because it uses an electroless (무전해) condenser type converter. It also guarantees a lifespan of over 100,000 hours and has a surge resistance up to 10 kV against external forces such as lightning strikes.

### LED lamp

Product

Information

1. LED lighting with an internal or external type LED converter

2. Maximize the light source compared to existing lamps while reducing or saving harmful substances, waste, and energy. 3. Cost savings compared to the replacement cycle of existing fluorescent lamps (at least 5 times longer life)

# **CRITICAL TECHNOLOGY**

## Applied Zero-Cross detection circuit technology

Limits the converter starting and rush current to 5A or below at 0V input voltage > Secures the converter starting stability



## **Differentiated quality and performance**

Rush current control ability comparative test

## Other companies

• Applied products: LED street lighting fixture

- Rush current measured value: 49.75A
- Phase angle:  $sin (\theta + 90)$
- Applied converter: Other company's converter
- Rush current measured value: 50.15A
- Phase angle:  $sin (\theta + 270)$
- Phase angle:  $sin (\theta + 270)$

The application of the converter with the application technology shows that the rush current measurement value is much lower than that of the other company converter, which shows that its rush current control effect is excellent.

## Applied 1~10V dimming method

Efficient 1~10 dimming control through PLC communication > Energy-saving effect, Efficient operation of lighting facility

\* LED Interior lighting – Individual dimming control in variable resistance method and flicker-free

## **Applied electroless condenser**

Applied electroless condenser with excellent temperature properties and surge resistance **>** Guarantees long life, 10kV surge resistance against external force

| xisting converter that used electrolytic condenser |  |
|----------------------------------------------------|--|
|                                                    |  |





• Maintenance and repair costs are incurred due to changes in properties, such as evaporation of electrolyte at low and high temperatures.

costs





NE-LL40-L01 LED 실내조명등 | 40W | 1,247x312mm | 125 lm/W

**OSANG M&ET** 

®∛©**≡∩**∡©©⊪⊝ NE-LL40-L02 40W | 612x612mm | 126 lm/W



8%©**=**0×2®**0**<sup>®</sup>O NE-8LB40-50 40W | Ø230x61mm | 113.8 lm/W

## **OSANG M&ET**

- Applied products: LED street lighting fixture • Rush current measured value: 3.85A
- Phase angle:  $sin(\theta+90)$
- Applied converter: OSANG M&ET's converter
- Rush current measured value: 2.10A



- Converter that applied electroless condenser

• Operates normally at -50~95°C because it uses no electrolyte • With outstanding surge resistance, it can guarantee more than 100,000 hours of life, reducing repair and maintenance









⊕∦©**≡∩⊜**®®**₽**⊖ NE-RBM120-A 120W | 634x271x108mm | 126 Im/W



⊕∛©**=∩**⊜⊜∯⊝ NE-TBM100 100W | 535,5×390×102mm | 122,8 lm/W

⊕<u>∰</u>©**≡**∩≥©∭⊖ NE-EX-FL75 75W | Φ335×42 | 123,8 lm/W

⊕**#©≣**@**®®** NE-FBM600 600W | 508x410x173mm | 115 lm/W

8 OS-PL72 72W | 1,000×4,500mm

## **PEACE COREA Inc.**

## Company Name PEACE COREA Inc. President Address

PARK JUNG WOO 9th Floor, 286, Gwangnaru-ro, Seongdong-gu, Seoul, Republic of Korea

## Contact Point TEL E-mail Website

PARK JUNG WOO / CEO 1544-6949 BRAVERY@INDEP.KR WWW.INDEP.KR

| -0                  | Brand name              | INDEP                                                                                                                                                                                                                                                                  |
|---------------------|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Information | Certificate             | Sports Uniforms and Casual Clothing                                                                                                                                                                                                                                    |
|                     | Company<br>Introduction | PEACE COREA was established in 2019 and is a fashion brand company that develops lifestyle<br>and sports clothing with history-related contents with the goal of 'popularizing history'.<br>It is a fashion design brand that develops sportswear inspired by history. |
|                     | Product Name            | INDEP SPIRIT UNIFORM                                                                                                                                                                                                                                                   |
|                     | Product<br>Information  | We develop a unique uniform design by combining Korea's excellent manufacturing technology with the design of PEACE COREA                                                                                                                                              |



# INDEP

INDEP®EXCLUSIVE INDEP is a fashion design specialized brand and puts new and luxurious designs on sportswear.

## ATB-UV+ COOLEVER

MATERIAL

It offers differentiated fit unlike common uniforms by using specially-developed fabrics with elasticity, guick-drying, and antibacterial properties.

## SOCCER



## **KOLON MATERIAL**



Antibacterial Effects ATB-UV+ shows an excellent antibacterial effect of 99.9% and a microbial growth inhibitory effect even after washing it multiple times owing to the silver introduced by the special technology inside the yarn.

## Quick Moisture Absorption & Drying

ATB-UV+ is safe because it uses FDA approved safe silver. Quick Moisture Absorption & Drying

### Guaranteed UV protection

ATB-UV+ quickly releases sweat and dries because it has a carefully designed special cross-section structure.



LYCRA is a spandex fiber. Therefore, it is not too stretched out even due to frequent movements because it has excellent elasticity and resilience. It has good tensile strength, flexural strength, abrasion strength, and thermal stability with great dryness and washability.









#### EMBLEM

It presents unique exclusiveness using INDEP-made emblem built on its detailed design planning based on the tendency and characteristics of each team.

## CUSTOMIZED DESIGN

It is possible to customize the design of all uniforms, including emblems. It is also possible to express a team's personality easily by modifying or adding in-house emblems and numbering based on INDEP's basic sports uniform design. Antibacterial Effects

# BASKETBALL BASEBALL

HUVIS COOLEVER™



#### Excellent Absorbency and Dryness

The cross-section Cool Ever has a large surface area, at least 30% larger than the circular cross-section of conventional fabric, to quickly discharge sweat from the skin and introduce external air, resulting in a pleasant feeling at all times.

## **PUSHPULL SYSTEM CO., LTD**

Company Name PUSHPULL SYSTEM CO., LTD

SONG SUNGMYON

103 L Dong, Hongik University,

Sejong Campus, Jochiwon-Eup

Information

President

Address

| Sejong, Korea 30016 |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|---------------------|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                     |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                     | Brand name              | BABA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                     | Certificate             | KC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                     | Company<br>Introduction | Pushpull System Co., LTD is specialized in developing, manufacturing, selling especially for me-<br>chanical door-lock and digital door-lock system. As a Korean Premium Digital Door Lock producer,<br>we have been recognized as a research and market leader in Korea in terms of a number of smart<br>lock innovations. Being located in Korea Fusion Research and Production Center, Daejeon city,<br>we have been actively putting our research efforts to create the most innovative digital and<br>mechanical door lock products.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                     | Product Name            | BABA-8100, BABA-8200, BABA-8201, BABA-8300, BABA-8301                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                     | Product<br>Information  | <ul> <li>BABA-8100,8200,8201,8300,8301 new premium product that Pushpull System Co., Ltd has recently introduced in the market. Product can be operated with 2- WAY, 3-WAY, 4-WAY opening methods along with additional WiFi, Bluetooth or remote control connections.</li> <li>Anti-shake technology is applied to make door more stable and unshakable.</li> <li>Smart lock front part is made of iron, zinc that provides customers a best image of security.</li> <li>Also, there is voice announcement function which helps customer to understand more about setting process. English, Korean, Chinese and Vietnamese languages are applied.</li> <li>Baba mobile application can control lock system no matter where customer is and customer can see history of lock entry, make one time password, open or close lock and check lock status even if they are out of house.</li> <li>Fire alarm system, shock neutralization function, intrusion or breakage alarm functions, master card and master password functions are basic settings that deliver more customer satisfaction.</li> <li>Even if customer uses voice output function, battery consumption can be up to 8-10 months.</li> </ul> |

SONG INHWE

+82-10-6261-9582

www.babalock.com

push9582@pushpull.kr

Contact Point

TEL

E-mail

Website

onbo



## PREMIUM SMART Doorlock New Model

leni







Premium Smart Digital Doorlock



## State-of-the-art fingerprint identification

A fast and accurate fingerprint recognition system makes it easy for everyone in your family to open the door without having any fingerprint trace



Through the app connected to Wi-Fi, you can check the realtime door lock status and manage accessor records, one-time password issuance, registered user information, etc.



12

()

3



The voice announcement instructs you how to use and operate door lock easily and conveniently.

## Imaginary password

If you are concerned about exposing your password to others, you can secure your password by entering any numbers before your actual password. (Max 20 digits)



If an abnormal high temperature is detected inside the house, a quick evacuation alarm will sound and the door will open every



To be more secure, you can use external double lock functions. when going out for a long time. Strong alarm sound will be generated when door opened using handle or opened by force.

## Internal double forced lock

With internal double lock function, attempting a card or fingerprint will cause the LED to flash and all authentication methods except the master will be rejected, disabling all extemal opening methods except for master or override key.



6

## Register 50 Cards

In addition to the card key that comes standard, it is equipped with a large memory that can register up to 50 cards for both: general registration and individual registration.



## Intrusion detection and breakage alarm

When door opening is detected in abnormal way while the door is locked, 80dB powerful alarm sound is generated to inform neighbourhood to prevent theft damage.



## Door shake prevention

The patented unique feature automatically catches the swing door lock interval to prevent outside noise when there is wind or strong noise outside



## 5-WayAuthentication method

There are 5 ways of fingerprint, key, password, card and remote control. If you lose your smart card, you can delete the lost smart card by deleting the existing data and re-registering the extra smart card



## One touch method

One-touch operation that can be operated simply by touching smart lock number panel screen, all operations are easy and advanced.

## **REV-MED**

# **Company Information**

## Company Name REV-MED

President Edward Shin Address #301, 464, Dunchon-daero, Jungwon-gu, Seongnam-si, Gyeonggi-do, Republic of Korea, 13229

## Contact Point TEL E-mail Website

Juni Lee / Sales Representative +82-70-4681-5147 Juni@rev-med.co.kr www.revmedinc.com

VREV-MED

# TriCell

Depending on the patients' treatment requirements, TriCell can produce a plasma product with high or low counts of Platelets, WBC and/or RBC.

should be re-suspended into the patient's own plasma.



# Hilthera4.0

Go for the new revolution in the name of the innovation of laser technology!



04/ SPEED Prompt treatment by **30Hz beam speed**. Even energy by high density of beam

| U        |
|----------|
| 0        |
| C        |
| ด        |
| -        |
| -        |
| ゴ        |
| ວັ       |
| Ξ.       |
| 3        |
| ನ        |
| <u> </u> |
| ÷.       |
|          |

| Brand name              | 1. TriCell PRP 2. TriCell BMC 3. Hilthera 4.0 4. Plasma D30 spine system                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Certificate             | CE, ISO, KFDA, PMDA, CFDA, etc.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |
| Company<br>Introduction | REV-MED<br>Revolutionary Medical Device Manufacturer for Regenerative Medicine Solutions<br>⊙ TriCeLL PRP kit ⊙ TriCeLL BMC kit ⊙ Hilthera 4.0(Pain Laser) ⊙ Plasma D30 spine system<br>REV-MED has the most innovative and effective Autologous Stem Cell technology.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |
| Product Name            | 1. TriCell PRP 2. TriCell BMC 3. Hilthera 4.0 4. Plasma D30 spine system                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |
| Product<br>Information  | <ul> <li>1. TriCell PRP <ul> <li>Specification</li> <li>Blood amount: 15ml, 30ml, 50ml / Length: 147.5mm / Weight: 74g</li> <li>Information</li> <li>REVOLUTIONARY PLATELET PLASMA PRODUCTS FOR EXPERTS</li> <li>The TriCell Kit allows the healthcare professional to produce a specific Platelet Plasma Product to meet individual patient requirements.</li> <li>The TriCell Plasma Product Kit configurations allow for the production of 1-4ml:</li> <li>Platelet Rich Concentrate (PRC),</li> <li>Platelet Lite Concentrate (PLC) or Platelet Conditioned Plasma (PCP)</li> </ul> </li> <li>2.TriCell BMC <ul> <li>Specification</li> <li>Bone marrow amount: 50ml / Length: 148mm / Weight: 78.4g</li> <li>Infirmation</li> <li>POINT-OF-CARE CELL THERAPY</li> <li>5-20times native in less than 14minutes</li> <li>The TriCell Bone Marrow Concentrate (BMC) Kit reliably delivers a patient specific customized BMC product at point-of-care.</li> <li>Due to the unique hour-glass design, an integrated filter and its re-sealable fill cap TriCell BMC accurately produces high concentrations of mesenchymal stem cells (MSCs) and hematopoietic stem cells (HSCs) without a breach of the sterile barrier throughout the whole production process.</li> </ul> </li> <li>3. Hilthera 4.0 <ul> <li>Specification</li> <li>Laser Medium: Nd:YAG / Wavelength: 1064nm / Electrical: 220V 50/60Hz 2.5KVA</li> <li>Weight: 110Kg / Touch Screen Size: 8.4" / Dimensions (W x D x H): 400(mm) × 921.5(mm) × 956.6(mm)</li> </ul> </li> </ul> |  |
|                         | <ul> <li>Information         <ul> <li>PAIN MANAGEMENT WITH HIGH-INTENSITY ND:YAG LASER THERAPY</li> <li>Hilthera4.0 provides the optimal therapeutic option to treat acute and chronic pain by safely reaching deep tissues without causing thermal injury or damage to the patient.</li> <li>Hilthera4.0 delivers the most specific non-invasive therapeutic laser wave penetration for the treatment of painful joint pathologies, deep muscle injuries, tendon injuries and bone related ailments.</li> </ul> </li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |

## The TriCell Platelet Plasma Kit is designed to produce Platelet Plasma Products that can be individualized to meet specific therapeutic demand.

The unique dial-in hourglass technology allows the physician to determine the appropriate plasma product for customized treatment protocols.

## • 01/ SAFE

It's safe by reducing the danger of burns **due to enough TRT.** It's able to deliver rich energy to the target in the skin safely than other machines because it is able to treat target accumulating thermal energy only in targeted center.

## • 02/ INTENSE

Emits high-peak power (8000W) for a short on time. Provides enough thermal relaxation time for the tissue due to a long off time. Delivers high energy to deep area that can not be reached in CW or CW on-off mode.

## • 03/ DEEP

The reason that Hilthera beam is able to reach to deep point is vertical energy transfer by using High peak power of **short pulse duration**.



SHOULDER



**ELBOW** 



## **RNS Inc.**

Address

oduct Information

## Company Name RNS Inc.

President Kim cheong taek 1,62-8,Techno 1-ro,Yuseong-gu, Daejeon, Republic of Korea

TEL

#### Lim jun hyo, Manager of RNS Inc. Contact Point +82-70-7727-9221 limjunhyo@biorns.com E-mail Website www.biorns.com www.arayun.co.kr

rns

| Brand name                             | ARAYUN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Certificate                            | ISO9001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Company<br>Introduction                | RNS Inc. is an eco-friendly and a technology-intensive company specializing in dermatology,<br>which explores nature for beauty & skin health and develops bio-active compounds from natural<br>products.<br>-Main Business<br>fine chemistry(Raw materials for medicines and cosmetic) cosmetics functional manufacturing<br>and whoesale/retail services. Research and Service                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Product Name Biota Oriental Hair Tonic |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Product<br>Information                 | <ul> <li>Natural biocompounds give nutrients and energy to the scalp to have thick and abundant hair.</li> <li>Economical equal spraying <ul> <li>wide spraying with small amount.</li> </ul> </li> <li>Fluffy feeling, non-sticky.</li> <li>No skin stain.</li> <li>Main Componemts <ul> <li>Biota Orientalis Leaf Extract</li> <li>Eclipta Prostrata Extract</li> <li>Diaminopyrimidine Oxide</li> </ul> </li> <li>Directions <ul> <li>One bottle for a month (Everyday use)</li> <li>Two times in a day (Morning/Evening)</li> <li>Fully spray onto scalp and massage.</li> </ul> </li> <li>Effects <ul> <li>10 times more effective in hair growth than Minoxidil.</li> <li>Prevents hair loss and promotes hair growth after 6 weeks of use.</li> <li>No worries to side effect in pregnant women and erectile dysfunction in man.</li> </ul> </li> </ul> |

## "Natural biocompounds help you to have thick and abundant hair by giving nutrients and energy to the scalp."



# **BIOTA ORIENTAL** HAIR TONIC







Is your scalp condition fine? There are some symptoms caused by scalp problems,

> Too much dead cells Thinning hairs Hair loss Appearing scalp skin

If you want a thick and abundant hair, Secret recipe to find beauty from nature Biota Oriental Hair Tonic

One bottle for a month (Everyday use) Two times in a day (Morning/Evening) Fully spray onto scalp and massage,

Natural biocompounds help you to have thick and abundant hair By giving nutrients and energy to the scalp.

#### Biota oreientalis

Har growth stimulants were found from leaves of linea orientalis by 7 year research of Eco-vis laboratory, and also those components were extracted and refreed to highly pure natural-based blocompounds. Blots orientable is commonly known as tree of life. Biocompounds of its extract care treet scalp due to external stimult, and promote har growth by activating hair growth factor.

#### Scalp care complex

Scalp care complexity a concentrated long term line tomperature entrac solution of underlying riskaral plants without any loss of nativents. Edipte Products, Chrysenthernein monkolum, Pritikeria wertschate built, Algenia Officinarian Root, Kalempferia Galenga Noti, Liguidrum Lacidium Prat, Fanax Ginerig Root, Nekambo Nuclima Seed anti Patycodon Grandiflorum Root) It gives natural natritive components to the scalp for fealing and thicker halt

## Biocompounds from Biota orientalis work as a multi-funtional compound which has diverse functions related to hair growth; 1. which for eductors invitation of CMT constants: finanterials local medication

- mechanism of hair growth
- 2. Increase VESP creation tactivation of han cell's removalit (topical mechanism electroniam of hair growth
- 1. Increase 3-caterie-creation induction of her folicie overbody free mechanism of heir growth
- It helps last has growth by activating mechanism 1.2 and new rescharition 5

#### Role of B-catenin in hair



+ @-catenin increase in 2-cateria affects demost to be germinal matrix

call which promotes hair growth.

## SAMSUNG CONTROL VALVE

**Company Information** 

Company Name SAMSUNG CONTROL VALVE President Cha Chang Ho Address 21, 266 beon-gil, Bucheon-si, Gyeonggi-do, Korea

Contact Point TEL E-mail Website

SAMSUNG

Eddie I.SEOL +82-2-2634-9066 export@samsungvalve.com http://www.samsungvalve.com

| Product Information | Brand name              | SAMSUNG CONTROL VALVE DOME VALVE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|---------------------|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                     | Certificate             | _                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                     | Company<br>Introduction | CEO Chang-Ho Cha, who had been a valve engineer, considered and researched about<br>the problems of valve and ways to deliver better performance. Recognizing the need for<br>special valves for many items in advanced and specialized fields, he founded Samsung<br>Control Valve in 1990 to produce valves suitable for globalization.<br>Typical valves are not durable as they have a short lifespan and wear excessively.<br>In particular, Samsung Control Valve noted that valves have not been professionally<br>developed for solid (powder) transfer lines durability, and thus, started to research and<br>develop dome valve and pinch valve from 2008. In cooperation with domestic companies,<br>Samsung Control Valve continuously updated field test (TEST-BED) results for 2 years,<br>developing products that offer easier and faster maintenance by customers.<br>Currently, Samsung Control Valve has 90% of domestic market share and is recording<br>more than 400 billion won in annual export through indirect export by participating in<br>overseas projects of coal-fired power plants and EPC companies. In addition, Samsung<br>Control Valve is exporting to more than 17 countries (only for exporting to large domestic<br>EPC large companies) by finding buyers from holding three exhibitions every year. |
|                     | Product Name            | DOME VALVE, GLOBE VALVE, PINCH VALVE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                     | Product<br>Information  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |



## Pinch Valve

Pinch valves are optimized for flow control of media containing slurries and for pipelines transporting powder. The valves are available in cast, cast steel, stainless steel and aluminum, and sizes are range from 50A to 300A.

Fields of application: slurry transportation facilities in power plants, sewage treatment plants, mining facilities and paper mill

64



## Dome Valve

For our Dome valves, we implemented standardization by specification on the parts even from the 3D design stage, enabling production at a lower cost. Applying optimal technologies with reinforced wear resistance and tungsten carbide coating, our dome valves are proven to last 3 to 5 years compared to existing values that are used about 2 months. Sizes are available from 50A to 300A.

Fields of application: transportation of cement, steam power plant ash, mine facility flour, steal plant steel powder



## Globe Valve

Globe control valves are optimized for the transportation of gas, steam and liquid. The control mode comes with PID control and ON-OFF control. The production materials are cast steel and stainless steel, and sizes are available from 15A to 450A.

Fields of application: power plant, chemicals, food, bio, and gas facilities

## SEJONGMALL Co., Ltd.

Company Name SEJONGMALL Co., Ltd. President Mr. HYEONG SEOK, SHIN Address 3498-15,Hoguk-ro, Yeongbuk-myeon, Pocheon-si, Gyeonggi-do, Korea

| (주) <b>세 종 몰</b> | HAGOROMO |
|------------------|----------|
| SEJONGMALL       | Chalk    |

| Contact Point | Mr. HYEONG SEOK, SHIN / CEO |
|---------------|-----------------------------|
| TEL           | +82-31-532-2325             |
| E-mail        | swanja@hanmail.net          |
| Website       | http://en.sejongmall.co.kr/ |
|               |                             |

| Brand name              | HAGOROMO Chalk                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Certificate             | European Safety Certification(CE), ISO9001, Korea Safety Certification(KC)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Company<br>Introduction | I had built and maintained a solid and reliable relationship with the president Hagoromo for a long period of time. He decided to shut down his business. He hand edover all machine and manufac-<br>turing knowhow of Hagoromo Chalk which has been run by his family for three generations (ap-<br>proximately 8 decades) to me. As a result, SEJONGMALL has been able to manufacture and<br>provide premium chalk made in KOREA at far lower prices. As present, more schools, private in-<br>stitues and colleges use Hagoromo chalk because of high quility and economic advantages. In par-<br>ticular, thanks to 'great visibility (clear and vivid enough to make out the color)', it's very polu- lar<br>for online lectures. Currently, our products used in the best universities and schools in the world,<br>includ- ing the United States, Japan, and China. |
| 1) Product Name         | Nature Chalk                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Product<br>Information  | No harm to human health, no chalk dust on your hand.<br>- Made of the finest calcium carbonate, it's light and draws very smoothly. With clear-<br>color and great visibility, it makes students more concentrated. It erases very well<br>and generates little chalk dust.<br>- It is thick and long so that it's very efficient from an economic standpoint. easy to<br>hold and well coated, causing no chalk dust on your hand.<br>- Economic advantage(Durability) : Do not just compare the price of chalk. You have<br>lose 4-5chalks because of breaking, now you can use the durable hogoromo chalk                                                                                                                                                                                                                                                               |
| 2) Product Name         | Chalk & Paper Blackboard Kids Set                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Product<br>Information  | A set for conversation and study through play with a new concept for enhancing creativity.<br>- A paper blackboard with the same feel of a blackboard made with patented technology<br>- Able to write and erase repeatedly!! much more economical than a sketchbook<br>- No harm to a human body by using top-quality natural calcium carbonate material,<br>obtained KC Mark<br>- Easily portable both indoors and outdoors<br>- No chalk powder on the hand when coated part of the chalk held by hand<br>- New microfiber magnetic eraser included!!                                                                                                                                                                                                                                                                                                                   |
| 3) Product Name         | Magnetic Wonder Paperboard                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Product<br>Information  | It is possible to stick it on the wall, and iron is included in the board, so magnetic is attached.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |



Economic idvantages Do not just compare the price of chaik! While you lose 4-5 chaiks because of breaking, Hagoromo Chalk is still intect, it is 3-4 times more advantageous from an economic point of view. More schools and private institutes now choose Hagoromo Chalk.



Do you want to deliver the best lecture? Writgreat color visibility and smoothness, Hagoromo Chalk makes students more concentrated. A key tool for lecturers! Be ready to give the best lecture with Hagoromo Chalk!

03 📥 little chalk dust.

Hagoromo Chalk is made of the best carbonated material. Witspecial compression molding and drying system, its particles are heavy and rarely fly so that they mostly fall down on the supporting slot on a blackboard.

## Wise and rational choice! It is HAGOROMO Made in Korea

®You can use it without anxiety as we use raw materials harmless to the human body and our products "passed" all safety certifications.



Fallouch

uninous

It is just a chalk! However, we have our proud brand name 'HAGOROMO' engraved on each chalk with sincerity!



## Trust, Confidence And **Highest Quality!**

These are our valuable assets!







## Spina Systems Co., Ltd.

**Company Information** 

Company Name Spina Systems Co., Ltd. President Dr. Hun Kyu Choi Address #504-1 Bldg B, Bundang Techno Park, 723 Pankyo-Ro, Bundang-Gu, Seongnam, Kyunggi-Do, Republic of Korea

## Contact Point TEL E-mail Website

Min Kyeong Sohn +82-70-4801-0048 minkie@spinasys.co.kr www.spinasys.co.kr

SPINA

| σ                   | Brand name              | Mirus-10000, Mirus-Edu, Pedisol                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Information | Certificate             | KC, CE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                     | Company<br>Introduction | Established in 2003, Spina Systems Co. Ltd. is an R&D company specializing in development of embedded system design and manufacturing for the controller of electronic podium system. Spina's range of technologies cover integrated transmission, sensor network, wired and wireless communication, multimedia encoding/decoding, video stream processing, remote monitoring and control, etc.<br>Spina's R&D team is continuously accumulating knowledge in hardware architecture design, device driver, firmware and software application. Spina has recently developed force sensor technology which are applicable to various areas from medical devices to wearable healthcare products. All of Spina products are developed in-house by the company's highly qualified R&D staff with abundant experience in the industry. |
|                     | 1) Product Name         | Mirus-10000, Mirus-Edu (Electronic Podium System Controller)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                     | Product<br>Information  | Mirus-10000 and Mirus-Edu are full HDMI multi audio-video switchers featuring up to 3 inputs(desktop, laptop, USB, blueray, etc) and 4 outputs(beam projectors, monitors, etc). Spina's electronic podium system controller integrates cost-effective embedded system design technologies to reduce the number of cables up to 80% to connect audio/video devices located in the chassis, dramatically reducing the frequency of A/S.                                                                                                                                                                                                                                                                                                                                                                                             |
|                     | 2) Product Name         | Pedisol (Smart Insole for analyzing static balance and gait patterns)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                     | Product<br>Information  | Pedisol is a wearable healthcare device equipped with pressure sensors and wireless communica-<br>tion modules in the shoe insole to analyze static balance and gait patterns through smart devices.<br>It can be used for gait correction and rehabilitation, replace expensive clinical gait evaluation<br>equipments, and provide various applications according to the user's needs.                                                                                                                                                                                                                                                                                                                                                                                                                                          |

## Wired Electronic Podium











## Mirus - Station Features

### **USB Cable Integration**

- Integration and transmit video/audio/ network signals through a USB cable [Patent No.10- 0944683]
- Eliminate the cable connection problem

#### 7" Color LCD Touch Control Panel

- Easy to operate and check equipment status by adopting 7" color LCD touch control panel

### Easy Selection of Input/Output Devices

Easily select the input/output devices required by an instructor using the input/ output selection buttons

- Desktop, Laptop and HDMI external equipment [camcorder, DVD, etc]

#### **Peripheral Device control**

Easy control of peripheral devices with a simple button operation

- Electric screen, electric curtain, beam projector and PC power

## Smart Insole Key Features

- Introduced cost-saving manufacturing technology for FSR sensors (Patent Registered)
- Improved durability, heat-resistance, humidity-resistance
- Static Balance Analysis just in 30 seconds
- Gait Pattern Analysis [gait cycle, COP trajectory, pressure distribution, gait analysis graph, improvement graph, etc]

## **SUNG GUN CAP**

Company Name SUNG GUN CAP President Kim Bok Kyu Address

138-2, Dongmyeong-ro 132beon-gil, Nam-gu, Busan, Korea

● 成根모자

Contact Point Kim Myung Hwa TEL E-mail www.sgcap.net Website

+82-51-622-2031 service@sgcap.net

| Brand name              | CVORE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Certificate             | Patent Registration in Korea, No. 10-0902682, Sun cap with improved functions                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Company<br>Introduction | SUNG-GUN CAP develops and manufactures high quality fashionable and functional hats for<br>health and leisure sports activities of modern people.<br>Through rigorous R&D for more than 30 years, we have a number of patents, registered utility<br>models and designs, including hats that are easy to carry, restore their original form after<br>long-term storage and have wings for storage. In addition, we operate our own factory, which<br>allows us to take small orders and manufacture products with materials and designs tailored to<br>our buyers' needs. Taking advantage of our abundant know-how accumulated over many years,<br>we will continue introduce best quality functional fashion hats that meet the trends and changes<br>of the times. By staying abreast of technological progress, we will lead the market in Korea and<br>abroad. |
| Product Name            | Wing cap                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Product<br>Information  | <ol> <li>Both side of cap have hidden wings that can be spread.</li> <li>With the visor wrapping up to ear part, this cap blocks intensive sunlight.</li> </ol>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

Wing cap / Metal wing cap / Flower pattern Wing cap

1. Both side of cap have hidden wings that can be spread. 2. With the visor wrapping up to ear part, this cap blocks intensive sunlight. 3. The head straps made of bio ceramic material keep the brain clear











Flower pattern Wing cap



70

● 成根모자

3-70


# **Company Information**

### Talmode

Company Name Talmode President Kim Tae Hyeon Address 1F 182ho, Tenshill, 137, Majang-ro, Seongdong-gu, Seoul, Republic of Korea

### Contact Point TEL E-mail Website

Kim Tae Hyeon , CEO +82-2-965-8575 talmode0202@gmail.com www.talmode.net

€

| Brand name              | talmode                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Certificate             | -                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Company<br>Introduction | <ul> <li>Talmode</li> <li>The Talmode Hair Loss Clinic Network launched its hair loss specialty network in 2007.</li> <li>Modern people suffer from hair loss due to dietary habits and genetic factors.</li> <li>Talmode is a company that works hard to accurately diagnose and manage the cause of hair loss.</li> <li>The Talmode Hair Loss Clinic Network has 10 years of know-how and intensive 8-week intensive programs to accurately diagnose hair loss diagnosis systems and provide 1: 1 customized care and services. We do our best to satisfy our customers.</li> <li>Talmode Hair Loss Clinic Network Hair Loss Treatment and Management is an upgrade service not only to complete but to complete healthy hair and beauty.</li> <li>We are striving to satisfy our customers with our management philosophy of "Best quality, Best service, New product development". We are more proud than other managed services.</li> <li>We look forward to the development and appreciate your affection and interest.</li> </ul> |
| Product Name            | Daily Triple Shampoo                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Product<br>Information  | Need to prevent hair loss and promote effective hair growth Dr. Care System<br>Daily Triple Shampoo contains more than herbal ingredients to help scalp and hair grow, and<br>contains cooper-peptide, biotin, and milk proteins to nourish scalp and hair, helping to clear and<br>healthy scalp and hair.<br>- Improved hair loss<br>- Supplies nutrition to scalp hair<br>- improved hair thickness<br>- Promotes hair growth                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

## It is developed and used with long experience and know-how Hair loss Dr. System



### Scalp hair nourishment management : start of hair loss improvement

NO

-



### What is sulfate-free?

It means that it does not contain sodium lauryl sulfate, sodium laureth sulfate, ammonium lauryl sulfate, and ammonium laureth sulfate.



### Needed to prevent hair loss and promote effective hair growth. Care System



AIR CARE



healthy scalp and hair care are important for hair follides.

Therefore, the special ingredient of TALMODE Scalp Care deodorizes the pores, removes wastes, keratin and sebum, and supplies nutrition to help improve the scalp. It opens the clog ged pores and strengthens the pene trating hair so that the residual hair grows deep inside the pores.



### **TL-Industry Co., Ltd.**

| Company Name | TL-Industry Co.,Lt |
|--------------|--------------------|
| President    | KIM CHANG SIK      |
| Address      | 513ho, 65, Techno  |
|              | Yuseong-gu, Daej   |
|              | Republic of KORE   |
|              |                    |

| ustry Co.,Ltd.     | Сс |
|--------------------|----|
| HANG SIK           | TE |
| , 65, Techno 3-ro, | E- |
| ng-gu, Daejeon,    | W  |
| lic of KOREA       |    |

| Contact Point | Yoo Ki Hoon / Planning Team Leader |
|---------------|------------------------------------|
| TEL           | +82-70-5129-5230                   |
| E-mail        | ap500035@naver.com                 |
| Website       | http://www.tl-industry.co.kr       |

22

(주)티엘인더스트리

| Produc              | Brand name              | SMASHINGZON                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|---------------------|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                     | Certificate             | KC, K, ISO 9001, KISS, CE, FCC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Product Information | Company<br>Introduction | TL-Industry aims to grow as a company that leads the sports market by pioneering in a way that<br>has never existed before : promoting everyday sports and easily approachable leisure activities.<br>We have tapped into a completely different virtual reality market with our badminton equipment<br>manufacturing technology.<br>As a result, we have created 'SmashingZon', which everyone had said was impossible.<br>SmashingZon is not just a fun experience. It is fun and a good way to exercise. Play against<br>characters in the game, practice badminton skills, and play mini-games that are simple but require<br>agility and accuracy.                                                                                                                                                                                                                                                                                                   |
|                     | 1)Product Name          | Smashing Feeder                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                     | Product<br>Information  | Ability improving hardware! Practice badminton!<br>TL-Industry's badminton practice equipment 'SMASHING FEEDER' helps improve badminton skills.<br>Its excellent functions are widely popular and it is sold individually to schools, clubs, and other<br>places.<br>- Six containers are installed to hold 90 or more shuttlecocks.<br>- It can be used continuously with the motor rotation function.<br>- Launch speed and frequency can be controlled.<br>- Selective launch to nine sections or random launch to any direction.<br>- Carrier-type movable stand that can be stored after separating from the launching part.                                                                                                                                                                                                                                                                                                                         |
|                     | 2)Product Name          | Smashingzon                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                     | Product<br>Information  | SmashingZon is not just a fun experience. It is fun and a good way to exercise. Play against char-<br>acters in the game, practice badminton skills, and play mini-games that are simple but require<br>agility and accuracy!<br>This is the first interactive screen sport virtual reality sports game which narrows the distance be-<br>tween the players and the game's characters. This provides the real feeling of exercise and thrill of<br>playing badminton. The<br>players can adjust the game however they wish.<br><b>Rally Mode</b> - The regular game to 11 points against an AI character The players can choose their<br>own difficulty level and the opponent<br><b>MiniGame Mode</b> - Players compete for higher scores in three mini-games(A Balloon pop/Breaking<br>glass/A Target break)<br><b>Lesson Mode</b> - Repeat exercises from the basic to skillful plays with explanations and demonstra-<br>tion by the coach character. |

### The AlphaGo of badminton!



# I play a lot of badminton, 🙂 WITH SMASHING ZONE!





#### A. Shuttlecock Tank

Constant a large present of shattlenes to with Enderson present

B. Shuttlecock Shooter

C. Control Panel Ability to control speed and frequence Choose between it different sones and able to Fer-in random directions

D. Stand Ponable can be type stand that can be separative to the separative to the separative sep

### **SMASHING FEEDER** (TL-153)

Smalleng Reader is an automatic shuttlecack pitching machine that can be used to to improve overs had minion skills.

### **TOV KOREA**

**Company Information** 

### Company Name TOV KORE Kim, nam Address 41-48, Ga Heungdeo

| TOV KOREA                      |
|--------------------------------|
| Kim, nam geun                  |
| 41-48, Garosu-ro 1164beon-gil, |
| Heungdeok-gu, Cheongju-si,     |
| Chungcheongbuk 28377, KOREA    |

### Contact Point TEL E-mail Website

K.Scott / Director +82-10-6221-5358 tovkorea1@hanmail.net www.tovkorea.co.kr

TOV

KOREA

| J        | Brand name              | TOV                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|----------|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| roduc    | Certificate             | ISO9001, ISO14001 ,CE ,TRCU                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| t Inforn | Company<br>Introduction | Specialized in excavator attachment manufacturing and exporting                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| nation   | 1)Product Name          | Recycling Waste Cutter                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|          | Product<br>Information  | It is a special cutter for cutting wastes it uncovers a new sector that cannot be done by existing products. It is approximately 10 times more effectives than existing similar products, Compared with Japanese and advanced European products, it is competitive in a crushing power, efficiency, technology, and price.<br>It can cut things regardless of the shape. Particularly, it has excellent workability for the treatment of wastes, ropes, large plastics, waste netting, waste tire and large household and industrial malignant wastes. |
|          | 2)Product Name          | Hydraulic Crusher                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|          | Product<br>Information  | It is an attachment to an excavator. It has a function of crushing reinforcing bars and concrete.<br>It is also possible to compose products according to the capacity of an excavator.<br>It used wear-resistant steel to strengthen the durability, which maximizes crushing power and<br>durability. Depending on the characteristics of the work, JAWS can be used selectively.                                                                                                                                                                    |
|          | 3)Product Name          | Hydraulic Shears                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|          | Product<br>Information  | An excavator attachment used for cutting reinforced concrete and wastes.<br>Possible to choose one-cylinder type and two-cylinder type according to the work characteristics.                                                                                                                                                                                                                                                                                                                                                                          |





# Recycling **Waste Cutter**

Working performance increased over10times Industrial, Tire, Fishnet, PVC, Paper, Vinyl Waste Processing Smart cutting Attachment!





### Strengthening cutting

Cut waste net, rope, optical cable, large waste plastics, and roll films

Synthetic resins, large ropes, metals, primary cutting of large waste tire, and 360-degree hydraulic rotation type

# TOV Rotating Crusher Series

Dynamic Power, Durable structure, Speedy motion, Easy maintenance

- Strong Power! Perfet performance, outstanding durability and safety. Securing the highest profit with the best work efficiency in all kinds of fields,
- The TOV Crusher units are easily maintained and the bibrationless properties allow exceptional efficiency in all work fields.
- Just Cursher can perform the function of two, You can easily switch the strong powered first crusher to the second one in a short amount of time.





#### Customized cutting for each waste material



secure economic efficiency and work stability compared to common cutting machines

Maximization of work efficiency

30~40ton/day for optical cable, up to 10 times higher than existing machines

# **Company Information**

oduct Informatio

### True Light Power Tech Co., LTD.

Company Name True Light Power Tech Co., LTD. President NAM CHANWOO 14, Beolmoruap-gil, Uiwang-si, Address Gyeonggi-do, Republic of Korea



Contact Point +82-2-2069-3191 nam2743@naver.com Energyok.net

TEL

E-mail

Website

| Produc        | Brand name              | i-kit                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|---------------|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|               | Certificate             | Certificate of patent(KOREA)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| t Information | Company<br>Introduction | <ol> <li>The synopsis of True light<br/>Upright! Distinct! Together!<br/>We will devote ourselves to the challenge of new things, fear no mistakes, turn problems into<br/>opportunities, become the true light of the world, and devote ourselves with all our heart, will,<br/>and devotion to everything.</li> <li>The Introduction of True light<br/>We are a switchboard and distribution board panel manufacturer and electrical contractor<br/>company established in 2012.<br/>Currently, we are working to increase convenience for existing products by developing a lighting<br/>control system using mobile and an alarm system that detects switchboard abnormality.</li> </ol> |
|               | Product Name            | i-kit distribution panel board                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|               | Product<br>Information  | -kit distribution panel board is the true modular distribution panel board which has safety,<br>affordability, scalability, productivity, standardization and convenience.<br>Its branch bus-bar is securely installed inside the assembly insulating case of modular i-kit<br>(molded case) based on the stable structural advantage of general distribution panel boards.<br>It is significantly improved the expensive and complex work processes of main and branch<br>bus-bar.                                                                                                                                                                                                          |

## Free and optimal extension starts with the modulation of the minimum unit.

Introduction of the innovation of the complete distribution panel board based on the understanding of the principle and structure



i-kit distribution

panel board

Main Bus-Bar is located inside i-kit, branch Bus-Bar is located inside the molded case of i-kit and terminal covers are molded between the circuit breaker and ikit and between the circuit breaker and main Bus-Bar. Stability is ensured because live part is not exposed. Protection-cover is not needed but installable.

### Economical Efficiency

Complex work process in main and branch Bus-Bar compared to general distribution panel boards is dramatically improved. Excellent economy is ensured by improving the use of additional components and expensive materials due to structural transformation of the existing distribution panel board.

### 3 Scalability

Simple arrangement of i-kit to the additional space on the main Bus-Bar makes on-site response action due to the further extension and design changes possible.









### Strong points of i-kit module

Promise of differentiated technology of i-kit only

### 4 Productivity

The main Bus-Bar does not need work processes of any punching, tapping, bending and insulating tubes, the branch Bus-Bar can be replaced by a standard-Ized i-kit. So unskilled workers can operate and this productivity is superior to the general distribution panel boards and the existing prefabricated distribution panel boards.

i-kit by standardizing the main circuit breaker capacity can realize standardization to facilitate replacement. phase change and extension.

#### 6 Convenience

The combination of main Bus-Bar and i-kit is completed by tightening of Vis for upper Bus-Bar of i-kit and does not need additional work processes so everyone can perform the work easily.

### VOASTECH

### Company Name VOASTECH

CHOI YOUNG JOON President Address 65 Hanshin Esmeka 513 Techno 3-ro, Yuseong-gu, Daejeon

### Contact Point TEL E-mail Website

CHOI YOUNG JOON / CEO +82-507-1406-5656 cs@voastech.com www.voastech.com

| 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1                                                 | Dr. Light Skin Mist                                                                                                            |
|----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
|                                                                                        |                                                                                                                                |
|                                                                                        | Far infrared raysBriPeople who are con-<br>cerned about skin aging<br>such as acne, freckle,<br>and age spotsLighte<br>- brigh |
|                                                                                        | Dr. L                                                                                                                          |
| Vitamin B12 and<br>Cobalamin                                                           | Hydra Vita<br>Serum,                                                                                                           |
| Fortifies skin's natural<br>vitality and barrier by filling<br>the skin with essential | B12                                                                                                                            |
| vitamins and skin energy.                                                              | B5 D-r<br>Cre<br>the                                                                                                           |
| 2 A                                                                                    | Dr. Light Shampoo                                                                                                              |
|                                                                                        |                                                                                                                                |



improvement

Alleviating hair loss such

as acne, freckle, and

Revitalizing healthy

cells, cool and fresh

feeling, and strong skin

pores

Damaged hair Damaged hair due to frequent perm and dye

| , | Brand name              | DR.LIGHT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|---|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|   | Certificate             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|   | Company<br>Introduction | <ul> <li>VOAS Tech is a Bio-CosMedical company that protects the skin from various harmful environments such as fine dust and heavy metal pollution to create a clean environment and a healthy life.</li> <li>VOAS Tech pursues the value of creating a beautiful society.</li> <li>VOAS Tech fulfills social responsibilities as a member of the society by sharing the company's profits.</li> <li>VOAS Tech is preparing for the Fifth Industrial Revolution.</li> <li>VOAS Tech will realize Well-Aging Life through a happy companionship with environment, health, beauty, hygiene, and pets.</li> <li>VOAS Tech will create beautiful values customers' interest.</li> </ul> |
|   | Product Name            | <ol> <li>Dr. Light Skin Mist-100ML</li> <li>Dr. Light Hydra Vita Serum B12 -50ML</li> <li>Dr. Light Shampoo -500G</li> <li>Dr. Light Scalp Management Device (near infrared LED + microcurrent + vibrator)</li> <li>ILLITE Deodorant-Annayong (Rose Extract) -150ML</li> <li>ILLITE Deodorant-Any Fresh (Cypress Leaf/Branch Extract) -500ML</li> </ol>                                                                                                                                                                                                                                                                                                                              |
|   | Product<br>Information  | <ul> <li>Hyperpure ILLITEt skin mist</li> <li>Lightening functional cosmetics, soothing, moisturizing, and absorbing makeup effects</li> <li>Cosmetics containing hyperpure ILLITE for clean and clear skin, no artificial fragrance and no artificial colors</li> <li>Lightening effect, improvement of skin keratinization, and rich moisturizing will help you makeup absorbed well and your skin will return to healthy weak acidity (maintaining pH5~6)</li> <li>It is a non-irritating and not-sticky product that supplies moisture rather than oil.</li> </ul>                                                                                                               |

80



Brightening Lightening function - brighter and clearer



Dead skins and keratinization Forget the skin cycle



Healthy weak acidity Healthy weak acidity between pH5 and 6



**Rich moisturizing** Stable make-up owing to rich moisturizing (no poor absorption)

### Dr. Light Hydra Vita Serum, B12

#### Allantoin

Soothes sensitive skin and maintains skin homeostasis

### Betaine

Maintains the skin's moisture balance by absorbing atmospheric moisture

#### D-panthenol

Creates healthy glow by protecting and soothing the skin





Clean cleaning Fine foam quickly removes fine dust pollution and wastes from the hair



Weak acidic pH5~6 Slightly acidic shampoo good for scalp

### Dr. Light scalp management device



### Near-infrared LED scalp care device

### Dr. Light deodorant



ANI FRESH (cypress scentsy)



ANNAYONG (rose scentsy)

### With Beauty Co., Ltd.

**Company Information** 

| Company Name | With Beauty Co., Ltd.           |
|--------------|---------------------------------|
| President    | Ojin Kwon                       |
| Address      | #402, World Meridian 2cha, 123, |
|              | Gasan Digital 2ro, Geumchen-gu, |
|              | Seoul, Korea, 08505             |
|              |                                 |

| Contact Point |
|---------------|
| TEL           |
| E-mail        |
| Website       |
|               |

| Shin Kim / General Manager |
|----------------------------|
| +82-2-854-2255             |
| master@withbeauty.kr       |
| www.withbeauty.kr          |

WITHBEAUTY

| σ                   | Brand name              | WITH BEAUTY                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| roduc               | Certificate             | CE, KC, ISO9001                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Product Information | Company<br>Introduction | With Beauty was established in 2017 based on the know-how through product development and production experience for/with global beauty brands.<br>It is a group of experts who have been involved in beauty device manufacturers for over 10 years.<br>With Beauty is constantly trying to change and advance.<br>Moreover, With Beauty aims to provide differentiated beauty solutions in everyday life through beauty devices with innovative technologies. |
|                     | Product Name            | 1. Skin Curling 2. Aqua Care                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                     | Product                 | 1. SKIN CURLING is a HOME SKINCARE DEVICE, which allows people to receive treatments and massages that are offered at aesthetic salons and dermatology at home comfortably. It is a quadruple care product through 42°C HEATING, ELECTRO THERAPY, VIBRATION, and COLOR THERAPY.                                                                                                                                                                               |
|                     | Information             | 2. AQUA CARE is a HOME SKINCARE DEVICE for women who are between 30 and 50 years old and cannot visit aesthetic shops and dermatologists regularly due to time and cost restrictions. It removes old dead skin cells as well as soothes and calms the skin at once. It provides a vacuum massage effect to the skin fascia with strong suction power.                                                                                                         |

# Home care beauty solution for beauty life



# Guadruple(X4) layer program to boost skin care potential

SKIN CURLING'S Skin 4X Strengthening Program Quadruple Program Please pay atention to WITHERAUTY Skin Curling, Skin Curling, running smoothly along skin textures and facial line, pushes and fills moisturizing ingredients and nutrients of cosmetics into the clemal Bayer, it can create beautiful skin expressed from the inside.

82



- Feature
   01
   Remove sebum and bodily wastes in pores with Peeling Mode
  - 02 Provide skin soothing and nourishing with Soothing Mode
  - **03** Control pressure according to skin condition with Level Mode
  - 04 Improve blood circulation with vacuum massage effect

#### **Specification**



- Feature 01 Improve skin blood circulation with 42°C thermotherapy care
  - 02 Promote cosmetic active ingredients to be absorbed with micro current
  - 03 Elastic massage effect on muscular layer with Power Motion
  - 04 Whitening, anti-wrinkle and elasticity improvement with 3 types of color therapies (Red, Blue, Green)

### Specification



### WoojinID Co.,Ltd

**Company Information** 

Company Name WoojinID Co.,Ltd President Hwang Jun Seok Address 1353, Gwonyul-ro, Baek Yangju-si, Gyeonggi-do, Republic of Korea

|            | Cor |
|------------|-----|
|            | TEL |
| kseok-eup, | E-n |
| ,          | We  |
|            |     |

ntact Point L mail ebsite

Kim Juna A , Employee +82-31-829-0687 flowersja@naver.com http://www.woojinid.co.kr

| Brand  | name           | ТооІрх                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--------|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Certi  | ficate         | 1. Wire twisting tool / Patent registratio 10-2015350<br>2. Bolt chamfer / Patent registratio 10-2031335<br>3. Foodie Sealing Machine / Patent registratio 10-1871256                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|        | pany<br>uction | Woojin ID is a manufacturer producing electric hand tools and package sealing machines, located<br>in Yangju-si, Gyeonggi-do.<br>Woojin ID has been striving to supply and establish the best products needed by customers at the<br>right time with competitive technology and sincerity, which it has built-in business practices in the<br>rapidly changing world and global competition.                                                                                                                                                                                                                                                                                                                                                                                       |
| Produc | t Name         | 1. Sealing Machine 2. Wire twist 3. Bolt chamfe 4. Pipe expander                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|        | duct<br>nation | <ol> <li>Sealing Machine         <ul> <li>A manual machine that puts the contents into a packaging container and then seals the packaging film.</li> <li>It is mainly used in the delivery specialist company such as porridge, side dish shop</li> </ul> </li> <li>Wire twist         <ul> <li>It is possible to exchange only bits when a bit is damaged due to bit separation type. Charge driver, spindle lock, and one-touch lock available</li> </ul> </li> <li>Bolt chamfe         <ul> <li>External diameter chamfering such as bolt, pipe, round bar Apply to Impact Dreams and all drills</li> </ul> </li> <li>Pipe expander         <ul> <li>Easy and easy to expand the pipe</li> <li>Charge driver, spindle lock, and one-touch lock available</li> </ul> </li> </ol> |

### hl.lid WOOJINid



### **Product Specifications**

| horizontal   | 210mm              | Vertical          | 462mm                       |
|--------------|--------------------|-------------------|-----------------------------|
| Height       | 550mm              | weight            | 11kg                        |
| output       | Per minute 7~8pack | Maximum mold size | 160mm(width) / 200m(Length) |
| Power supply | 220V, 60Hz, 450W   | material          | Iron, aluminum              |

### TOOL

The home holds the wire. Support both forward and reverse directions

60g

SUS

**Product Specifications** 

product name

weight

material

insertion portion

use

characteristic

It is possible to exchange only bits when a bit is damaged due to bit separation type. Charge driver, spindle lock, and one-touch lock available

Wire twist / Patent registratio 10-1653874

Single wire 1.5~4SQ / Strand 6SQ, 2.5SQ 10 concurrently available

Charging Driver Spindle, One touch is all future Supports both positive and negative twist directions, Seamless wire separation after kinking (minimization of

Design Application

hexagon (6.35mm)

latching phenomenon)



#### **Product Specifications**

| product name  |  |
|---------------|--|
| weight        |  |
| material      |  |
| hardness      |  |
| performance   |  |
| characteristi |  |
|               |  |





### A manual machine that puts the contents into a packaging container and then seals the packaging film. It is mainly used in the delivery specialist company such as porridge, side dish shop





External diameter chamfering such as bolt, pipe, round bar Apply to Impact Dreams and all drills

- \* The contents of the jar is not deteriorated to the temperature of e of 110°C, even if heated in the microwave, it is safe to 100°C
- \* Please avoid direct sunlight and high temperature when storing.



Easy and easy to expand the pipe Charge driver, spindle lock, and one-touch lock available



| Bolt chamfer                                                                       |
|------------------------------------------------------------------------------------|
| 35g                                                                                |
| SUS2(Strong bearing)                                                               |
| 54                                                                                 |
| Diameter 8 ~ 25mm Bolt, pipe, round bar OD Chamfe                                  |
| High strength vacuum heat treatment, impact drilling and all drilling applications |

#### Product Specifications

| i roudet opeenteurono |                                                   |  |
|-----------------------|---------------------------------------------------|--|
| product name          | Copper pipe expander                              |  |
| weight                | -                                                 |  |
| material              | SUS2(Strong bearing)                              |  |
| hardness              | -                                                 |  |
| performance           | Copper pipe expansion (other than air conditioner |  |
| characteristi         | Impact drill and all drill applications           |  |

### Yelim comfurni. Inc.



Company Name Yelim co President LEE SUN Address 285, Ha Haseon Gyeong

**Company Information** 

| omfurni. Inc.             |  |
|---------------------------|--|
| NG SOO                    |  |
| aseong-ro 570beon-gil,    |  |
| ng-myeon, Gimpo-si,       |  |
| ggi-do, Republic of Korea |  |
|                           |  |

| Contac  | t Point |
|---------|---------|
| TEL     |         |
| E-mail  |         |
| Website | е       |
|         |         |

LEE SUNG SOO / CEO +82-31-988-8840 ceo@autooa.com www.autooa.com

| Brand name              | Smart Auto Desk                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Certificate             | ISO 9001, ISO14001                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Company<br>Introduction | We are manufacturing and selling advanced system furniture by integrating IT automation system<br>with education and office furniture.This is Yelim Comfurni,Inc.<br>Taking convenience and safety as the top priority, and creating with a variety of furniture with new<br>values with IT technology, we have the highest goal in improving the quality of life and improving<br>the office environment. I will go to the company |
| 1)Product Name          | Smart Auto Desk                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Product<br>Information  | This is an assembled automatic desk for PC that can use a 27-inch monitor.<br>It can raise and lower the monitor.                                                                                                                                                                                                                                                                                                                   |
| 2)Product Name          | Smart Conference Auto Desk                                                                                                                                                                                                                                                                                                                                                                                                          |
| Product<br>Information  | It is a smart automatic conference desk for 2 people made of natural veneer<br>and can be made in various designs.                                                                                                                                                                                                                                                                                                                  |
| 3)Product Name          | Height-Adjust lecture desk                                                                                                                                                                                                                                                                                                                                                                                                          |
| Product<br>Information  | It is a height-adjustable podium.<br>There are wooden and metal types. It can also be accessed by a wheelchair.                                                                                                                                                                                                                                                                                                                     |



### Smart Auto Desk





Smart Conference AutoDesk





### Height-Adjust lecture desk







### **Auto & IT Furniture Smart Auto Desk**

This is an assembled automatic desk for PC that can use a 27-inch monitor. It can raise and lower the monitor.

It is a smart automatic conference desk for 2 people made of natural veneer and can be made in various designs.

It is a height-adjustable podium. There are wooden and metal types. It can also be accessed by a wheelchair.

### YESKOREA CO., LTD

| Company Name | YESKOREA CO., LTD |
|--------------|-------------------|
| President    | Mr. LEE SUNG JIN  |
| Address      | #9-76, Youngdong- |
|              | Hamchang-eup, Sar |
|              | Gyeongsangbuk-do, |
|              |                   |

#### Contact Point TEL E-mail -gil, Website ngju-si, o, Korea

| TOTAL HARDWARE   |         |
|------------------|---------|
|                  |         |
| Mr. KIM DO HUN / | Manager |

+82-54-541-5460 yeskorea54@gmail.com yeslock.co.kr

| Brand name              | YEKORLOCK                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Certificate             | KS-B6411 / ISO 9001 / R&D INDICATOR / KOREA PATENTS 16CASES /<br>KOREA REGISTERED DESIGN 44 CASES<br>KOREA REGISTERED BRAND 8CASES / CERTIFICATE OF FIREPROOF                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Company<br>Introduction | YESKOREA Co., Ltd is the manufacturer having the nation's systematic production facilities among<br>the same field.<br>Based on those production lines, we have been having the market share of high selling in domestic<br>market. We had developed the variety door locks firstly in the domestic same field and selling<br>them. Besides, we offer the residential and commercial hardware with the optimal solution<br>considering the convenience and the safety for users.<br>We always do our best to be the global leading company with the futuristic challenge spirit,<br>the frontier spirit and the continuous effort. |
| 1)Product Name          | Safety Door lock                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Product<br>Information  | This product is designed to prevent injuries that may occur when the door is closed between the door and the door frame.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 2)Product Name          | Stainless Steel Door lock                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Product<br>Information  | This product is made of SUS 304 and for wooden(Tubular lock) and steel(Integral lock) door.<br>It is finished with the pure texture and color of the material.<br>This is more resistant to rust and corrosion than products made of Zinc and Aluminum.                                                                                                                                                                                                                                                                                                                                                                            |

# **11YES**



Door hadle rotation part Opening & closing mode, safety mode setting)



Impact absorbing pad of door frame and door handle

### Stainless Steel Door lock

- Excellent corrosion resistance than conventional lever
- Suitable for places with high humidity (basement, toilet, beach, etc.)
- Highest quality products certified for fire resistance
- High quality products with beautiful appearance



**Company Information** 



Anti-hack Premium push-pull digital door lock

# **SAFETY DOOR LOCK**



Attach the cushioning material to the door frame

Opening & Closing mode



Safety mode completion

Safety mode





# **Company Information**

### YOUNGWOO WATERLINE CO., LTD.



Company Name YOUNGWOO WATERLIN Kim ChanGoo President 38, Gimpo-daero 2053 Address Tongjin-eup, Gimpo-si, 10035, Korea

| NE CO., LTD. | Contact Point |
|--------------|---------------|
|              | TEL           |
| beon-gil,    | E-mail        |
| Gyeonggi-do, |               |
|              | Website       |

Kim ByungMin / Manager +82-31-998-7400 yw@ywwl.co.kr sales@ywwl.co.kr www.ywwl.kr

| T                   | Brand name              | RARA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|---------------------|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| roduc               | Certificate             | FDA / PSE / CE / CB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Product Information | Company<br>Introduction | The business vision of YOUNGWOO is to provide the water that can keep everyone healthy.<br>YOUNGWOO, specializing in water purifiers and water filters, has researched and developed<br>the water purifiers and water filters to satisfy customers for several decades.<br>YOUNGWOO is constantly increasing investment in research and development and expanding<br>employee education to satisfy different needs of customers. We will put ourselves<br>in the customer's shoes and exert ourselves to make the world that everyone can lead<br>a healthy and active life.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                     | Product Name            | HOT&COLD H2 water generator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                     | Product<br>Information  | Hot and cold H2 Server generates high concentration hydrogen water even with hot and cold water in a second.<br>The hydrogen generating technology that has been developed and improved by YOUNGWOO WATERLINE mixes hydrogen well in both hot and cold water, and its concentration and duration do not differ from the hydrogen generated at room temperatures.<br>It has the convenient, touch-type system. You can control many functions by just touching buttons. Anyone can exchange its filter so that you don't need any help from outside.<br>Feel safe about using it<br>It has acquired certification from different countries including KC, CE, FDA , PSE and RoSH.<br>Using the premium filter certified by FDA, the generator has the superb water purification capability. The 1st to 2nd step with the block carbon filter: absorbs and eliminates floating matter, rust, microorganism and trihalomethane<br>The 3rd step with the combination filter: eliminates odor, improves the taste of water and makes far-infrared radiation anion water<br>Hydrogen compound is not generated because hydrogen water is not saved. |

# Healthy water technology!









- when immediately runs highly concentrated hydrogen water without delay.
- constantly runs highly concentrated hydrogen water.
- dissolves hydrogen in cold/hot purified water and does not alore hydrogen water in cost/hot water tank. So the inside of cold/hot water tank is not inclusted with hydrogen compounds.
- tas excelent water purilization performance
- tessue of high cashily Ber.

#### Water filter

#### Step 1~2 CARBON BLOCK Filter

Roth-strayed cabox der afficiently acturbs and services factory particles, that and arganic masterious. No I cari preset hydrogen generator and prevent concor-causing Westonemene.

#### Step 3 COMBINATION Filter

By scarshis androne book lifer and casteric substances which powerla for interact real and regative local the contraster lifer temperar residual or pleaser if any and inter-

#### Step 4 Hydrogen Generator

Failinger garrente is schooled of platform costing Nation. encendeus and assessive excesses autors manipume. And it presentes of involve highly concentrated over T-E spini hydrogen rater instants and continuous;

#### CLEANING Filter

Clearing liter oblicits and otherways overanin to analyzi atophotos and maximum fullyant periodon.



YWH-MD

YWH-MG

YWH-S1

#### Features of H2 SERVER "RARA"

- · On presamp to them, it inclusion department hashing concentrated hydrogen water within just 7 according
- · I disperses highly concentrated futbogen water
- CONTRACTO AND DEVELOPMENTS
- · I for tuil-it water tark, so it can be used without conversions a 100011000
- · The crued stellar is very easy to mail and now.
- · I accord al insta d mmeni valor, partiest valor and tar same
- · I's liter can be easily replaced and fast state-ci-ita-as all dispetit others.

### YW-1400T

- Petitier. Partici soot Power Ecosystems - BOIN we could Road instant Film 500 Heboar consenses About 1,200ppt:
- 100 WOX TO DIX 200 MI 150 About Al 2201 / 6046 -Comecolo block carbon files saler supple shifty About 1.00 Minute-

### PS-4000

Photo: N Patieta Note: . paricator deles Notes to a Likely red

| 8       | 100 (W) X 380 (D) X 360 FF              |
|---------|-----------------------------------------|
| di la   | 59                                      |
|         | 45kms Pericator                         |
| 6 0     | Second File/ / He surton Files          |
|         | UF Mentative Filter / Pad conton Filter |
| 1990    | Cheso plat convection                   |
| torial) | Lask prover approbal                    |
|         |                                         |





### **ZEOFILTECH Co., Ltd**

| Company Name | ZEOFILTECH Co., Ltd |
|--------------|---------------------|
| President    | Min-soo, Lee        |
| Address      | 186-2, Techno 2-ro, |
|              | Daejeon, Republic o |

FILTECH Co., Ltd soo, Lee -2, Techno 2-ro, Yuseong-gu, eon, Republic of Korea

### Contact Point TEL E-mail Website

Il Woong, Kim / Section Manager +82-(0)70-7605-0669 sales@zeofil.co.kr www.zeofiltech.co.kr

## **SN** SERIES

Fully enclosed self-circulating Reagent cabinet / Ion cluster type





| A CONTRACT OF A CONTRACT. |                                          |                       |            |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|-----------------------|------------|--|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Standard/Model                           | ZEO-SN142             | ZEO-S      |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | External Size(W $\times$ D $\times$ H)mm | 970×550×1,800         | 1,650×5    |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Interior Size(W $\times$ D $\times$ H)mm | 600×450×1,590 / 430 L | 1,200×450× |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Max. load per shelf                      | 30 kg                 |            |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Noise Level                              | Blow 55 dB            |            |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Shelves                                  | 5 Slide               | 10 5       |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Unit Weight                              | 180 kg                | 320        |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Power Consumption                        | 45W                   | 75         |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Lock System                              | Electro               | nic Lock   |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Power                                    | 220 V ,               | / 60 Hz    |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                          |                       |            |  |

This specification might be changeable to improve product performance without notice.

| J              | Brand name              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | MUNDITIA                                                                                                                                                                                                                                                                                                                                                                              |  |
|----------------|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| roduc          | Certificate             | CE / ISO9001 / ISO14001                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                       |  |
| ct Information | Company<br>Introduction | Since its foundation, ZIOFILTECH Co., Ltd. has been striving to develop products through continuous R&D for a pleasant environment at industrial sites and labs.<br>For th first time in the world, it has developde and produced fully enclosed self-circulating storage cabinet for hazaardous substances, harmful gas elimination and neutralization devices, and pollution prevention equipment for the elimination of various kinds of dust and harmful substances. |                                                                                                                                                                                                                                                                                                                                                                                       |  |
|                | Product Name            | Fully enclosed self-circulating Reagent cabinet / ZEO-SN142                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                       |  |
|                |                         | Fully enclosed, self-circulating system<br>that the air inside the reagent cabinet<br>is not discharged to the outside                                                                                                                                                                                                                                                                                                                                                   | <ul> <li>Hydrodynamic design</li> <li>Differential design to ensure that the inside of the reagent cabinet maintatins the low pressure of 0.3pha</li> <li>The air inside the reagent cabinet is not discharged to the outside.</li> <li>Disigned with a 0.53m/s flow rate at the bottom, to prevent the reverse flow of odor and hazardous gas molecules heavier than air.</li> </ul> |  |
|                | Product<br>Information  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                       |  |

Ion-cluster standard

Ion-cluster standard



