

il contenitore

S.r.l.

Via Figino 46/A - 20016 Pero (MI) - Italy - Tel. 023538197 - 0233910723 Fax 023390183
www.ilcontenitore.it - info@ilcontenitore.it

EURO CONTENITORI - EURO STANDARD CRATES

2021/01

CONTENITORI SOVRAPPONIBILI SERIE NEWBOX – STACKABLE BOXES NEWBOX LINE



CARATTERISTICHE - FEATURES:

- ADATTI PER MOVIMENTAZIONE MANUALE E AUTOMATICA DI PARTI MECCANICHE, ELETTRONICHE, OTTICHE ED ALIMENTARI
EXCELLENT FOR MANUAL AND AUTOMATIC HANDLING OF MECHANICAL, ELECTROTECHNICAL, OPTICAL AND FOOD ITEMS
- REALIZZATI IN MATERIALE RICICLABILE
MADE OF RECYCLABLE PLASTIC
- RESISTENTI AI MAGGIORI AGENTI CHIMICI, OLII E BENZINE
RESISTANT TO MOST OF CHEMICAL AGENTS, OILS AND GASOLINE
- FACILMENTE LAVABILI
EASILY WASHABLE
- OTTIMO COMPORTAMENTO TERMICO (DA -20° A +80°C.)
EXCELLENT THERMIC RESISTANCE (FROM -20° TO +80°C.)
- ELEVATA RESISTENZA AGLI URTI
HIGH SHOCK RESISTANCE
- IDONEI PER CONTATTO CON ALIMENTI
SUITABLE FOR FOOD CONTACT
- I CONTENITORI NEWBOX POSSONO ESSERE PERSONALIZZATI CON SCRITTE A RICHIESTA
ON REQUEST NEWBOX CONTAINERS CAN BE PERSONALIZED BY MARKS



VERSIONE MANIGLIE/ HANDLES VERSIONS



V1 MANIGLIA PASSANTE / HANDLES HOLE



V1SM MANIGLIA CHIUSA / CLOSED HANDLE




V1 MANIGLIA A CONCHIGLIA / CONCH GRIP

VERSIONE FONDO / BOTTOM VERSIONS



V3 FONDO FORATO / PERFORATED BOTTOM



V4 FONDO RINFORZATO / REINFORCED BOTTOM



V1 FONDO LISCIO / SMOOTH BOTTOM

VERSIONE PARETI/ SIDES VERSIONS



V3 PARETI FORATE / PERFORATED SIDES



V1 PARETI CHIUSE / CLOSED SIDES



V1A 1 PARETE APERTA / 1 SIDE OPEN



NB 5 V1



NB 6 V1



NB 9 V1



NB 10 V1



NB 10 V2



NB 10 V3



NB 14 V1



NB 14 V1SM



NB 14 V2



NB 14 V3



NB 20 V1



NB 20 V1SM



NB 20 V2



NB 20 V3



NB 20 V4

ART.	FONDO BOTTOM	PARETI SIDES	MANIGLIA HANDLE	COLORE COLOUR	DIMENSIONI ESTERNE EXT. DIMENSIONS mm.	DIMENSIONI INTERNE INT. DIMENSIONS mm.
NB 5 V1	CHIUSO / CLOSED	CHIUSO / CLOSED	CONCHIGLIA / CONCH	● ● ●	300x200x120h	260x160x117h
NB 6 V1	CHIUSO / CLOSED	CHIUSO / CLOSED	CONCHIGLIA / CONCH	●	300x200x147h	260x160x144h
NB 9 V1	CHIUSO / CLOSED	CHIUSO / CLOSED	CONCHIGLIA / CONCH	●	300x200x220h	260x160x217h
NB 10 V1	CHIUSO / CLOSED	CHIUSO / CLOSED	CONCHIGLIA / CONCH	● ● ●	400x300x120h	355x255x115h
NB 10 V2	CHIUSO / CLOSED	2 FORATE / PERFORATED	CONCHIGLIA / CONCH	●	400x300x120h	355x255x115h
NB 10 V3	FORATO / PERFORATED	2 FORATE / PERFORATED	CONCHIGLIA / CONCH	●	400x300x125h	355x255x118h
NB 14 V1	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	● ● ●	400x300x170h	355x255x165h
NB 14 V1SM	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSA / CLOSED	●	400x300x170h	355x255x165h
NB 14 V2	CHIUSO / CLOSED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	400x300x170h	355x255x165h
NB 14 V3	FORATO / PERFORATED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	400x300x175h	355x255x168h
NB 20 V1	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	● ● ●	400x300x220h	355x255x215h
NB 20 V1SM	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSA / CLOSED	●	400x300x220h	355x255x215h
NB 20 V2	CHIUSO / CLOSED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	400x300x220h	355x255x215h
NB 20 V3	FORATO / PERFORATED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	400x300x225h	355x255x217h
NB 20 V4	RINFORZATO / REINFORCED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	●	400x300x220h	355x255x205h



NB 25 V1



NB 25 V1SM



NB 25 V2



NB 25 V3



NB 25 V4



NB 31 V1



NB 31 V1SM



NB 31 V2



NB 31 V3



NB 31 V4



NB 31 V1A



NB 15 V1



NB 15 V2



NB 15 V3

ART.	FONDO BOTTOM	PARETI SIDES	MANIGLIA HANDLE	COLORE COLOUR	DIMENSIONI ESTERNE EXT. DIMENSIONS mm.	DIMENSIONI INTERNE INT. DIMENSIONS mm.
NB 25 V1	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	●	400x300x270h	355x255x265h
NB 25 V1SM	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSA / CLOSED	●	400x300x270h	355x255x265h
NB 25 V2	CHIUSO / CLOSED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	400x300x270h	355x255x265h
NB 25 V3	FORATO / PERFORATED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	400x300x275h	355x255x267h
NB 25 V4	RINFORZATO / REINFORCED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	●	400x300x270h	355x255x255h
NB 31 V1	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	●	400x300x320h	355x255x315h
NB 31 V1SM	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSA / CLOSED	●	400x300x320h	355x255x315h
NB 31 V2	CHIUSO / CLOSED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	400x300x320h	355x255x315h
NB 31 V3	FORATO / PERFORATED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	400x300x325h	355x255x317h
NB 31 V4	RINFORZATO / REINFORCED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	●	400x300x320h	355x255x305h
NB 31 V1A	CHIUSO / CLOSED	1 CORTA APERTA / 1 SHORT OPEN	1 PASSANTE / 1 HAND HOLE	●	400x300x320h	355x255x315h
NB 15 V1	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSA / CLOSED	●	600x400x75h	553x355x70h
NB 15 V2	CHIUSO / CLOSED	FORATE / PERFORATED	CHIUSA / CLOSED	●	600x400x75h	553x355x70h
NB 15 V3	FORATO / PERFORATED	FORATE / PERFORATED	CHIUSA / CLOSED	●	600x400x75h	553x355x67h

CONTENITORI SOVRAPPONIBILI SERIE NEWBOX – STACKABLE BOXES NEWBOX LINE



NB 24 V1



NB 24 V2



NB 24 V3



NB 24 V4



NB 33 V1



NB 33 V1SM



NB 33 V2



NB 33 V3



NB 33 V4



NB 34 V1



NB 34 V1SM



NB 34 V2



NB 34 V3



NB 34 V4

ART.	FONDO BOTTOM	PARETI SIDES	MANIGLIA HANDLE	COLORE COLOUR	DIMENSIONI ESTERNE EXT. DIMENSIONS mm.	DIMENSIONI INTERNE INT. DIMENSIONS mm.
NB 24 V1	CHIUSO / CLOSED	CHIUSO / CLOSED	CONCHIGLIA / CONCH	●	600x400x120h	555x355x115h
NB 24 V2	CHIUSO / CLOSED	FORATE / PERFORATED	CONCHIGLIA / CONCH	●	600x400x120h	555x355x115h
NB 24 V3	FORATO / PERFORATED	FORATE / PERFORATED	CONCHIGLIA / CONCH	●	600x400x120h	555x355x112h
NB 24 V4	RINFORZATO / REINFORCED	CHIUSO / CLOSED	CONCHIGLIA / CONCH	●	600x400x120h	555x355x105h
NB 33 V1	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	●	600x400x150h	555x353x145h
NB 33 V1SM	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSA / CLOSED	●	600x400x150h	555x353x145h
NB 33 V2	CHIUSO / CLOSED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	600x400x150h	555x353x145h
NB 33 V3	FORATO / PERFORATED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	600x400x150h	555x353x131h
NB 33 V4	RINFORZATO / REINFORCED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	●	600x400x150h	555x355x135h
NB 34 V1	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	●	600x400x170h	555x355x165h
NB 34 V1SM	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSA / CLOSED	●	600x400x170h	555x355x165h
NB 34 V2	CHIUSO / CLOSED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	600x400x170h	555x355x165h
NB 34 V3	FORATO / PERFORATED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	600x400x170h	555x355x162h
NB 34 V4	RINFORZATO / REINFORCED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	●	600x400x170h	555x355x162h



NB 42 V1



NB 42 V1SM



NB 42 V2



NB 42 V3



NB 42 V4



NB 42 V1A



NB 50 V1



NB 50 V1SM



NB 50 V2



NB 50 V3



NB 50 V4



NB 55 V1



NB 55 V1SM



NB 55 V2



NB 55 V3



NB 55 V4



NB 55 V1A

ART.	FONDO BOTTOM	PARETI SIDES	MANIGLIA HANDLE	COLORE COLOUR	DIMENSIONI ESTERNE EXT. DIMENSIONS mm.	DIMENSIONI INTERNE INT. DIMENSIONS mm.
NB 42 V1	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	● ● ●	600x400x220h	555x355x215h
NB 42 V1SM	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSA / CLOSED	●	600x400x220h	555x353x215h
NB 42 V2	CHIUSO / CLOSED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	600x400x220h	555x353x215h
NB 42 V3	FORATO / PERFORATED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	600x400x220h	555x353x207h
NB 42 V4	RINFORZATO / REINFORCED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	●	600x400x220h	555x353x200h
NB 42 V1A	CHIUSO / CLOSED	1 CORTA APERTA / 1 SHORT OPEN	1 PASSANTE / 1 HAND HOLE	●	600x400x220h	555x353x215h
NB 50 V1	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	●	600x400x236h	555x353x231h
NB 50 V1SM	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSA / CLOSED	●	600x400x236h	555x353x231h
NB 50 V2	CHIUSO / CLOSED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	600x400x236h	555x353x231h
NB 50 V3	FORATO / PERFORATED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	600x400x236h	555x353x223h
NB 50 V4	RINFORZATO / REINFORCED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	●	600x400x236h	555x355x215h
NB 55 V1	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	●	600x400x280h	553x353x275h
NB 55 V1SM	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSA / CLOSED	●	600x400x280h	553x353x275h
NB 55 V2	CHIUSO / CLOSED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	600x400x280h	553x353x275h
NB 55 V3	FORATO / PERFORATED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	600x400x280h	553x353x263h
NB 55 V4	RINFORZATO / REINFORCED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	●	600x400x280h	553x353x260h
NB 55 V1A	CHIUSO / CLOSED	1 CORTA APERTA / 1 SHORT OPEN	1 PASSANTE / 1 HAND HOLE	●	600x400x280h	553x355x275h

CONTENITORI SOVRAPPONIBILI SERIE NEWBOX – STACKABLE BOXES NEWBOX LINE



NB 70 V1



NB 70 V1SM



NB 70 V2



NB 70 V3



NB 70 V4



NB 70 V1A



NB 80 V1



NB 80 V1SM



NB 80 V2



NB 80 V3



NB 80 V4



NB 80 V1A



NB 130 V6

ART.	FONDO BOTTOM	PARETI SIDES	MANIGLIA HANDLE	COLORE COLOUR	DIMENSIONI ESTERNE EXT. DIMENSIONS mm.	DIMENSIONI INTERNE INT. DIMENSIONS mm.
NB 70 V1	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	●●●	600x400x340h	553x353x335h
NB 70 V1SM	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSA / CLOSED	●	600x400x340h	553x353x335h
NB 70 V2	CHIUSO / CLOSED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	600x400x340h	553x353x335h
NB 70 V3	FORATO / PERFORATED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	600x400x340h	553x353x321h
NB 70 V4	RINFORZATO / REINFORCED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	●	600x400x340h	553x353x322h
NB 70 V1A	CHIUSO / CLOSED	1 CORTA APERTA / 1 SHORT OPEN	1 PASSANTE / 1 HAND HOLE	●	600x400x340h	553x353x335h
NB 80 V1	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	●	600x400x420h	550x350x415h
NB 80 V1SM	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSA / CLOSED	●	600x400x420h	550x350x415h
NB 80 V2	CHIUSO / CLOSED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	600x400x420h	550x350x415h
NB 80 V3	FORATO / PERFORATED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	600x400x420h	550x350x401h
NB 80 V4	RINFORZATO / REINFORCED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	●	600x400x420h	550x350x402h
NB 80 V1A	CHIUSO / CLOSED	1 CORTA APERTA / 1 SHORT OPEN	1 PASSANTE / 1 HAND HOLE	●	600x400x420h	553x353x415h
NB 130 V6	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	●	800x600x132h	750x550x296h




COPERCHI - LIDS



COPERCHI - LIDS

ART.	CHIUSURA / CLOSING	COLORE COLOUR	DIMENSIONI DIMENSIONS mm.
NBC 64	GANCI EFFETTO A CERNIERA / HOOKS FOR HINGING	●	600x400
NBC 43	GANCI EFFETTO A CERNIERA / HOOKS FOR HINGING	●	400x300
NBC 32	GANCI EFFETTO A CERNIERA / HOOKS FOR HINGING	●	300x200
NBC 64 SG	SENZA GANCI, SOLO IN APPOGGIO / WITHOUT HOOKS, COVER FOR LEANING ONLY	●	600x400
NBC 43 SG	SENZA GANCI, SOLO IN APPOGGIO / WITHOUT HOOKS, COVER FOR LEANING ONLY	●	400x300

CONTENITORI SOVRAPPONIBILI ANTISTATICI SERIE NEW BOX
NEW BOX MODEL STACKING CONDUCTIVE CONTAINERS ESD



ART.	FONDO BOTTOM	PARETI SIDES	MANIGLIA HANDLE	COLORE COLOUR	DIMENSIONI ESTERNE EXT. DIMENSIONS mm.	DIMENSIONI INTERNE INT. DIMENSIONS mm.
NB 5 MC	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSO / CLOSED	●	300x200x120 h	260x160x117h
NB 6 V1	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSO / CLOSED	●	300x200x147 h	260x160x144h
NB 10 MC	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSO / CLOSED	●	400x300x120 h	355x255x115h
NB 14 MC	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSO / CLOSED	●	400x300x170h	355x255x165h
NB 20 MC	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSO / CLOSED	●	400x300x220h	355x255x215h
NB 25 MC	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSO / CLOSED	●	400x300x270h	355x255x265h
NB 31 MC	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSO / CLOSED	●	600x400x340h	355x255x315h
NB 15 MC	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSA / CLOSED	●	600x400x75h	555x355x70h
NB 24 MC	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSO / CLOSED	●	600x400x120h	555x355x115h
NB 33 MC	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSO / CLOSED	●	600x400x150h	555x355x145h
NB 34 MC	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSO / CLOSED	●	600x400x170h	555x355x165h
NB 42 MC	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSO / CLOSED	●	600x400x220h	555x355x215h
NB 50 MC	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSO / CLOSED	●	600x400x420h	555x355x231h
NB 55 MC	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSA / CLOSED	●	600x400x280h	555x355x275h
NB 70 MC	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSO / CLOSED	●	600x400x340h	555x355x335h
NB 80 MC	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSO / CLOSED	●	600x400x420h	555x355x415h



NBC 64 MC

ART.	CHIUSURA / CLOSING	COLORE COLOUR	DIMENSIONI DIMENSIONS mm.
NBC 64 MC	GANCI EFFETTO A CERNIERA / HOOKS FOR HINGING	●	600x400
NBC 43 MC	GANCI EFFETTO A CERNIERA / HOOKS FOR HINGING	●	400x300
NBC 32 MC	GANCI EFFETTO A CERNIERA / HOOKS FOR HINGING	●	300x200

**VALIGE NEWBOX
NEWBOX SUIT-CASES**



PC5



PC10



PC14



PC20



PC31 2M



PC15



PC24



PC24 2M



PC33



PC34



PC34 2M



PC42



PC42 2M



PC55 2M



PC70 2M



ART.	MANIGLIA HANDLE	COLORE COLOUR	DIMENSIONI ESTERNE EXT. DIMENSIONS mm.	DIMENSIONI INTERNE INT. DIMENSIONS mm.
PC5	1 SUL LATO LUNGO / 1 HANDLE ON LONG SIDE	●	300x200x133h	260x160x117h
PC10	1 SUL LATO LUNGO / 1 HANDLE ON LONG SIDE	●	400x300x133h	355x255x115h
PC14	1 SUL LATO LUNGO / 1 HANDLE ON LONG SIDE	●	400x300x183h	355x255x165h
PC20	1 SUL LATO LUNGO / 1 HANDLE ON LONG SIDE	●	400x300x233h	355x255x215h
PC31 2M	1 SUL LATO CORTO / 1 HANDLE ON SHORT SIDE	●	400x300x333h	355x255x315h
PC15	1 SUL LATO LUNGO / 1 HANDLE ON LONG SIDE	●	600x400x88h	555x355x70h
PC24	1 SUL LATO LUNGO / 1 HANDLE ON LONG SIDE	●	600x400x133h	555x355x115h
PC24 2M	2 SUI LATI CORTI / 2 HANDLES ON SHORT SIDES	●	600x400x133h	555x355x115h
PC33	1 SUL LATO LUNGO / 1 HANDLE ON LONG SIDE	●	600x400x163h	553x353x145h
PC34	1 SUL LATO LUNGO / 1 HANDLE ON LONG SIDE	●	600x400x183h	555x355x165h
PC34 2M	2 SUI LATI CORTI / 2 HANDLES ON SHORT SIDES	●	600x400x183h	555x355x165h
PC42	1 SUL LATO LUNGO / 1 HANDLE ON LONG SIDE	●	600x400x233h	555x355x215h
PC42 2M	2 SUI LATI CORTI / 2 HANDLES ON SHORT SIDES	●	600x400x233h	555x355x215h
PC55 2M	2 SUI LATI CORTI / 2 HANDLES ON SHORT SIDES	●	600x400x293h	53x353x275h
PC 70 2M	2 SUI LATI CORTI / 2 HANDLES ON SHORT SIDES	●	600x400x353h	553x353x335h

CONTENITORI SOVRAPPONIBILI SERIE TK
TK MODEL STACKING CONTAINERS



TK 30075-0



TK 300145-0



TK 300145-1



TK 300145-2



TK 40050-0



TK 40050-1



TK 40050-2



TK 40075-0



TK 40075-1



TK 40075-2



TK 400145-0



TK 400145-1



TK 400145-2



TK 60050-0



TK 60050-1



TK 60050-2

ART.	FONDO BOTTOM	PARETI SIDES	MANIGLIA HANDLE	COLORE COLOUR	DIMENSIONI ESTERNE EXT. DIMENSIONS mm.	DIMENSIONI INTERNE INT. DIMENSIONS mm.
TK 30075-0	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSA / CLOSED	●●●●●●	300x200x75h	255x157x65h
TK 300145-0	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSA / CLOSED	●●●●●●	300x200x145h	252x152x133h
TK 300145-1	CHIUSO / CLOSED	FORATE / PERFORATED	CHIUSA / CLOSED	●●●●●●	300x200x145h	252x152x133h
TK 300145-2	FORATO / PERFORATED	FORATE / PERFORATED	CHIUSA / CLOSED	●●●●●●	300x200x145h	252x152x133h
TK 40050-0	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSA / CLOSED	●●●●●●	400x300x50h	356x255x40h
TK 40050-1	CHIUSO / CLOSED	FORATE / PERFORATED	CHIUSA / CLOSED	●●●●●●	400x300x50h	356x255x40h
TK 40050-2	FORATE / PERFORATED	FORATE / PERFORATED	CHIUSA / CLOSED	●●●●●●	400x300x50h	356x255x40h
TK 40075-0	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSA / CLOSED	●●●●●●	400x300x75h	356x255x65h
TK 40075-1	CHIUSO / CLOSED	FORATE / PERFORATED	CHIUSA / CLOSED	●●●●●●	400x300x75h	356x255x65h
TK 40075-2	FORATO / PERFORATED	FORATE / PERFORATED	CHIUSA / CLOSED	●●●●●●	400x300x75h	356x255x65h
TK 400145-0	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSA / CLOSED	●●●●●●	400x300x145h	356x255x133h
TK 400145-1	CHIUSO / CLOSED	FORATO / PERFORATED	CHIUSA / CLOSED	●●●●●●	400x300x145h	356x255x133h
TK 400145-2	FORATO / PERFORATED	FORATO / PERFORATED	CHIUSA / CLOSED	●●●●●●	400x300x145h	356x255x133h
TK 60050-0	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSA / CLOSED	●●●●●●	600x400x50h	551x352x40h
TK 60050-1	CHIUSO / CLOSED	FORATO / PERFORATED	CHIUSA / CLOSED	●●●●●●	600x400x50h	551x352x40h
TK 60050-2	FORATO / PERFORATED	FORATO / PERFORATED	CHIUSA / CLOSED	●●●●●●	600x400x50h	551x352x40h

CONTENITORI SOVRAPPONIBILI SERIE TK
TK MODEL STACKING CONTAINERS



TK 60075-0



TK 60075-1



TK 60075-2



TK 600145-0



TK 600145-1



TK 600145-2



TK 800210-0




TK 800210-1



TK 800320-0



TK 800320-1



COPERCHI - LIDS

ART.	FONDO BOTTOM	PARETI SIDES	MANIGLIA HANDLE	COLORE COLOUR	DIMENSIONI ESTERNE EXT. DIMENSIONS mm.	DIMENSIONI INTERNE INT. DIMENSIONS mm.
TK 60075-0	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSA / CLOSED		600x400x75h	551x352x65h
TK 60075-1	CHIUSO / CLOSED	FORATE / PERFORATED	CHIUSA / CLOSED		600x400x75h	551x352x65h
TK 60075-2	FORATE / PERFORATED	FORATE / PERFORATED	CHIUSA / CLOSED		600x400x75h	551x352x65h
TK 600145-0	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSA / CLOSED		600x400x145h	551x352x133h
TK 600145-1	CHIUSO / CLOSED	FORATE / PERFORATED	CHIUSA / CLOSED		600x400x145h	551x352x133h
TK 600145-2	FORATE / PERFORATED	FORATE / PERFORATED	CHIUSA / CLOSED		600x400x145h	551x352x133h
TK 800210-0	CHIUSO / CLOSED	CHIUSO / CLOSED	4 PASSANTI / 4 HAND HOLES		800x600x210h	740x545x200h
TK 800210-1	CHIUSO / CLOSED	FORATE / PERFORATED	4 PASSANTI / 4 HAND HOLES		800x600x210h	740x545x200h
TK 800320-0	CHIUSO / CLOSED	CHIUSO / CLOSED	4 PASSANTI / 4 HAND HOLES		800x600x320h	740x545x305h
TK 800320-1	CHIUSO / CLOSED	FORATE / PERFORATED	4 PASSANTI / 4 HAND HOLES		800x600x320h	740x545x305h

ART.	CHIUSURA / CLOSING	COLORE COLOUR	DIMENSIONI DIMENSIONS mm.
TKD 300	GANCI EFFETTO A CERNIERA / HOOKS FOR HINGING		300X200
TKD 400	GANCI EFFETTO A CERNIERA / HOOKS FOR HINGING		400X300
TKD 600	GANCI EFFETTO A CERNIERA / HOOKS FOR HINGING		600X400
TKD 800	GANCI EFFETTO A CERNIERA / HOOKS FOR HINGING		800X600
TKD 300A	SENZA GANCI, SOLO IN APPOGGIO / WITHOUT HOOKS, COVER FOR LEANING ONLY		300X200
TKD 400A	SENZA GANCI, SOLO IN APPOGGIO / WITHOUT HOOKS, COVER FOR LEANING ONLY		400X300
TKD 600A	SENZA GANCI, SOLO IN APPOGGIO / WITHOUT HOOKS, COVER FOR LEANING ONLY		600X400

**CONTENITORI SOVRAPPONIBILI E INSERIBILI SERIE DTK
DTK MODEL ROOTARY STACKING CRATES**



DTK 600210-1



DTK 600210-0



DTK 600270-1



DTK 600270-0



DTK 600320-1




DTK 600320-0



DTK 600420-1



DTK 600420-0



COPERCHI - LIDS

ART.	FONDO BOTTOM	PARETI SIDES	MANIGLIA HANDLE	COLORE COLOUR	DIMENSIONI ESTERNE EXT. DIMENSIONS mm.	DIMENSIONI INTERNE INT. DIMENSIONS mm.
DTK 600210-1	CHIUSO / CLOSED	FORATE / PERFORATED	PASSANTE / HAND HOLE		600x400x210h	573x347x191h
DTK 600210-0	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE		600x400x210h	573x347x191h
DTK 600270-1	CHIUSO / CLOSED	FORATE / PERFORATED	PASSANTE / HAND HOLE		600x400x270h	573x347x251h
DTK 600270-0	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE		600x400x270h	573x347x251h
DTK 600320-1	CHIUSO / CLOSED	FORATE / PERFORATED	PASSANTE / HAND HOLE		600x400x320h	573x347x305h
DTK 600320-0	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE		600x400x320h	573x347x305h
DTK 600420-1	CHIUSO / CLOSED	FORATE / PERFORATED	PASSANTE / HAND HOLE		600x400x420h	573x347x405h
DTK 600420-0	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE		600x400x420h	573x347x405h

ART.	CHIUSURA / CLOSING	COLORE COLOUR	DIMENSIONI DIMENSIONS mm.
DTKD 600	GANCI EFFETTO A CERNIERA / HOOKS FOR HINGING		600X400

**CONTENITORI IN LDPE SOVRAPPONIBILE ED INSERIBILE PER ROTAZIONE
ROTARY STACKING CONTAINERS**



3172LL

IL CONTENITORE 3172LL È REALIZZATO IN LDPE PER SURGELAZIONE GARANTITO FINO A -40°C.

CONTAINER 3172LL IS MADE FROM COLD IMPACT-RESISTANT LDPE AND SUITABLE FOR USE IN EXTREME COLD TEMPERATURES DOWN TO -40°C FOR FOOD INDUSTRY

ART.	FONDO BOTTOM	PARETI SIDES	MANIGLIA GRIP	COLORE COLOUR	DIMENSIONI ESTERNE EXT. DIMENSIONS mm.	DIMENSIONI INTERNE INT. DIMENSIONS mm.
3172LL	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSO / CLOSED		600x400x220 h.	515x345x210 h.

CONTENITORI IN PEHD SOVRAPPONIBILI ED INSERIBILI CON ROTAZIONE DI 180° SERIE DSBN
ROTARY STACKING CONTAINERS DSBN LINE



ART.	FONDO BOTTOM	PARETI SIDES	MANIGLIA HANDLE	COLORE COLOUR	DIMENSIONI ESTERNE EXT. DIMENSIONS mm.	DIMENSIONI INTERNE INT. DIMENSIONS mm.
4301	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	●	400x300x170 h.	328x270x158 h.
4302	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	●	400x300x220 h.	328x270x208 h.
4303	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	○ ● ●	400x300x270 h.	328x270x258 h.
3401	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	○ ● ●	600x400x150 h.	520x360x146 h.
3402	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	○ ● ●	600x400x200 h.	520x360x196 h.
3403	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	○ ● ●	600x400x250 h.	520x360x246 h.
3404	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	○ ● ●	600x400x300 h.	520x360x296 h.
3405	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	○ ● ●	600x400x350 h.	520x360x346 h.
3416	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	○ ● ●	600x400x400 h.	520x360x396 h.
4306	FORATO / PERFORATED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	400x300x170 h.	328x270x158 h.
4307	FORATO / PERFORATED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	400x300x220 h.	328x270x208 h.
4308	FORATO / PERFORATED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	400x300x270 h.	328x270x258 h.
3406	FORATO / PERFORATED	FORATE / PERFORATED	PASSANTE / HAND HOLE	○ ●	600x400x150 h.	520x360x146 h.
3407	FORATO / PERFORATED	FORATE / PERFORATED	PASSANTE / HAND HOLE	○ ●	600x400x200 h.	520x360x196 h.
3408	FORATO / PERFORATED	FORATE / PERFORATED	PASSANTE / HAND HOLE	○ ●	600x400x250 h.	520x360x246 h.
3409	FORATO / PERFORATED	FORATE / PERFORATED	PASSANTE / HAND HOLE	○ ●	600x400x300 h.	520x360x296 h.
3410	FORATO / PERFORATED	FORATE / PERFORATED	PASSANTE / HAND HOLE	○ ●	600x400x350 h.	520x360x346 h.
4311	CHIUSO / CLOSED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	400x300x170 h.	328x270x158 h.
4312	CHIUSO / CLOSED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	400x300x220 h.	328x270x208 h.
4313	CHIUSO / CLOSED	FORATE / PERFORATED	PASSANTE / HAND HOLE	○ ●	400x300x270 h.	328x270x258 h.
3411	CHIUSO / CLOSED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	600x400x150 h.	520x360x146 h.
3412	CHIUSO / CLOSED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	600x400x200 h.	520x360x196 h.
3413	CHIUSO / CLOSED	FORATE / PERFORATED	PASSANTE / HAND HOLE	●	600x400x250 h.	520x360x246 h.
3414	CHIUSO / CLOSED	FORATE / PERFORATED	PASSANTE / HAND HOLE	○ ●	600x400x300 h.	520x360x296 h.
3415	CHIUSO / CLOSED	FORATE / PERFORATED	PASSANTE / HAND HOLE	○ ●	600x400x350 h.	520x360x346 h.

ART.	CHIUSURA / CLOSING	COLORE COLOUR	DIMENSIONI DIMENSIONS mm.
3420	COPERCHIO CON FERMI - HOODED LID	○ ● ●	600x400
3471	COPERCHIO A CERNIERA / HINGING LID	●	600x400
4320	COPERCHIO CON FERMI - HOODED LID	●	400x300

CONTENITORI AD ANTE ABBATTIBILI SERIE SF FOLDABLE CONTAINERS



O-4325



G 6422-1161



GC 6422-1161



G 6433-1161



GC 6433-1161



G 6433-4161

ART.	FONDO BOTTOM	PARETI SIDES	MANIGLIA / COPERCHIO HANDLE / HINGED	COLORE COLOUR	DIMENSIONI ESTERNE EXT. DIMENSIONS mm.	DIMENSIONI INTERNE INT. DIMENSIONS mm.
O-4325	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSO / CLOSED	●	396x297x214h	360x263x194h
G 6422-1161	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	●	600x400x215h	560x362x205h
GC 6422-1161	CHIUSO / CLOSED	CHIUSO / CLOSED	COPERCHIO CERNIERA HINGED LID	●	600x400x223h	560x362x205h
G 6433-1161	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	●	600x400x320h	558x362x296h
GC 6433-1161	CHIUSO / CLOSED	CHIUSO / CLOSED	COPERCHIO CERNIERA HINGED LID	●	600x400x320h	558x362x296h
G 6433-4161	RINFORZATO / REINFORCED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	●	600x400x320h	558x362x296h

CONTENITORI AD ANTE ABBATTIBILI SERIE FB FOLDABLE CONTAINERS



FB 4316 F



FB 4320 F



FB 6410 F



FB 6416 F



FB 6418 F



FB 6422 F

ART.	FONDO BOTTOM	PARETI SIDES	MANIGLIA HANDLE	COLORE COLOUR	DIMENSIONI ESTERNE EXT. DIMENSIONS mm.	DIMENSIONI INTERNE INT. DIMENSIONS mm.
FB 4316 F	FORATO / PERFORATED	FORATO / PERFORATED	PASSANTE / HAND HOLE	●	400x300x160h	355x255x155x
FB 4320 F	FORATO / PERFORATED	FORATO / PERFORATED	PASSANTE / HAND HOLE	●	400x300x205h	355x255x205h
FB 6410 F	FORATO / PERFORATED	FORATO / PERFORATED	PASSANTE / HAND HOLE	●	600x400x115h	555x355x105h
FB 6416 F	FORATO / PERFORATED	FORATO / PERFORATED	PASSANTE / HAND HOLE	●	600x400x160h	555x355x155h
FB 6418 F	FORATO / PERFORATED	FORATO / PERFORATED	PASSANTE / HAND HOLE	●	600x400x185h	555x355x180h
FB 6422 F	FORATO / PERFORATED	FORATO / PERFORATED	PASSANTE / HAND HOLE	●	600x400x220h	555x355x215h

EURO-CONTENITORI SPECIFICI PER LE CARNI E1-E2-E3
EURO-MEAT CRATES E1-E2-E3



E1



E2



E3

ART.	FONDO BOTTOM	PARETI SIDES	MANIGLIA HANDLE	COLORE COLOUR	DIMENSIONI ESTERNE EXT. DIMENSIONS mm.	DIMENSIONI INTERNE INT. DIMENSIONS mm.
E1	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	●	600x400x125h	570x370x120h
E2	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	● ●	600x400x200h	570x370x195h
E3	CHIUSO / CLOSED	CHIUSO / CLOSED	PASSANTE / HAND HOLE	●	600x400x300h	570x370x295h

CONTENITORI SOVRAPPONIBILI SERIE UNI
UNI MODEL STACKING CONTAINERS



4305/VC



4308/VC

ART.	FONDO BOTTOM	PARETI SIDES	MANIGLIA HANDLE	COLORE COLOUR	DIMENSIONI ESTERNE EXT. DIMENSIONS mm.	DIMENSIONI INTERNE INT. DIMENSIONS mm.
4305/VC	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSO / CLOSED	●	400x300x50h	363x263x48h
4308/VC	CHIUSO / CLOSED	CHIUSO / CLOSED	CHIUSA / CLOSED	●	400x300x80h	363x263x78h

ACCESSORI PER EURPCONTENITORI
FITTINGS FOR EURO ST. CRATES

DIVISORI A PETTINE
DIVIDER



DIVIT 600



DIVIT 400

EH2
PORTA ETICHETTE A MOLLA
LABEL HOLDER IRON CLIP



VARIOBOX



CONTENITORI SERIE UNI
UNI MADEL CONTAINERS



DISPONIBILE IN / AVAIBLE IN:

- VC**
- VERSIONE CHIUSA - CLOSED MODEL
- VF**
- VERSIONE FORATA - PERFORATED MODEL



VC



COPERCHIO - LID




VF

ART.	VERSIONE VERSION	COLORE COLOUR	DIMENSIONI ESTERNE EXT. DIMENSIONS mm.	DIMENSIONI INTERNE INT. DIMENSIONS mm.
6407	VC/VF	○	600x400x70h	561x361x60h
6410	VC/VF	○	600x400x100h	561x361x81h
6413	VC/VF	○	600x400x130h	561x361x111h
6420	VC/VF	○	600x400x200h	561x361x181h
6432	VC/VF	○	600x400x320h	561x361x310h

CONTENITORI SERIE ERP RIGENERATO
RECYCLED ERP MODEL CONTAINERS

DISPONIBILE IN / AVAIBLE IN:

- VC**
- VERSIONE CHIUSA - CLOSED MODEL
- VS**
- VERSIONE SEMICHIUSA - DEMICLOSED MODEL
- VS**
- VERSIONE FORATA - PERFORATED MODEL



VC



VS



VF

ART.	VERSIONE VERSION	COLORE COLOUR	DIMENSIONI ESTERNE EXT. DIMENSIONS mm.
ERP6412	VC/VF/VS	●	600X400X120h
ERP6415	VC/VF/VS	●	600X400X150h
ERP6420	VC/VF/VS	●	600X400X200h
ERP6425	VC/VF/VS	●	600X400X250h
ERP6430	VC/VF/VS	●	600X400X300h
ERP6435	VC/VF/VS	●	600X400X350h
ERP6440	VC/VF/VS	●	600x400x400h

CARRELLI "ROLLDOLLY®" PER USO ALIMENTARE E INDUSTRIA FARMACEUTICA
"ROLLDOLLY®" TROLLEYS FOR FOOD CONTACT AND PHARMACEUTICAL INDUSTRY



400x600 mm.



Fondo chiuso
Closed bottom

800x600 mm.



Fondo aperto
Open bottom



Caratteristiche

- disegnati per contenere euro-contenitori 600x400 mm.
- ruote in poliammide o poliuretano (a richiesta) Ø 100 mm.
- realizzati in materiale riciclabile
- facilmente lavabili
- disponibili con 2 ruote fisse e 2 girevoli o 4 ruote girevoli

Features:

- designed to hold euro-containers 600x400 mm.
- wheels in polyamide or polyurethane (optional) Ø 100 mm.
- made of recyclable plastic
- easy to clean
- available with 2 fixed wheels and 2 swivel or 4 swivel wheels



Rolldolly sovrapposti
Rolldolly stacked



Esempio di ruote applicabili
Example of wheels applicable

ART.	COLORE COLOUR	PORTATA LOAD Kg.	Dimensioni esterne Ext. dimensions mm.
RD6141	● ●	300	610x410
RD8141	● ●	350	810x610