

# Seedeer

STRONG SOURCING   ECOMMERCE EXPERT   EFFECTIVE BRANDING   DELIVERY ON TIME  
EASY COMMUNICATION   EFFICIENT SYSTEM   RELIABLE PARTNER



A close-up view of a car's head-up display (HUD) projected onto the windshield. The display features a semi-circular speedometer with a yellow needle and markings. The speedometer is centered around a large digital display showing the number '118'. The text 'CAR HUD' is overlaid in a bold, dark blue font across the center of the display. The background is dark, and the steering wheel is visible at the bottom.

# **CAR HUD**



## GPS Smart digital meter

### T600

1. Work for all the vehicles, easy installation, plug and play
2. TFT LCD multi color smart display
3. The language can be changed
4. Multi function display or simple function display can be switched freely
5. New functions: accelerating competitive mode, Brake performance test
6. Rich Contents: driving speed, voltage, single driving distance, total driving distance, driving time, over speed alarm, freely switch between kilometers&miles.



## Windscreen Car LED Head Up Display 5.5" HUD A8 OBD II ODB2 Speed Warning System

1. Plug and Play connectivity with any OBDII or EUOBD capable vehicle;
2. 5.5", 5 colour display;
3. Multi colour design makes the screen easier to read highlight important details for quick viewing;
4. The use of nanotechnology to eliminate unwanted reflections making the information easier to read;
5. Driving mileage and consumption
6. Ability to display a huge range of car statistics including: speed, engine rotational speed, water temperature, battery voltage, instantaneous fuel consumption, average fuel consumption, mileage measurement, shift reminder, fatigued driver reminder, low voltage alarm, high temperature alarm, speed alarm, engine fault alarm, fault code elimination, ability to change units e.g. Kilometre/mile
7. Auto power on and off with the vehicle
8. Automatic and manual brightness adjustment mode

## Car HUD Head Up Display C500

- 1.Alarm Icon: High water temperature / Low voltage alarm / shift reminder / over speed alarm / Fatigue driving / Engine Error
- 2.Multi-functions display: RPM / Voltage / driving distance /clock / water temperature / fuel consumption
- 3.Light sensor:HUD can automatically adjust the brightness according to the environment
- 4.Mileage unit:TRIP means the driving distance from engine start to off
- 5.Fuel consumption unit: unit of Average fuel consumption per hundred kilometers / instantaneous fuel consumption =AVG
- 6.Speed:digital display the vehicle driving speed
- 7.Speed unit :KM/H=kilometer/hour, MPH=Mile/hour



## Car HUD Head Up Display M7(OBD+GPS)

- 1.Multiple functions:Speed,water temperature,voltage,satellite numbers,driving distance
- 2.Decorative lights:all LED in,you can freely push right to turn off
- 3.Light sensor:HUD can automatically adjust the brightness according to the environment
- 4.Speed unit:KM/H=kilometer/hour, MPH=Mile/hour
- 5.Unit icons:V=battery voltage, C=Celsius,F=Fahrenheit,OBD system,GPS system
- 6.RPM icon:It is engine speed in OBD mode, and speed progress bar in GPS mode.



A close-up, blurred image of a camera lens. The lens is dark with visible internal elements and a reflection. A horizontal white band is superimposed across the center of the image.

**CAMERA**





## Wifi Camera Waterproof Small Pocket Video Night Vision Wireless IP CCTV Spy Camera SQ 29 Mini Camera Wifi Hidden

Camera lens	Camera Sensor	HD A03
	Focal length	12mm
	View Angle	60°
Camera main parameter	Main control chip	GPCV4225
	memory	11 Card, up to 32GB
	USB	MicroUSB 2.0 5V 1W
Camera Battery	microphone	Built in
	Battery capacity	300mAh
	type of battery	Lithium polymer battery
	Battery voltage	3.7V
	Battery weight	0.1g
Camera Image	Battery Specification	702323
	Image Resolution	840×480
	File format	JPG
Camera Video	video resolution	640×480
	video (compression) format	AVI(M-JPEG)
	Continuous Video Recording Time	Video Recording 240minutes
Other Parameters of SQ29 Mini camera	Operating Temperature	-10~50℃
	WIFI distance	15 meter
	night vision distance	2-3minutes
	Storage Temperature	-10~70℃
	Humidity environment	0%~90%(No condensation)
	plastics accessories	have
	size(mm)	28.2*27.5*26mm
Camera Package	Net weight	18.0g
	Gift Box Size	112mm*112mm*45mm
	full set weight	121.2g
	Packing quantity	100
	Packing weight	12.12kg
	Carton box weight	0.06kg
	Carton Box Size	57.5x48X24.3cm
Packing accessories	1 User manual 2 Giftbox packing 3 USB data cable 4 camera manual	



## A11 1080P HD Wifi IP Mini Camera Night Vision Security CCTV Motion Detection

Name: 2 million 1/2.9" CMOS Internet PTZ Camera  
CPU: AK3918EV300  
Memory: 64MB DDR2 SDRAM  
Flashes: 8MB  
TF Card: Maximum support for 128G  
Operating System: Linux  
Simultaneous Access Users: 3  
Input: Built-in microphone  
Light Frequency: 50Hz/60Hz  
Power Adapter: DC 5V 1A  
Recharging Current: 1300mAh  
Power Consumption: Full Function open up to 2.5W  
Battery Capacity: 1300mAh (Bulit in high capacity polymer lithium battery)  
Battery Standby Time: 300 minutes  
Infrared Illumination Distance: 5 meters (depending on the environment)  
Working Temperature and Humidity: 60 ~ -20 , humidity less than 95% (no

### Camera

Sensor Chip: SC2232  
Sensor Type: 1/2.9" Progressive Scan CMOS  
Display Resolution: 2 million pixels, 1920\*1080 (1080P)  
Lens: 3.6mm F2.56 diagonal field angle 120 degrees  
Day and Night Conversion Mode: no photosensitive metering algorithm, manual night vision switching  
Digital Noise Reduction: 3D digital noise reduction  
Wide Dynamic Range: Digital Wide Dynamic  
Continous Video Recording  
Time:Video Recording 100 minutes, if use wifi control, video recording 60

### Wifi Parameters

Wireless Standard: IEEE802.11b/g/n  
Frequency Range: 2.4 GHz ~ 2.4835 GHz  
Channel Bandwidth: Support 20MHz  
Security: 64/128-bit WEP, WPA/ WPA2, WPA-PSK/WPA2-PSK  
Transmission Rate: 11b: 11Mbps, 11g: 54Mbps, 11n: 150Mbps

### Compression Standard

Video Frame Rate: 30FPS  
Video Compression Standard: SMART H.264  
H.264 Encoding Type: Main Profile Level 4.1  
Video Compressed Stream: Primary Stream 1280\*720 15 Frames/ Substream 640\*360 15 Frames  
Audio Compression Standard: G711A  
Audio Transmission: Recording Only  
Image Proportion: 16:9  
TF Local Storage: 32GB all-day recording time reference value: HD (720P)=10days  
Interface  
Storage Interface: Micro SD card (up to 128GB)  
Power Interface: Micro USB interface  
Package Including  
1 x A11 Mini Camera (comes with retail box)  
1 x Data Line  
1 x 360 Degree Rotarys Base  
1 x User Manual

# WIFI mini Camera 1080p video sensor night vision sq13

【30m waterproof】 Deep waterproof case protects the body, so you can shoot beautiful images under water, and you can also shoot surfing, diving, skiing, swimming, boating, sailing, rafting and other sports.

【Wide angle shooting】 155° ultra-wide angle, wider perspective.

【Full HD Video and Photo】 Mini surveillance camera records special HD video at 1920x1080P at 30 frames per second.

【Clear Night Vision】 8 IR LED lights for low light environment, clear camera distance 5-8 meters at night.

【Super Mini Camera】 29.9 x 28 x 28mm Compact and portable pocket camera. This makes it ideal for use as a wireless home surveillance camera or as a housekeeper/sitter camera to take snapshots and videos.

【Motion Detection】 The camera has a built-in 200mAh battery. When it is fully charged, it can be used for about 80 minutes. It only starts recording video when motion is detected. This makes the mini camcorder more space-saving and time-saving than other mini camcorders.

[Easy Installation] 360° base installation at will, according to the use of the environment, you can choose a variety of installation methods, any angle, easy to use.

【hotspot wifi】 Support Android, ios system.

【Loop Recording】 This security camera supports micro SD card with capacity from 4GB to 32GB (SD card not included), which can realize loop recording function. When the SD card is full, it will automatically write to the oldest



## Specs

sensor:2Mega CMOS sensor  
GC1024

Aperture:F 2.5

Focal length:f= 2.33mm

Optical FOV(D): 155

Optical FOV(H): 97

Optical FOV(V): 72

Main control chip: GPCV4247

memory: TF Card, up to 32GB

microphone:Built-in

battery:3.7V 300mAh

USB:MicroUSB2.0 5PIN

## Image

Image Resolution:  
12M ( 4032×3024 )

File format:JPEG

video resolution:1080P/30FPS

video (compression) format:AVI(M-JPEG)

Continuous Video Recording Time:  
Video Recording 90minutes

## Other Parameters

Operating Temperature:  
-10~50°C

WIFI distance:15 meter  
Night vision distance:  
5-8minutes

Storage Temperature: -10~70°C

Humidity environment: 5%-90%  
(No condensation )

Certification: CCC,CE,FCC

Plastics accessories: have





## Full HD 1080P small Camera Night Vision digital video camera sq11

### Main Feature

- SQ11 mini 1080P full HD car DVR camera recorder
- High definition full HD1080P
- Support 32GB TF card max. (Memory card not included)
- Image proportion: 4 : 3
- Support system: for Windows ME / 2000 / XP / 2003 / Vista, Mac OS, Linux
- Battery capacity: 200mAh
- Working time: About 100 minutes at 1080P 30fps
- Charging time: About 2 - 3 hours
- Charging voltage: DC 5V
- Interface type: Mini 8 pin USB
- Cable length: 80cm
- Built-in lithium battery sustainable camera up to 100 minutes

### Special Attributes:

colour: black,red,blue

Length: 9.6 cm

Width: 9.5 cm

Height: 3.5 cm

Weight: 73 g

Tank Size: 50cmx37cmx21cm

Carton Spec: 100pcs

Night Version: Yes

Product size (L x W x H): 2.30 x 2.30 x 2.30 cm

Certification: CCC,CE,FCC

Package Including:

1 x back clip

1 x Mini Camcorder

1 x USB cable

1 x User Manual

1 x stent

## HDQ9 HD 1080P Mini Wifi Camera Wireless Home Surveillance IP Camera With Smartphone Remote Alarm

Image sensor:2.0M camera module / 1080P/30fps

Lens aperture :F2.2

FOV :158 degree wide angle

Force scope : 25cm~ infinite

Wireless : IEEE802.11 b/g/n

Wireless mode :direct AP mode/ STA router mode

PC WIFI video :1080P (1920x720)

compressed format :H.264 double code streams

Storage media :Micro TF(32GB)

SD video :support boot video, loop recording

Resolution: 1080P

Lens aperture: F2.2

Fov: 150 degree

Compressed format: H.264

Memory card: Max. 32GB TF card

Loop recording: Support



A blue water bottle with a white and green cap and a red carabiner is in the foreground. In the background, two people are running on a wooden deck. The word "BOTTLE" is written in bold, dark blue capital letters across the middle of the image.

**BOTTLE**



## 1000ml tritan BPA free time marker frosted plastic motivational water bottle fitness with straw

Drinkware Type:Water Bottles  
 Applicable People:Unisex  
 Thermal Insulation Performance:None  
 Outdoor Activity:Gym  
 Boiling Water:Applicable  
 Anti-corrosion Coating:Not Equipped  
 Water Flowing Method:Direct Drinking  
 Accessories:WITH LID  
 Commercial Buyer:Restaurants, TV Shopping, Super Markets, Gifts Stores  
 Occasion:Back to School, Business Gifts, Camping, Party  
 Season:All-Season  
 Room Space:Desktop, Bedroom, Office, Outdoor  
 Design Style:Modern  
 Style:sport

Plastic Type:Tritan  
 Feature:Stocked  
 Place of Origin:China  
 Model Number:Drinkware type:Plastic Water Bottles  
 Color:Custom color  
 Function:Water Purifier  
 Logo:1.Decal printing 2.Silk printing 3.Heat transfer printing  
 Product name: sports water cup  
 Kettle capacity: 1000ml  
 Material: tritan+PP  
 Product size: 29.5\*7.5cm  
 Product weight: 190g  
 Color box size: 30\*8.5\*8.5cm  
 Packing quantity: 50pcs/ctn  
 Packing size: 44\*44\*60.5cm  
 Weight: 14KG

## Popular 1000ml customized logo bpa free fruit infuser tritan plastic water bottle



Drinkware Type:Water Bottles  
 Applicable People:Adults  
 Thermal Insulation Performance:None  
 Outdoor Activity:TOUR  
 Boiling Water:Applicable  
 Anti-corrosion Coating:Not Equipped  
 Water Flowing Method:Direct Drinking  
 Accessories:WITH LID  
 Style:Outdoor  
 Material:plastic, BPA-free Plastic tritan  
 Feature:Sustainable

Place of Origin:China  
 Model Number:20210204shhf006  
 Type:plastic cup  
 Colors:Frosted grey, pink, blue, green  
 Logo:OEM Logo  
 Capacity:1000ml  
 Packing:OPP Bag  
 MOQ:1000pcs  
 Liquid:cold / cool water  
 Application:Outdoor Activities, Advertising, Gift, Retail, etc.  
 Product Name:sport water bottle

## Food Grade Stocked 600ml BPA Free Tritan Material Water Bottles

Drinkware Type:Water Bottles

Applicable People:Children

Thermal Insulation Performance:None

Outdoor Activity:Hiking

Boiling Water:Applicable

Anti-corrosion Coating:Equipped

Water Flowing Method:Direct Drinking

Accessories:WITH ROPE

Style:sport

Material:plastic, BPA-free Plastic tritan

Feature:Sustainable, Stocked

Place of Origin:China

Model Number:20210205shhf007

Type:water bottle for kids

Colors:Frosted grey, pink, blue, green

Logo:OEM Logo

Capacity:600ml

Packing:OPP Bag

Liquid:cold / cool water

Application:Outdoor Activities, Advertising,  
Gift, Retail, etc.

Name:Food Grade Stocked 600ml BPA  
Free Tritan Material Water Bottles

Packaging & Delivery

Selling Units:Single item

Single package size: 45X45X46 cm

Single gross weight:7.800 kg



A beige, cylindrical trash bin with a flip-top lid is centered in the image. The lid is slightly ajar. To the left of the bin, two crumpled pieces of white paper are visible on the surface. The background is a plain, light gray.

**TRASH BIN**



## **Rotho Twist 10L trash bin with lid, plastic (PP) without BPA, black/green/red, 10L (24.8 x 18.1 x 33.0 cm)**

Import attributes: country (place) of origin Switzerland  
Is there a certificate of origin: yes  
Country/Region of Origin: Switzerland

Material: Resin (environmentally friendly polypropylene)  
Item No.: 20210201ljthf001  
Function: Trash  
Color: red, green, silver gray  
Size: 24.8x18.1x33CM



## **Home kitchen pressing cover design plastic dustbin 12L**

Type: Storage Bucket  
Shape: Rectangular  
Style: Pressing Type  
Commercial Buyer: Super Markets  
Season: All-Season  
Usage: Home/Kitchen, HOME & KITCHEN  
Material: Plastic  
Structure: STANDING

Feature: Sustainable  
Place of Origin: China  
Model Number: 20210202ljthf002  
Color: Can be customized  
Size: 18.5\*36.2\*25.5cm/18.2\*28\*25.5cm  
Name: plastic dustbin  
Packaging Details:  
L: 59\*53\*73.5CM/36PCS  
S: 59\*53\*73.5CM/42PCS



## **High Quality with Pressing Lid Trash Can With Wheels, New Arrival Large Capacity Kitchen Trash Can**

Type: Storage Bucket  
Shape: Rectangular  
Style: Pressing Type  
Usage: Kitchen  
Material: PP  
Structure: STANDING  
Feature: Sustainable, Stocked  
Place of Origin: China

Model Number: 20210204ljthf004  
Product name: Hanging Waste Bin  
Color: Gray Gold  
Size: 42.5\*22.2\*37.2CM  
Application: Indoor Places  
Capacity: 10L\*2  
Packing: Carton



# SCOOTERS





## L7 E-scooter

Nominal Voltage	<input type="checkbox"/> 24V	Nominal Voltage	<input type="checkbox"/> 36V
Motor Power	<input type="checkbox"/> 180W	Motor Power	<input type="checkbox"/> 250W
Battery capacity	<input type="checkbox"/> 24V/4.0Ah	Battery capacity	<input type="checkbox"/> 36V/5.0Ah
Endurance mileage	<input type="checkbox"/> 12km	Endurance mileage	<input type="checkbox"/> 20km
Light	LED light	Speed	25km/h
Wheel type	6.5" free inflatable solid tire	Brake method	Electromagnetic brake + foot brake
Battery type	Lithium	Charging time	4 - 5h
Motor type	Brushless gearless motor	Charger	110-240V:50-60Hz
Material	Aluminum 6061-T6	Starting method	Non-zero start
Precaution level	Ip54 for scooter Ip67 for electric system	Loading weight	100kg
Net weight	8kg	Shock absorber	Front & rear double suspension
Fold size	1100*330*160mm	Unfold size	1070*1020*420mm
Package size	1150*370*190mm	20" GP/40" GP/40" HQ	360pcs/744pcs/868pcs

## L6 E-scooter

Nominal Voltage	36V	Motor Power	350W
Battery capacity	<input type="checkbox"/> 7.8Ah <input type="checkbox"/> 10.4Ah	Endurance mileage	<input type="checkbox"/> 30km <input type="checkbox"/> 40km
Light	LED light	Speed	25km/h
Wheel type	8.5" front wheel/inflatable	Brake method	Rear disc brake
Battery type	Lithium	Charging time	3 - 5h
Motor type	Brushless gearless motor	Charger	110-240V:50-60Hz
Material	Aluminum 6061-T6	Starting method	Non-zero start
Precaution level	Ip54 for scooter Ip67 for electric system	Loading weight	120kg
Net weight	15kg	Shock absorber	Front & rear double suspension
Fold size	1155*460*490mm	Unfold size	1160*460*1155mm
Package size	1130*240*540mm	20" GP/40" GP/40" HQ	186pcs/376pcs/450pcs



## L5 E-scooter

ITEM	PARAMETERS	ITEM	PARAMETERS
Nominal voltage	36V	Rated power	320W
Battery capacity	□10.4Ah □13Ah	Endurance mileage	□40km □50km
Light	Front LED light	Speed	25km/h 20km/h (German standard)
Wheel type	10" front/rear air tire	Brake method	Front/rear: Disc brake
Battery type	Lithium	Charging time	3-5H
Motor type	Brushless gearless motor	Charger	110-240v; 50-60Hz
Material	Aluminum 6061-T6	Starting method	Non-zero start
Precaution level	Ip54 for scooter Ip67 for electric system	Loading weight	120kg
Net weight	20kg	Shock absorber	Front/rear double suspension
Fold size	1100*225*120mm	Unfold size	1170*580*1100mm
Package size	1150*260*160mm		118pcs/276pcs/150pcs



## L3 E-scooter



Nominal Voltage	36V	Motor Power	250W
Battery capacity	□ 5.2Ah □ 7.8Ah	Endurance mileage	□ 20km □ 30km
Light	36v 1w-LED front light	Speed	25km/h
Wheel type	8" free infatable solid tire	Brake method	Electromagnetic brake & rear foot brake
Battery type	lithium	Charging time	3-5h
Motor type	Brushless gearless motor	Charger	110-240V; 50-60Hz
Material	Aluminum 6061-T6	Starting method	Non-zero start
Pre caution level	Ip54 for scooter Ip67 for electric system	Loading weight	120kg
Net weight	12kg	Shock absorber	Front & rear double suspension
Fold size	1080*400*445mm	Unfold size	1080*445*1020mm
Package size	1100*250*420mm	20'GP/40'GP/40'HQ	235pcs/480pcs/576pcs

## Aluminum alloy double headlight



Brand	CYCLINGBOX
Name	Aluminum alloy double head headlight
Material	Aluminum alloy + PP plastic
Brightness	600 lumens (max)
Lamp beads	CREE T6 x2
Flood angle	35°
Battery	150mAh lithium battery
charging	USB charging
Modes	High - medium - low - fast flashing
Firing range	160 meters
Size	≈77×42×24mm
Weight	≈95g

## Colorful bottle cage



Brand	Aluminum alloy colorful bottle cage
Name	Aluminum alloy
Material	≈15×8cm
Weight	≈41g
Advantage	One-piece molding, vacuum plating

## Aluminum alloy portable pump



### U.S./French Mouth Easy To Switch

Equipped with convertible nozzle



### Silicone Wrap Hand Protection

The dial is wrapped with silicone, which not only protects the dial, but also increases the friction when pumping.



#### CNC Aluminum Alloy

Durable aluminum alloy body

#### 4 Tire Pressure Modes

PSI, KPA, BAR, KGF/CM<sup>2</sup>

#### 120PSI High Pressure

Suitable for most tires

#### Universal Gas Nozzle

U.S./French gas nozzle

#### Extension Hose

Rotate easily and effortlessly

#### 117G Lightweight

No burden on car

#### 20CM Compact Body

Lightweight and portable


#### Portable Stand

Can be carried with the car

**CAR**







## AC Female Charging Socket

GB/T 20234:2015

Electrical Performance:

Rated current:10A/16A/32A/63A

Operation voltage:250V/440V

Insulation

resistance:>1000MΩ ( DC500V )

Terminal temperature rise : <50K

witnstand voltage:2000V

Contact Resistance:0.5mΩ MAX

Mechanical properties:

Mechanical life:

no-load plug in/out > 10000times

Coupled insertion force:

45N<F<100N

Impact of external force can afford

1M drop and 2T vehicle run over

pressure

Environmental performance:

Operating temperature:-30°C-+50°C



Applied Materials :

Case material:thermoplastic,flame retardant grade UL94 V-0

Terminal:Copper alloy,silver plating

### ■ 产品选型 Product Feature

额定电流/Rated current	线缆规格/Cable specification	备注/Remarks
16A单相/Single phase	3X2.5mm <sup>2</sup> +2X0.75mm <sup>2</sup>	外壳颜色：黑色 Shell color: black 线缆颜色：黑色/橙色可选 Cable color: black/orange optional
15A三相/Three phase	5X2.5mm <sup>2</sup> +2X0.75mm <sup>2</sup>	
32A单相/Single phase	3X5mm <sup>2</sup> +2X0.75mm <sup>2</sup>	
32A三相/Three phase	5X5mm <sup>2</sup> +2X0.75mm <sup>2</sup>	
63A三相/Three phase	5X16mm <sup>2</sup> +2X0.75mm <sup>2</sup>	



## AC male Charging Socket

GB/T 20234:2015

Electrical Performance:

Rated current:10A/16A/32A/63A

Operation voltage:250V/440V

Insulation

resistance:>1000MΩ ( DC500V )

Terminal temperature rise : <50K

witstand voltage:2000V

Contact Resistance:0.5mΩ MAX

Mechanical properties:

Mechanical life:

no-load plug in/out > 10000times

Coupled insertion force:

45N<F<100N

Impact of external force can afford

1M drop and 2T vehicle run over

pressure

Environmental performance:

Operating temperature:-30°C-+50°C

Applied Materials :


Case material:thermoplastic,flame

retardant grade UL94 V-0

Terminal:Copper alloy,silver plating

### ■ 产品选型 Product Feature

额定电流/Rated current	线缆规格/Cable specification	备注/Remarks
16A单相/Single phase	3X2.5mm <sup>2</sup> +2X0.75mm <sup>2</sup>	外壳颜色：黑色 Shell color: black 线缆颜色：黑色/橙色可选 Cable color: black/orange optional
16A三相/Three phase	5X2.5mm <sup>2</sup> +2X0.75mm <sup>2</sup>	
32A单相/Single phase	3X6mm <sup>2</sup> +2X0.75mm <sup>2</sup>	
32A三相/Three phase	5X6mm <sup>2</sup> +2X0.75mm <sup>2</sup>	
63A三相/Three phase	5X16mm <sup>2</sup> +2X0.75mm <sup>2</sup>	



## DC Charging

### plug1

GB/T 20234:2015

Electrical Performance:

Rated current:32A/80A/100A/125A/  
200A/250A

Operation voltage:750V/1000V

Insulation

resistance:>2000MΩ ( DC500V )

Terminal temperature rise : <50K

witnstand voltage:3200V

Contact Resistance:0.5mΩ MAX

Mechanical properties:

Mechanical life:no-load plug in/out >  
1000times

Coupled insertion force:

70N<F<140N

Impact of external force can afford  
1M drop and 2T vehicle run over  
pressure

Environmental performance:

Operating temperature:-30℃+50℃



Applied Materials :

Case material:thermoplastic,flame  
retardant grade UL94 V-0

Terminal:Copper alloy,silver plating

#### ■ 产品选型 Product Model

额定电流/Rated current	线缆规格/Cable specification	备注/Remarks
32A	2×6+1×15+2×4.0+P(6×1.0)+2P(2×1.0)	外壳颜色：白色 Shell color: white 线缆颜色：黑色 Cable color: black
80A	2×20+1×16+2×4.0+P(6×1.0)+2P(2×1.0)	
100A	2×25+1×25+2×4.0+P(6×1.0)+2P(2×1.0)	
125A	2×35+1×25+2×4.0+P(6×1.0)+2P(2×1.0)	
200A	2×70+1×25+2×4.0+P(6×1.0)+2P(2×1.0)	
250A	2×80+1×25+2×4.0+P(6×1.0)+2P(2×1.0)	



## DC Charging plug2

GB/T 20234:2015

Electrical Performance:

Rated current:32A/80A/100A/125A/  
200A/250A

Operation voltage:750V/1000V

Insulation

resistance:>2000MΩ ( DC500V )

Terminal temperature rise : <50K

witnstand voltage:3200V

Contact Resistance:0.5mΩ MAX

Mechanical properties:

Mechanical life:no-load plug in/out >  
1000times

Coupled insertion force:

70N<F<140N

Impact of external force can afford  
1M drop and 2T vehicle run over  
pressure

Environmental performance:

Operating temperature:-30°C+50°C


Applied Materials :

Case material:thermoplastic,flame  
retardant grade UL94 V-0

Terminal:Copper alloy,silver plating

### ■ 产品选型 Product Feature

额定电流/Rated current	线缆规格/Cable specification	备注/Remarks
32A	2×6+1×16+2×4.0+P(6×1.0)+2P(2×1.0)	外壳颜色：黑色 Shell color: white 线缆颜色：黑色 Cable color: black
80A	2×20+1×16+2×4.0+P(6×1.0)+2P(2×1.0)	
100A	2×25+1×25+2×4.0+P(6×1.0)+2P(2×1.0)	
125A	2×35+1×35+2×4.0+P(6×1.0)+2P(2×1.0)	
200A	2×70+1×25+2×4.0+P(6×1.0)+2P(2×1.0)	
250A	2×90+1×25+2×4.0+P(6×1.0)+2P(2×1.0)	



## DC Charging Socket

GB/T 20234:2015

Electrical Performance:

Rated current:80A/100A/125A/200A/  
250A

Operation voltage:450-750V

Insulation

resistance:>2000M $\Omega$  ( DC500V )

Terminal temperature rise : <50K

witnstand voltage:3200V

Contact Resistance:0.5m $\Omega$  MAX

Mechanical properties:

Mechanical life:no-load plug in/out >  
10000times

Coupled insertion force:

70N<F<140N

Impact of external force can afford  
1M drop and 2T vehicle run over  
pressure

Environmental performance:

Operating temperature:-30°C-+50°C

Applied Materials :

Case material:thermoplastic,flame  
retardant grade UL94 V-0

Terminal:Copper alloy,silver plating

A black Logitech webcam is mounted on a red tripod stand. The stand has three legs and a central column. A black cable is connected to the back of the webcam and runs down the side of the tripod. The text "CAMERA STAND" is overlaid in the center of the image.

# **CAMERA STAND**





## Smart Auto Face Tracker Object Stand Mount for Camera and Cellphone

Product Features:


1. 360° surround and follow automatically without any miss angle.
2. Face tracking, object tracking, precise positioning.
3. AI composition, smart photo/video, light and fun.
4. Telesin Intelligent Follower Camera

Model:	TE-GPYT-001
Product Name	Smart 360 degree object face tracking stand moun for action camera and cellphone
Device supports	Action camera, Disr camera, cellphones
Product color	Black
NW	130g
Maximum load	300g
Power supply	Lithium battery
Mechanical angle	360 degrees horizontal rotation.
Control	Wifi remote
Package	Gift box package
Feature	Object tracking mode,face tracking mode,Control your phone's smart follow-up shooting



## Telesin 2nd Generation Helmet Chin Mount

- 1.Newest released, wide range of adaptation
- 2.Strong nylon and silicone material,durable and comfortable.more stronger and more firmly fastened onto your helmet.
- 3.Simple and quick installation
4. Release your hands, get a good shoot view when riding a bike or a motor.Safe and enjoyable.
5. It fits for Go Pros Hero-9/8/7/6/5/4 camera and DJI OSMO Action Camera ,SJCAM,XIAOMI YI and mobilephones





## Rear View Mirror Mount

1. Designed to fix your cameras on the motorcycle when riding, photography with your hands free.
2. Secure by screw, stable and convenient for adjustment.
3. 360 degree rotation view angle, never miss the scenery when riding
4. Easy to install and remove
5. The mount is suitable for the rear-view fasten screw diameter which is smaller than 10mm.
6. Applicable to many devices, action cameras, mobilephones.

## Rear View Mirror Mount with Quick Release Adapter

1. Newest released, wide range of adaptation
2. Strong nylon and silicone material, durable and comfortable. more stronger and more firmly fastened onto your helmet.
3. Simple and quick installation
4. Release your hands, get a good shoot view when riding a bike or a motor. Safe and enjoyable.
5. It fits for Go Pros Hero-9/8/7/6/5/4 camera and DJI OSMO Action Camera ,SJCAM,XIAOMI YI and mobilephones etc.



## Telesin Jaw Flex Mount + Adjustable Neck

1. Quick and easy to meet the needs of different directions taken.
2. Suitable for DJI Osmo Action, Go Pro Hero7 6 5 4S 4 3 SJCAM Xiaomi Yi etc all action cameras
3. Product Condition: 100% Brand New.



## Contact Us

- Seedeer (España) E-Commerce, S.L.
  - Phone: +34-648923299
  - E-Mail: [tien.feng@es.seedeer.com](mailto:tien.feng@es.seedeer.com)
- Address: CalleLuxemburgo 3, 28821 Coslada, Madrid (SPAIN)