

www.avonflow.com.cn



Tel:+86-571-2818 0888 Fax:+86-571-2818 0555
Email:sales@avonflow.com.cn Http://www.avonflow.com.cn



AVONFLOW MANUFACTURING GROUP INTRODUCTION

Avonflow is one of the biggest and best plumbing and heating products manufacturers in China and enjoys a good reputation world-widely with its supreme quality, outstanding service and competitive price.

Established in 2000, Avonflow got a rapid growth in the past years. Starting with high standard and huge capacity, it is accepted quickly by the world-wild market and became the key supplier in different countries, especially in Europe.

- No.1 Towel warmer supplier in China for Europe
- No.1 TRV supplier in China for Europe
- One of the biggest radiator valves suppliers in China for Europe

-- Certification:

CE:	Towel warmers, radiator valves, brass valves, TRV
DVGW:	Gas valve, brass fittings
GS:	Towel warmers
Kitemark:	Brass compression fittings
Keymark:	TRV
NF:	Towel warmers
Wras:	Tap, brass valve, fittings

- 100,000 sqm land occupied
- ISO 9001: 2000 & 14001 certified
- 3 auto chrome plating lines and 1 powder coating line
- Auto welding lines with unique technology; Special tubing assembly technical
- TRV's liquid sensor, head and the whole product designed, manufactured, inspected and calibrated in house.
- Capacity:
 - Towel warmers: 120,000 pcs/month
 - TRV: 400,000 pcs/month
 - Brass valves: 2,000,000 pcs/month
 - Brass fitting: 8,000,000 pcs/month



- SA8000:2008
- ISO9001:2008
- ISO14001:2004
- GBT 2001-2001



AVONFLOW CERTIFICATION

Tested by the 3rd laboratory

Approved by the authority organization

We do everything to guarantee the quality for our customer!



SYSTEM CERTIFICATION



PRODUCT CERTIFICATION





CONTENTS

Unique Technology,
Enjoy High Quality Product
Excellent Quality & Perfect Service

HEATING SYSTEM

-- Towel Warmers	(006)
-- Brackets & Support& Elements	(036)
-- Thermostatic Radiator Valves	(038)
-- Manual Radiator Valves	(048)
-- Heating Control	(064)
-- Manifolds	(066)

PLUMBING SYSTEM


-- Brass Valves	(074)
Angle Valves	(074)
Gate Valves	(077)
Stop Cock	(077)
Check Valves	(078)
Isolation Valves	(079)
Service Valves	(080)
Washing Machine Valves	(080)
Ball Valves	(082)
-- Fittings	(091)
Compression Fittings	(092)
Brass Fittings	(096)
Multilayer Fittings	(100)
Squeeze Connectors	(101)
Press Fittings	(102)
-- Wastes	(104)
-- Cistern Lever	(110)

TAPS

-- Bathroom & Kitchen	(116)
-- Thermostatic shower mixers	(136)
-- Bathroom Accessories	(138)



HEATING SYSTEM




- Towel Warmers
- Brackets & Support& Elements
- Thermostatic Radiator Valves
- Manual Radiator Valves
- Heating Control



HEATING SYSTEM

-- Towel Warmers




AF-UC 01001

Length:	1820
Width:	600
Distance:	50
Height:	55
Tube(pcs):	49
EN442:	
● Chrome BTU:	2800
○ White BTU:	3545



-- Towel Warmers



AF-FR 02001

Length:	1230
Width:	600
Distance:	550
Height:	65
Tube(pcs):	24

EN442:


● Chrome BTU:	3398
○ White BTU:	4302



-- Towel Warmers



○ $\varnothing 22/19/25\text{mm}$
 □ $30 \times 40\text{mm}$



AF-CN Series

● Chrome ○ White

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AF-CN01001	700	450	400	30	4+4+5	704	891
AF-CN01002	1150	450	400	30	3+5+5+8	1143	1447
AF-CN01003	1500	450	400	30	4+7+7+11	1548	1960
AF-CN01004	1800	450	400	30	5+8+13+13	2007	2541
AF-CN01005	700	500	450	30	4+4+5	766	970
AF-CN01006	1150	500	450	30	3+5+5+8	1244	1575
AF-CN01007	1500	500	450	30	4+7+7+11	1687	2136
AF-CN01008	1800	500	450	30	5+8+13+13	2194	2777
AF-CN01009	700	600	550	30	4+4+5	891	1127
AF-CN01010	1150	600	550	30	3+5+5+8	1445	1830
AF-CN01011	1500	600	550	30	4+7+7+11	1965	2488
AF-CN01012	1800	600	550	30	5+8+13+13	2568	3251



○ $30 \times 15\text{mm}$
 □ $30 \times 40\text{mm}$



AF-IT Series

● Chrome ○ White


Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AF-IT01001	800	450	400	30	5+10	873	1105
AF-IT01002	1200	450	400	30	5+7+10	1290	1633
AF-IT01003	1800	450	400	30	5+6+9+13	1934	2449
AF-IT01004	800	500	450	30	5+10	953	1207
AF-IT01005	1200	500	450	30	5+7+10	1407	1782
AF-IT01006	1800	500	450	30	5+6+9+13	2111	2672
AF-IT01007	800	600	550	30	5+10	1114	1410
AF-IT01008	1200	600	550	30	5+7+10	1643	2080
AF-IT01009	1800	600	550	30	5+6+9+13	2464	3120

AF-UK Series

● Chrome ○ White

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AF-UK01001	700	450	400	48	4+4+5	708	897
AF-UK01002	1150	450	400	48	3+5+5+8	1151	1457
AF-UK01003	1500	450	400	48	4+7+7+11	1559	1974
AF-UK01004	1800	450	400	48	5+8+13+13	2022	2559
AF-UK01005	700	500	450	52	4+4+5	771	976
AF-UK01006	1150	500	450	52	3+5+5+8	1252	1585
AF-UK01007	1500	500	450	52	4+7+7+11	1698	2150
AF-UK01008	1800	500	450	52	5+8+13+13	2209	2796
AF-UK01009	700	600	550	56	4+4+5	896	1134
AF-UK01010	1150	600	550	56	3+5+5+8	1453	1840
AF-UK01011	1500	600	550	56	4+7+7+11	1977	2502
AF-UK01012	1800	600	550	56	5+8+13+13	2583	3270

○ $\varnothing 22/19/25\text{mm}$
 □ $30 \times 40\text{mm}$



AF-SE Series

● Chrome ○ White

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AF-SE01001	800	450	400	48	5+10	879	1113
AF-SE01002	1200	450	400	48	5+7+10	1299	1644
AF-SE01003	1800	450	400	48	5+6+9+13	1948	2467
AF-SE01004	800	500	450	54	5+10	960	1215
AF-SE01005	1200	500	450	54	5+7+10	1417	1794
AF-SE01006	1800	500	450	54	5+6+9+13	2125	2690
AF-SE01007	800	600	550	68	5+10	1120	1418
AF-SE01008	1200	600	550	68	5+7+10	1652	2092
AF-SE01009	1800	600	550	68	5+6+9+13	2478	3138

○ $30 \times 15\text{mm}$
 □ $30 \times 40\text{mm}$





-- Towel Warmers



40*(35+25)mm

30*10mm



AF-DK Series

● Chrome ○ White

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AF-DK01001	800	450	400	46	5+10	937	1186
AF-DK01002	815	450	400	46	3+3+3+3	818	1035
AF-DK01003	1200	450	400	46	5+7+10	1384	1752
AF-DK01004	1800	450	400	46	5+6+9+13	2076	2629
AF-DK01005	800	500	450	55	5+10	1020	1291
AF-DK01006	815	500	450	55	3+3+3+3	885	1120
AF-DK01007	1200	500	450	55	5+7+10	1506	1907
AF-DK01008	1800	500	450	55	5+6+9+13	2260	2861
AF-DK01009	800	600	550	65	5+10	1187	1502
AF-DK01010	815	600	550	65	3+3+3+3	1018	1289
AF-DK01011	1200	600	550	65	5+7+10	1751	2216
AF-DK01012	1800	600	550	65	5+6+9+13	2626	3324



42*14mm

40*30mm



AF-DE Series


● Chrome ○ White

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AF-DE01001	800	450	400	30	4+7	909	1151
AF-DE01002	1200	450	400	30	3+5+8	1335	1690
AF-DE01003	1800	450	400	30	3+6+7+8	2003	2536
AF-DE01004	800	500	450	30	4+7	995	1259
AF-DE01005	1200	500	450	30	3+5+8	1460	1848
AF-DE01006	1800	500	450	30	3+6+7+8	2190	2772
AF-DE01007	800	600	550	30	4+7	1166	1476
AF-DE01008	1200	600	550	30	3+5+8	1708	2163
AF-DE01009	1800	600	550	30	3+6+7+8	2563	3244
AF-DE01010	1530	600	550	30	14	2669	3379

AF-ES Series

● Chrome ○ White

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AF-ES01001	800	450	410	40	4+11	1041	1317
AF-ES01002	1200	450	410	40	4+5+14	1584	2005
AF-ES01003	1800	450	410	40	5+6+9+13	2307	2921
AF-ES01004	800	500	460	40	4+11	1132	1433
AF-ES01005	1200	500	460	40	4+5+14	1724	2183
AF-ES01006	1800	500	460	40	5+6+9+13	2509	3176
AF-ES01007	800	600	560	40	4+11	1315	1665
AF-ES01008	1200	600	560	40	4+5+14	2005	2539
AF-ES01009	1800	600	560	40	5+6+9+13	2912	3686

22*22mm
40*40mm

AF-IR Series

● Chrome ○ White

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AF-IR01001	800	450	410	40	5+13	994	1259
AF-IR01002	1200	450	410	40	4+6+15	1420	1798
AF-IR01003	1800	450	410	40	5+8+13+13	2184	2765
AF-IR01004	800	500	460	40	5+13	1081	1368
AF-IR01005	1200	500	460	40	4+6+15	1540	1950
AF-IR01006	1800	500	460	40	5+8+13+13	2371	3002
AF-IR01007	800	600	560	40	5+13	1253	1587
AF-IR01008	1200	600	560	40	4+6+15	1780	2254
AF-IR01009	1800	600	560	40	5+8+13+13	2745	3475

ø 22/19/25mm
40*40mm

-- Towel Warmers




○ $\varnothing 22/19$
○ $\varnothing 32\text{mm}$



AF-NO Series

● Chrome ○ White


Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AF-NO01001	800	450	418/400	65	3+3+3+3	696	881
AF-NO01002	1200	450	418/400	65	3+3+3+3+3+3	1044	1321
AF-NO01003	1800	450	418/400	65	3+3+3+3+3+3+3+3	1565	1982
AF-NO01004	800	500	468/450	65	3+3+3+3	753	954
AF-NO01005	1200	500	468/450	65	3+3+3+3+3+3	1130	1430
AF-NO01006	1800	500	468/450	65	3+3+3+3+3+3+3+3	1695	2146
AF-NO01007	800	600	568/550	65	3+3+3+3	868	1099
AF-NO01008	1600	600	568/550	65	3+3+3+3+3+3+3+3	1737	2199
AF-NO01009	1800	600	568/550	65	3+3+3+3+3+3+3+3	1954	2474



AF-UC Series

○ White ● Chrome

Code	Length (mm)	Width (mm)	EN442 (BTU)	
			Chrome	White
AF-UC03001	1250	500	824	1043



AF-UC Series

○ White ● Chrome


Code	Length (mm)	Width (mm)	EN442 (BTU)	
			Chrome	White
AF-UC04001	1250	550	1191	1508

AF-UC Series

● Chrome ○ White

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AF-UC02001	900	500	50	52	3+3+3+3+3	971	1229
AF-UC02002	1500	500	50	52	3+3+3+3+3+3+3	1426	1805
AF-UC02003	1800	500	50	52	3+3+3+3+3+3+3+3	1742	2205
AF-UC02004	900	550	50	52	3+3+3+3+3	1043	1320
AF-UC02005	1500	550	50	52	3+3+3+3+3+3+3	1527	1933
AF-UC02006	1800	550	50	52	3+3+3+3+3+3+3+3	1871	2369
AF-UC02007	900	600	50	52	3+3+3+3+3	1115	1411
AF-UC02008	1500	600	50	52	3+3+3+3+3+3+3	1627	2060
AF-UC02009	1800	600	50	52	3+3+3+3+3+3+3+3	2001	2533


○ $\varnothing 25\text{ mm}$
○ $\varnothing 32\text{mm}$



AF-UC 12001

● Chrome ○ White

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AF-UC12001	988	500	80	88	6	834	1056



AF-UC Series

○ White ● Chrome


Code	Length (mm)	Width (mm)	EN442 (BTU)	
			Chrome	White
AF-UC04001	1250	500	1194	1508



-- Towel Warmers

AF-UC 11001

● Chrome ○ White




Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AF-UC11001	1000	550	80	67	12	1205	1462

AF-UA Series

● Chrome ○ White





○ $\varnothing 22/19$
○ $\varnothing 32\text{mm}$



Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AF-UA01001	800	450	400	50	5+12	957	1212
AF-UA01002	1200	450	400	50	4+6+15	1414	1790
AF-UA01003	1800	450	400	50	5+8+13+13	2186	2768
AF-UA01004	800	500	450	50	5+12	1039	1315
AF-UA01005	1200	500	450	50	4+6+15	1534	1942
AF-UA01006	1800	500	450	50	5+8+13+13	2373	3004
AF-UA01007	800	600	550	50	5+12	1202	1522
AF-UA01008	1200	600	550	50	4+6+15	1774	2246
AF-UA01009	1800	600	550	50	5+8+13+13	2747	3478

AF-UC 12002


● Chrome ○ White



Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AF-UC12002	1005	550	80	75	12	1065	1349

AF-UA 04001


● Chrome ○ White



Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AF-UA04001	1200	450	400	50	50	2545	3222




-- Towel Warmers



AF-UA 02001

● Chrome ○ White




Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AF-UA02001	1200	500	450	72	16	1285	1627



AF-UA 03001


● Chrome ○ White



Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AF-UA03001	988	500	450	88	6	896	1136



○ $\varnothing 38\text{mm}$
— 68*12




AF-FR Series

● Chrome ○ White

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AF-FR01001	800	450	400	52	2+3+3	1013	1283
AF-FR01002	1200	450	400	52	2+3+3+4	1520	1924
AF-FR01003	1800	450	400	52	2+3+4+5+5	2373	3004
AF-FR01004	800	500	450	52	2+3+3	1096	1388
AF-FR01005	1200	500	450	52	2+3+3+4	1644	2082
AF-FR01006	1800	500	450	52	2+3+4+5+5	2571	3254
AF-FR01007	800	600	550	52	2+3+3	1263	1598
AF-FR01008	1200	600	550	52	2+3+3+4	1894	2398
AF-FR01009	1800	600	550	52	2+3+4+5+5	2965	3754



○ $\varnothing 38\text{mm}$
— 68*12



AF-MR Series

● Chrome ○ White


Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AF-MR01001	1200	600	1140	54	4	1196	1514
AF-MR01002	1800	600	1740	54	4	1695	2146



-- Towel Warmers



AF-FL
SERIES



AF-FL 02001

● Chrome ○ White



Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AF-FL02001	616	800	750	68	8	1186	1502

AF-FL SERIES

● Chrome ○ White

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AF-FL01001	1200	500	450	95	17	2161	2330
AF-FL01002	1600	500	450	95	17	2330	2500
AF-FL01003	1600	550	500	97	23	3131	3300
AF-FL02001	616	800	750	68	8	1186	1502
AF-FL02002	900	500	450	67	8	847	1072

○ ∅32mm
□ 42X14X1.5



AF-FL 02002

● Chrome ○ White

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AF-FL02002	900	500	450	67	8	847	1072






-- Towel Warmers



○ Ø19
○ Ø32mm



AF-MC Series

● Chrome ○ White


Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU) Chrome White
AF-MC01001	900	320	288	210	3+3+9	865 1095
AF-MC01002	1200	320	288	210	3+4+4+9	1154 1460
AF-MC01003	1600	320	288	210	5+5+8+8	1511 1913

AF-ND Series

○ White

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU) White
AF-ND01001	510	450	420	150	4+5	931
AF-ND01002	660	450	420	150	4+9	1170
AF-ND01003	860	450	420	150	4+5+7	1460
AF-ND01004	1210	430	400	150	4+5+5+7	1897
AF-ND01005	510	550	520	150	4+5	940
AF-ND01006	660	550	520	150	4+9	1327
AF-ND01007	860	550	520	150	4+5+7	1653
AF-ND01008	1210	530	500	150	4+5+5+7	2202

○ Ø19/22
○ 30*30mm




AF-BG Series

○ White

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU) White
AFBG01001	1060	750	100	190	12	2067
AFBG01002	1600	750	100	190	18	3104

○ Ø22/19 mm
○ Ø32mm




AF-SP Series

● Chrome ○ White

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU) Chrome White
AF-SP01001	1220	452	1140	120/140/54	6	1671 2115
AF-SP01002	1820	452	1740	120/140/54	6	2419 3062

○ Ø38mm
○ 68*12






-- Towel Warmers



○ Ø38mm
○ 50*25




AF-UT Series

○ White

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						White	
AF-UT02001	1600	240	1560	78	4*2	2809	
AF-UT02002	1600	360	1560	78	6*2	4213	
AF-UT02003	1600	480	1560	78	8*2	2617	
AF-UT03001	1600	300	1560	80	6	2153	
AF-UT03002	1600	400	1560	80	8	2871	
AF-UT03003	1600	500	1560	80	10	3588	



○ Ø38mm
○ 68*12



AF-US Series

● Chrome ○ White


Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AF-US01001	1200	300	1140	50	4	1097	1389
AF-US01002	1600	300	1540	50	4	1429	1809
AF-US01003	1800	300	1740	50	4	1596	2020
AF-US01004	1200	376	1140	50	5	1371	1736
AF-US01005	1600	376	1540	50	5	1787	2262
AF-US01006	1800	376	1740	50	5	1995	2525
AF-US01007	1200	452	1140	50	6	1646	2084
AF-US01008	1600	452	1540	50	6	2145	2715
AF-US01009	1800	452	1740	50	6	2394	3031

AF-UT Series

● Chrome ○ White

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AF-UT01001	1600	240	1158	104	4	1409	1784
AF-UT01002	1600	360	1558	104	6	2114	2676
AF-UT01003	1600	480	1758	104	8	2819	3569

○ Ø38mm
○ 50*25




AF-MX Series

● Chrome ○ White


Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AF-MX01001	800	420	740	42	10	885	1120
AF-MX01002	1200	420	1140	42	10	1268	1606
AF-MX01003	1600	420	1540	42	10	1652	2092
AF-MX01004	1800	420	1740	42	10	1844	2335
AF-MX01005	800	500	740	42	12	1061	1343
AF-MX01006	1200	500	1140	42	12	1521	1926
AF-MX01007	1600	500	1540	42	12	1982	2509
AF-MX01008	1800	500	1740	42	12	2212	2800

○ Ø22
○ Ø32mm





-- Towel Warmers



AF-NT Series



○ White

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AF-NT01001	1200	420	1140	80	10	1498	
AF-NT01002	1800	420	1740	72	10	2133	
AF-NT01003	1200	500	1140	80	12	1795	
AF-NT01004	1800	500	1740	72	12	2557	

AF-SW Series

● Chrome ○ White


Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AF-SW01001	800	400	740	45	6	1054	1334
AF-SW01002	1200	400	1140	45	6	1525	1930
AF-SW01003	1800	400	1740	45	6	2231	2824
AF-SW01004	800	460	740	45	7	1227	1554
AF-SW01005	1200	460	1140	45	7	1777	2249
AF-SW01006	1800	460	1740	45	7	2601	3293



AF-HG Series

● Chrome ○ White


Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AFHG01001	1200	360	1140	30/42	12	2339	2961
AFHG01002	1800	360	1740	30/42	12	3459	4378
AFHG01003	1200	420	1140	30/42	14	2729	3455
AFHG01004	1800	420	1740	30/42	14	4035	5108



AF-ST Series

○ White ● Chrome

Code	Length (mm)	Width (mm)	EN442 (BTU)	
			Chrome	White
AF-ST01001	830	500	848	1074




AF-ST Series

○ White ● Chrome

Code	Length (mm)	Width (mm)	EN442 (BTU)	
			Chrome	White
AF-ST02001	1200	500	1144	1448




-- Towel Warmers




AF-XP Series ☐ White ☒ Chrome

Code	Length (mm)	Width (mm)	EN442 (BTU)	
			Chrome	White
AF-XP01001	1250	514	1224	1550



AF-XP Series ☐ White ☒ Chrome

Code	Length (mm)	Width (mm)	EN442 (BTU)	
			Chrome	White
AF-XP04001	300	550	840	1062




AF-IE Series ☒ Chrome

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	EN442 (BTU)
					Chrome
AF-IE16001	952	659	584	235	2420




AF-IE Series ☒ Chrome

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	EN442 (BTU)
					Chrome
AF-IE16002	952	479	404	235	1386




AF-FI Series ☐ White ☒ Chrome

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AF-FI02001	800	500	468	42	7	887	1124




AF-FI Series ☐ White ☒ Chrome

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU)	
						Chrome	White
AF-FI03001	1200	600	350	66	13	1401	1773



AF-IE Series ☒ Chrome

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	EN442 (BTU)
					Chrome
AF-IE16003	1000	635	525	230	3557




AF-IE Series ☒ Chrome

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	EN442 (BTU)
					Chrome
AF-IE16005	952	659	584	235	1126



-- Towel Warmers




AF-IE Series Chrome

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	EN442 (BTU) Chrome
AF-IE16006	952	659	584	235	1335



AF-IE Series Chrome

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	EN442 (BTU) Chrome
AF-IE16014	508	680	606	260	1910



AF-IE Series Chrome

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	EN442 (BTU) Chrome
AF-IE16020	940	474	400	135	1383




AF-IE Series Chrome

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	EN442 (BTU) Chrome
AF-IE16031	1202	574	500	147	2291




AF-IE Series Chrome

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	EN442 (BTU) Chrome
AF-IE16015	1444	630	556	187	2567




AF-IE Series Chrome

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	EN442 (BTU) Chrome
AF-IE16016	940	700	626	260	2435



AF-IE Series Chrome

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	EN442 (BTU) Chrome
AF-IE16039	1500	599	525	235	2561




AF-IE Series Chrome

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	EN442 (BTU) Chrome
AF-IE16094	904	674	600	267	2538




-- Towel Warmers



AF-GR Series

● Chrome

Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	EN442 (BTU) Chrome
AF-GR17001	914	535	460	137	610
AF-GR17006	684	604	—	145	—



AF-GR Series

● Chrome


Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	EN442 (BTU) Chrome
AF-GR17002	1000	535	460	140	800



AF-NZ Series

● Chrome


Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU) Chrome
AF-NZ18002	914	535	460	137	3	448



AF-UR Series

● Chrome ○ White


Code	Length (mm)	Width (mm)	Height (mm)	EN442 (BTU) Chrome	White
AF-UR02001	850	530	220	547	693



AF-NZ Series

● Chrome


Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU) Chrome
AF-NZ18014	778	686	612	254	6	965



AF-NZ Series

● Chrome


Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU) Chrome
AF-NZ18001	700	400	325	140	3	441



AF-UR Series

● Chrome ○ White

Code	Length (mm)	Width (mm)	Height (mm)	EN442 (BTU) Chrome	White
AF-UR03001	860	550	155	641	812



AF-UR Series

○ White ● Chrome


Code	Length (mm)	Width (mm)	Height (mm)	EN442 (BTU) Chrome	White
AF-UR01001	600	500	100	277	351
AF-UR01002	575	530	100	—	—
AF-UR01003	575	530	100	—	—



-- Towel Warmers

AF-HC Series

○ White




Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU) White
AF-HC01001	800	570	720	40	10	1993



AF-CA Series

○ White


Code	Length (mm)	Width (mm)	Distance (mm)	Height (mm)	Tube (pcs)	EN442 (BTU) White
AF-CA01001	644	418	600	60	3	6334
AF-CA01002	1244	556	1200	60	4	17622
AF-CA01003	1844	694	1800	60	5	33499



AF-CL Series

○ White

Code	Length (mm)	Distance (mm)	Height (mm)	Thickness/pc (mm)	EN442 White BTU
AF-CL	1870	1800	68	45	529
	1670	1600	68	45	474
	1570	1500	68	45	444
	1270	1200	68	45	358
	1070	1000	68	45	304
	870	800	68	45	246
	670	600	68	45	188
	370	300	68	45	102



AF-CL Series

○ White

Code	Length (mm)	Distance (mm)	Height (mm)	Thickness/pc (mm)	EN442 White BTU
AF-CL	1870	1800	100	45	809
	1670	1600	100	45	723
	1570	1500	100	45	679
	1270	1200	100	45	549
	1070	1000	100	45	464
	870	800	100	45	375
	670	600	100	45	290
	370	300	100	45	160

-- Brackets & Support& Elements



1/2" Air Vent



1/2" Cap



AF-E001



AF-P002C



AF-P002W



AF-P003C



AF-C001



AF-C002



AF-E002



AF-P004C



AF-P005C



AF-P006C



AF-M008C



AF-P001C



AF-E003



AF-P007C



AF-P011W

-- Thermostatic Radiator Valves



Technical Specification:

- With thermostatic head and reversible bi-directional body.
- Built-in sensor with liquid-filled element
- Graduated scale from 0 to 5 corresponding to temperature setting ranges from 6°C-28°C with frostprotection setting as well (As per Figure below)

0°C	6°C	11-13°C	15-17°C	19-21°C	23-25°C	27-29°C
0	*	1	2	3	4	5

Fully tested to 10 bar

- Max pressure difference: 0.8 bar
- Nominal flow rate 173kgs/h
- Max flow temperature 120°C
- Can be mounted horizontally or vertically
- To avoid flow related noise the differential pressure between the flow and return pipes should not exceed 0.2 bar. To achieve this a differential by-pass valve should be fitted to the system and set to 0.2 bar.